

2023
2024




ENGLISH
VERSION

WORK & LEISURE CLOTHING

CXS LEONIS	34	CXS CAMO	168
CXS NAOS	38	CXS DIXON	170
CXS STRETCH	44	MEN'S JACKETS	172
CXS SIRIUS BRIGHTON	56	LADIES JACKETS	184
CXS SIRIUS	66	KNITWEAR AND SWEATSHIRTS	190
CXS PHOENIX	78	VESTS	198
CXS ORION	88	T-SHIRTS	204
CXS LUXY BRIGHT	98	SHIRTS	211
CXS LUXY	104	TROUSERS	212
OTHER WORKWEAR	120	FUNCTIONAL CLOTHING	218
CXS HALIFAX	122	UNDERWEAR	221
CXS NORWICH	126	SOCKS	222
CXS BENSON	130	HATS AND SCARVES	225
HIGH VISIBLE CLOTHING	134	ACCESSORIES	231
PROFESSIONAL CLOTHING	145		
WHITE AND GASTRO CLOTHING	150		
DISPOSABLE CLOTHING	159		
WATERPROOF CLOTHING	163		
WELDING ACCESSORIES	166		



Product code - You can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 **XX**

Size
46 - 68

Materiál: 100 % cotton	Grammage: 250 g/m ²
Norm: EN ISO 13688	Karton: 20 pieces
Unit: 1 piece	


• detailed description of the product

XX

35	36	37	38	39	40	41	42
43	44	45	46	47	48	49	50

MEN'S BODY MEASUREMENT

Size	S		M		L		XL		2XL	
	44	46	48	50	52	54	56	58	60	62
Chest	84-88	88-92	92-96	96-100	100-104	104-108	108-112	112-116	116-120	120-124
Waist	74-78	78-82	82-86	86-90	90-94	94-98	98-102	102-107	107-112	112-117
Hips	88-92	92-96	96-100	100-104	104-108	108-112	112-116	116-120	120-124	124-128
Neck	37	38	39	40	41	42	43	44	45	46




for the following height groups



WOMEN'S BODY MEASUREMENT

Size	XS		S		M		L		XL		2XL	
	34	36	38	40	42	44	46	48	50	52	54	56
Chest	76-80	80-84	84-88	88-92	92-96	96-100	100-104	104-108	108-112	112-116	116-120	120-124
Waist	60-64	64-68	68-72	72-76	76-80	80-84	84-88	88-92	92-96	96-100	100-104	104-108
Hips	82-86	86-90	90-94	94-98	98-102	102-106	106-110	110-114	114-118	118-122	122-126	126-130




Dimensions are in cm.

The size tables are only guidance aids for choosing the right size and do not give rise to the right to claim goods. If you measure between two sizes, always choose the larger size. Work CLOTHING, shoes and other protective work equipment are designed to be worn all day and should be as comfortable as possible.


COMFORT CUT

- combination of materials with flexible fibres
- comfortable cut according to current trends
- closer fitting lines while maintaining ergonomics
- suitable for all body types preferring a modern look



STANDARD CUT

- material with a solid structure
- traditional classic loose fit
- comfortable trousers without restricting movement
- suitable for all body types preferring classic workwear




The **CXS** brand has a portfolio of workwear and protective clothing that meets both general workwear requirements and specific protection criteria. This enables the selection of workwear to meet the exact requirements of a specific occupation, whether it is construction, craft or chemical work.

EN ISO 13688
 • protective clothing - general requirements

 **EN ISO 20471**
 • high visibility warning clothing for professional use


 **EN 343 + A1 (EN 343)**
 • protective clothing against rain


EN 13356
 • reflective accessories for non-professional use



EN 17353
 • increased visibility for medium risk situations


 **EN 381 (EN ISO 11393)**
 • protective clothing against chainsaw cuts

 **EN ISO 11612**
 • protective clothing against heat and flame

 **EN 1149-5**
 • protective clothing - electrostatic properties


 **EN 61340-5-1**
 • protection of electronic components against electrostatic phenomena


 **EN 14058**
 • clothing for protection against cold environments

 **EN ISO 11611**
 • protective clothing for use in welding and similar processes


CHEMICAL PROTECTIVE CLOTHING


 **EN 13034**
 • limited protection against liquid spraying chemicals TYPE 6

 **EN 1073-2**
 • protection against contamination by radioactive particles

 **EN 13982**
 • protection against the ingress of particulate matter and protection against aerosols TYPE 5

 **EN 14126**
 • protection against dangerous microorganisms

 **EN 14605**
 • protection against liquid aerosols, TYPE 4

EN ISO 20471  EN ISO 20471 divides high visible clothing into three groups according to the minimum surface area of the materials used. The standard also specifies the location and number of reflective elements. Higher safety classes, for example, require that the stripes delimit the figure - a vest alone is therefore not sufficient. Clothing should also have vertical reflective elements. They ensure that the worker can be seen clearly even when bending down to pick up tools.

MINIMUM REQUIRED AREA OF WARNING MATERIAL

Material	Class 1	Class 2	Class 3
Base material	0,14 m ²	0,5 m ²	0,8 m ²
Retroreflective material	0,1 m ²	0,13 m ²	0,2 m ²
Combined material	0,2 m ²	-	-

WHAT CLASS TO CHOOSE?

It depends on the workplace. The choice of the appropriate class is related to where employees work.

Class 1 - Suitable for workers who do not move on roads or tracks and who encounter traffic up to 30 km/h.

Class 2 - Designed for workers on or near roads and tracks without traffic. The speed of surrounding vehicles must not exceed 60 km/h.

Class 3 - The highest level of protection for use by personnel working on or near roads and tracks where there is at least partial traffic.



CXS LEONIS

design and durability



Material: nylon / elasthan / polyester / cotton / CORDURA®
Grammage: 300 g/m²



Norm: EN ISO 13688



CXS NAOS

stylish and functional collection



Material: nylon / elasthan / polyester / CORDURA®
Grammage: 220 g/m²



Norm: EN ISO 13688



CXS STRETCH

designed for maximum comfort at work



Material: cotton / elasthan
Grammage: 250 g/m²



Norm: EN ISO 13688



CXS SIRIUS

high durable collection



Material: polyester / cotton
Grammage: 270 g/m²



Norm: EN ISO 13688





CXS SIRIUS BRIGHTON

color highlighted in the correct places

Material: polyester / cotton

Grammage: 270 g/m²

Colors:

Norm: EN ISO 13688



CXS PHOENIX

ideal solution for environments with higher temperatures

Material: polyester / cotton

Grammage: 190 g/m²

Colors:

Norm: EN ISO 13688



CXS ORION

for demanding all-day work

Material: cotton / polyester

Grammage: 280 g/m²

Colors:

Norm: EN ISO 13688



CXS LUXY

selection of variants for a wide area of use

Material: cotton

Grammage: 260 g/m²

Colors:

Norm: EN ISO 13688



CXS LUXY BRIGHT

a simple solution for good visibility

- Material: cotton
- Grammage: 260 g/m²
- Colors:
- Norm: EN ISO 13688
-



CXS BENSON

modern design, great visibility, maximum safety

- Material: cotton / polyester
- Grammage: 280 g/m²
- Colors:
- Norm: EN ISO 13688
-



CXS HALIFAX

hi-vis collection for the summer season

- Material: cotton
- Grammage: 190 g/m²
- Colors:
- Norm: EN ISO 13688
-



CXS NORWICH

hi-vis collection for a wide range of uses

- Material: cotton
- Grammage: 280 g/m²
- Colors:
- Norm: EN ISO 13688
-

WORK COLLECTIONS

NEW  page 34
CXS SIRIUS LEONIS
 1290 167 817 XX

NEW  page 34
CXS SIRIUS LEONIS
 1390 058 817 00

 page 36
CXS SIRIUS LEONIS
 1020 120 XXX XX

 page 68
CXS SIRIUS NIKOLAS
 1020 001 XXX XX

 page 70
CXS SIRIUS TRISTAN
 1030 001 XXX XX

 page 72
CXS SIRIUS ELIAS
 1060 001 XXX XX

 page 74
CXS SIRIUS LUCIUS
 1010 014 708 XX

 page 38
CXS NAOS
 1010 100 XXX XX

 page 40
CXS NAOS
 1020 100 XXX XX

 page 42
CXS NAOS
 1060 100 XXX XX

 page 74
CXS SIRIUS NIKOLAS
 1020 014 708 XX

 page 74
CXS SIRIUS TRISTAN
 1030 014 708 XX

SALE  page 76
CXS SIRIUS NIKÉ
 1010 002 708 XX

 page 76
CXS SIRIUS AISHA
 1020 002 708 XX

NEW COLOR  page 44
CXS STRETCH
 1010 027 XXX XX

NEW COLOR  page 46
CXS STRETCH
 1020 027 XXX XX

 page 78
CXS PHOENIX PERSEUS
 1010 016 XXX XX

 page 80
CXS PHOENIX CEFEUS
 1020 016 XXX XX

 page 82
CXS PHOENIX CRONOS
 1030 016 XXX XX

 page 48
CXS STRETCH
 1030 027 XXX XX

NEW COLOR  page 50
CXS STRETCH
 1060 027 XXX XX

 page 50
CXS STRETCH
 1090 027 440 XX

 page 84
CXS PHOENIX ZEFYROS
 1060 016 XXX XX

 page 86
CXS PHOENIX BELLONA
 1010 017 710 XX

 page 86
CXS PHOENIX MONETA
 1020 017 710 XX

 page 86
CXS PHOENIX HEKATE
 1030 018 710 XX

NEW  page 86
CXS PHOENIX FORTUNE
 1060 017 710 XX

NEW  page 52
CXS STRETCH
 1040 027 710 XX

SALE  page 54
CXS STRETCH
 1010 031 440 XX

 page 54
CXS STRETCH
 1020 029 440 XX

 page 54
CXS STRETCH
 1030 029 440 XX

 page 88
CXS ORION OTAKAR
 1010 003 XXX XX

 page 90
CXS ORION TEODOR
 1020 003 XXX XX

 page 92
CXS ORION KRYŠTOF
 1030 003 XXX XX

 page 56
CXS SIRIUS BRIGHTON
 1010 001 XXX XX

 page 58
CXS SIRIUS BRIGHTON
 1020 001 XXX XX

 page 60
CXS SIRIUS BRIGHTON
 1030 001 XXX XX

 page 62
CXS SIRIUS BRIGHTON
 1060 001 XXX XX

SALE  page 94
CXS ORION DAVID
 1060 003 XXX XX

SALE  page 95
CXS ORION ADRIAN
 1040 003 710 XX

 page 95
CXS ORION TEODOR PLUS
 1021 003 710 XX

 page 64
CXS SIRIUS BRIGHTON
 1010 001 802 XX

 page 64
CXS SIRIUS BRIGHTON
 1020 001 802 XX

 page 64
CXS SIRIUS BRIGHTON
 1030 001 802 XX

 page 66
CXS SIRIUS LUCIUS
 1010 001 XXX XX

 page 96-97
CXS ORION OTAKAR
 1010 004 XXX XX

 page 96-97
CXS ORION TEODOR
 1020 004 XXX XX

 page 96-97
CXS ORION KRYŠTOF
 1030 004 XXX XX



page 98
CXS LUXY BRIGHT
1010 028 XXX XX



page 100
CXS LUXY BRIGHT
1020 028 XXX XX



page 102
CXS LUXY BRIGHT
1030 028 XXX XX



page 122-124
CXS HALIFAX
1112 009 XXX XX



page 126-128
CXS HALIFAX
1112 010 XXX XX



page 126-128
CXS NORWICH
1112 001 XXX XX



page 126-128
CXS NORWICH
1112 002 XXX XX



NEW COLOR
page 104
CXS LUXY EDA
1010 006 XXX XX



NEW COLOR
page 106
CXS LUXY JOSEF
1020 006 XXX XX



NEW COLOR
page 108
CXS LUXY ROBIN
1030 006 XXX XX



page 110
CXS LUXY TOMÁŠ
1060 006 XXX XX



page 110
CXS LUXY PATRIK
1090 006 411 XX



page 111
CXS LUXY DENIS
1061 006 411 XX



page 111
CXS LUXY ROBERT
1040 006 XXX XX



page 112
CXS LUXY HUGO
1010 009 411 XX



page 112
CXS LUXY JAKUB
1020 009 411 XX



page 113
CXS LUXY MARTIN
1030 009 411 XX



page 113
CXS LUXY ALASKA
1040 009 411 XX



page 114
CXS LUXY DIANA
1010 008 XXX XX



page 116
CXS LUXY ELENA
1020 008 XXX XX



page 118
CXS LUXY SABINA
1030 008 XXX XX



page 120
CXS KLASIK MIREK
1010 010 400 XX



page 120
CXS KLASIK MIREK
1020 010 400 XX



page 120
CXS KLASIK FRANTA
1030 010 400 XX



page 120
CXS KLASIK JARDA
1050 010 400 XX



page 121
CXS KLASIK VENCA
1090 001 400 XX



page 121
CXS KLASIK STELA
1090 002 400 00



page 121
CXS KLASIK NELA
1020 011 400 XX



page 121
CXS JUTOS
1210 011 518 XX

HI-VIS CLOTHING AND ACCESSORIES



page 122-124
CXS HALIFAX
1112 008 XXX XX



page 126-128
CXS NORWICH
1112 003 XXX XX



page 126-128
CXS NORWICH
1112 007 XXX XX



page 130-132
CXS BENSON
1112 011 XXX XX



page 130-132
CXS BENSON
1112 012 XXX XX



page 131-132
CXS BENSON
1117 001 XXX XX



page 131
CXS BENSON
1110 079 160 XX



page 131
CXS BENSON
1114 079 160 XX



NEW
page 134
CXS BEDFORD
1117 006 180 XX



NEW
page 134
CXS BEDFORD WINTER
1110 105 180 XX



page 135
CXS HOVE
1117 002 150 XX



page 135
CXS DERBY
1110 002 XXX XX



page 135
CXS LUTON
1110 051 XXX XX



page 136
CXS CHESTER
1110 089 XXX XX



page 136
LEEDS
1110 007 XXX XX



page 137
CXS OXFORD
1110 005 XXX XX



page 137
CXS LONDON
1110 001 XXX XX



page 138
CXS CARDIFF
1111 001 XXX XX



page 138
YORK
1116 001 XXX XX



page 138
BATH
1116 009 XXX XX



page 139
CXS PRESTON
1115 023 XXX XX



page 139
FROME
1115 027 XXX XX



NEW
page 140
CXS OLDHAM
1118 001 XXX XX



page 140
CXS BANGOR
1113 112 XXX XX



page 140
CXS RIPON
1113 108 XXX XX

 CXS EKETER 1113 020 XXX XX	 CXS LIVERPOOL 1113 019 150 XX	 DOVER 1113 001 XXX XX	 CROSS 1115 005 XXX XX
---	--	--	---

 BOLTON 1114 037 XXX XX	 DORSET 1114 038 XXX XX	 CXS GUSTAV 1114 001 XXX XX	 CXS CRAN 4310 207 XXX XX
---	---	---	--

 CXS TYNAN 1115 049 166 00	 CXS ELY 1115 002 XXX XX	 CXS KEADY 1115 003 XXX XX	 CXS REFLECTIVE TAPE 1115 048 150 01
--	--	--	--

PROFESSIONAL CLOTHES

 CXS ELEKTROTECHNIK II 1130 172 400 XX	 ELEKTROTECHNIK II 1130 173 400 XX	 CXS DENALI 1130 140 XXX XX	 ESD CXS NOME 1130 135 XXX XX
---	---	--	---

 CXS MOFOS 1180 001 703 XX	 CXS MOFOS 1180 002 700 XX	 LESNÍK 1120 022 503 XX	 LESNÍK 1120 008 503 XX	 CXS ENERGETIK MULTI 1130 195 400 XX
--	--	---	---	--

 CXS ENERGETIK MULTI 1130 196 400 XX	 CXS ENERGETIK MULTI 1130 197 403 XX	 CXS ENERGETIK MULTI 1130 198 403 XX	 CHEMIK 1140 003 400 XX	 CHEMIK 1140 005 400 XX
--	--	--	---	---

WHITE AND GASTRO CLOTHES

 ACID RESISTANT APRON 1140 023 XXX XX	 CXS BELLA 1150 087 100 XX	 CXS BELLA 1150 087 107 XX	 CXS NAOMI 1150 088 100 XX
---	--	--	--

 CXS EVA 1150 017 100 XX	 CXS ADAM 1150 018 100 XX	 CXS ERIN 1150 089 100 XX	 CXS IRIS 1150 090 100 XX	 CXS DARJA 1150 015 100 XX
--	---	---	---	--






 CXS DARJA 1150 016 100 XX	 CXS TARA 1150 092 501 XX	 CXS AMY 1150 091 100 XX	 CXS EDWARD 1020 100 100 XX	 CXS ARTUR 1150 014 100 XX
--	---	--	---	--

 CXS TARA 1150 094 501 XX	 CXS MAJA 1150 093 100 XX	 CXS GABRIELA 1150 023 100 XX	 CXS CHEF 1150 146 801 XX	 CXS RADIM 1150 001 100 XX
---	---	---	---	--

 CXS KAREL 1150 009 812 XX	 CXS ALTHEA 1090 002 800 00	 CXS DANA 1150 075 000 00	 CXS STELA 1150 012 100 00	 CXS LENA 1150 011 100 00
---	--	--	---	--

 CXS VEST 1150 006 800 XX	 CXS VEST 1150 003 800 XX	 CXS FELIX 1150 008 800 XX	 CXS TEREZA 1150 002 800 XX	 CXS APRON 1150 007 800 00
---	---	--	---	--

 CXS CLOTH 1150 008 100 00	 CXS NELA 1150 026 100 00	 CXS KUBA 1150 025 100 XX	DISPOSABLE CLOTHES	 CXS HALITUS 1160 168 400 01
--	---	---	---------------------------	--

 CXS HALITUS 1160 168 400 00	 CXS RICK 1160 131 100 95	 CXS OVERAL 1160 001 100 XX	 CXS SCHEM 100 1160 173 100 XX	 3M OVERAL 4520 1160 006 100 XX
--	---	---	--	---



page 161

DUPONT TYVEK 500 XPERT
1160 005 100 XX



page 161

TYVEK 600 PLUS
1160 002 105 XX



page 161

TYCHEM 2000 C
1160 003 150 XX



page 162

DUPONT TYVEK 500
1160 011 100 00



page 162

CXS TONK
1160 010 400 00



page 172

CXS STRETCH
1230 116 XXX XX



page 173

CXS NORFOLK
1230 109 XXX XX



page 162

CXS MAGDA
1160 008 100 00



page 162

CXS ERIKA
1160 007 113 00

WATERPROOF CLOTHES



page 163

CXS ONETIME
1170 008 113 00



page 163

CXS EVA
1170 037 150 00



page 174

CXS DURHAM
1230 072 XXX XX



page 175

CXS DAYTON
1230 112 410 XX



page 175

CXS FRANCISCO
1230 066 710 XX



page 163

CXS GUSTAV
1170 005 XXX 00



page 163

CXS PU
1170 002 717 XX



page 164

YORK
1116 001 XXX XX



page 164

BATH
1116 009 XXX XX



page 175

CXS SACRAMENTO
1230 008 706 XX



page 176

CXS LAVAL
1230 026 800 XX



page 176

CXS JERSEY
1230 029 510 XX



page 177

CXS NORFOLK
1220 016 XXX XX



page 177



page 165

CXS PROFI
1170 003 XXX XX



page 165

CXS VENTO
1170 004 XXX XX



page 165

CXS DEREK
1170 001 XXX XX



page 178

CXS VEGAS
1220 013 XXX XX



page 179

CXS KANSAS
1290 160 XXX XX



page 179

CXS LINCOLN
1290 161 800 XX

WELDING ACCESSORIES



page 166

CXS KOVAR
1180 005 000 00



page 166

CXS SVAREC
1180 004 000 00



page 167

CXS RUKI
1180 007 000 00



page 167

CXS KAME
1180 006 000 00

LEISURE CLOTHES



page 168

CXS CAMO
1290 147 531 XX



page 168

CXS CAMO
1290 148 524 XX



page 168

CXS CAMO
1490 170 524 XX



page 168

CXS CAMO
1820 054 524 00



page 180

CXS BALTIMORE
1210 096 XXX XX



page 181

CXS BRIGHTON
1210 078 XXX XX



page 181



page 182

CXS IRVINE
1210 001 XXX XX



page 183

CXS FREMONT
1210 005 810 XX



page 183

CXS VERMONT
1210 007 414 XX



page 170

CXS DIXON
1290 115 701 XX



page 170

CXS DIXON
1490 121 701 XX



page 170

CXS DIXON
1450 032 531 XX



page 170

CXS DIXON
1450 032 701 XX



page 170

CXS DIXON
1450 032 800 XX



page 183

CXS PILOT
1210 003 800 XX



page 183

CXS GEORGIA
1210 010 800 XX



page 184

CXS WICHITA
1290 174 800 XX



page 185

CXS ARIZONA
1210 122 700 XX



page 186

CXS MERIDEN
1290 110 418 XX

CKS NEVADA 1230 119 XXX XX page 186

CKS ORLEANS 1290 144 800 XX page 187

CKS MONROE 1230 098 309 XX page 187

CKS DIGBY 1230 025 800 XX page 187

CKS MALONE 1590 003 XXX XX page 197

CKS MALONE 1590 002 800 XX page 197

CKS HEBRON 1320 016 805 XX page 198

CKS HEBRON 1320 017 805 XX page 198

CKS PASO 1320 010 802 XX page 198



   

CKS OCEANIA 1210 117 XXX XX page 188

CKS OCEANSIDE II 1210 116 511 XX page 189

CKS KENOVA 1210 017 802 XX page 189

CKS IRVINE 1210 098 710 XX page 189

CKS TOPEKA 1320 001 800 XX page 199

CKS LAREDO 1320 002 800 XX page 199

CKS OVERLAND 1310 027 XXX XX page 199

CKS OMAK 1310 018 804 XX page 200

CKS ANTARKTIDA 1121 001 800 XX page 200

CKS CARSON 1210 095 710 XX page 190

CKS MINTER 1290 130 400 XX page 190

CKS FLINT 1290 131 810 XX page 190

CKS INDIANAPOLIS 1290 107 729 XX page 191

CKS INDIANA 1290 101 702 XX page 191

CKS MILFORD 1330 036 100 XX page 201

CKS UTAH 1330 001 414 XX page 201

CKS UTAH 1330 002 250 XX page 201

CKS OHIO 1310 003 XXX XX page 202

CKS POMONA 1290 103 715 XX page 191

CKS CAPE 1290 102 710 XX page 192

CKS GARLAND 1290 088 XXX XX page 192

CKS OTAWA 1240 001 XXX XX page 193

CKS DENVER 1310 004 XXX XX page 202

CKS SEATTLE 1310 001 XXX XX page 203

CKS SEATTLE 1310 002 XXX XX page 203

CKS MARKUS 1690 051 XXX XX page 204

CKS GRANBY 1510 031 XXX XX page 193

CKS GRANBY LADY 1510 051 XXX XX page 194

CKS ARYN 1520 177 XXX XX page 194



CKS NOLAN 1610 312 XXX XX page 204

CKS WILDER 1610 331 XXX XX page 205

CKS DARREN 1610 200 XXX XX page 205

CKS HARRISON 1520 010 XXX XX page 195

CKS HARRIET 1520 011 800 XX page 195

CKS TEXAS 1520 136 XXX XX page 196

CKS MARMORO 1610 332 XXX XX page 205

CKS OLIVER 1610 002 XXX XX page 206

CKS DALTON 1610 131 XXX XX page 206

CKS ODEON 1520 001 XXX XX page 196

CKS TORONTO 1520 004 XXX XX page 197

CKS TORONTO 1520 005 800 XX page 197



CKS DANIEL 1610 001 XXX XX page 207

page 208 **NEW** page 208

CXS MICHAEL
1630 001 XXX XX

CXS SIMON
1620 302 XXX XX

page 209 **NEW** page 209

CXS PETR
1620 001 XXX XX

CXS EMILY
1610 384 XXX XX

SALE page 210 **NEW** page 210

CXS LINDA
1690 050 XXX XX

CXS ELLA
1610 178 XXX XX

page 211 page 211 page 211

CXS MARY
1620 121 XXX XX

CXS TIM
1660 133 XXX XX

CXS TOM
1660 001 XXX XX

page 212 page 212 page 212 page 213 page 213

CXS NIMES I
1490 071 411 XX

CXS NIMES II
1490 080 414 XX

CXS NIMES III
1490 081 710 XX

CXS MURET
1450 040 411 XX

CXS MURET
1450 040 710 XX

NEW page 213 **NEW** page 213 **SALE** page 213 **SALE** page 214

CXS VENATOR
1490 001 518 XX

CXS VENATOR
1490 001 800 XX

CXS VENATOR II
1490 167 XXX XX

CXS OREGON
1490 161 XXX XX

NEW page 214 **NEW** page 214 **NEW** page 215 **NEW** page 215

CXS OREGON
1490 211 810 XX

CXS AKRON
1430 004 XXX XX

CXS AKRON
1430 006 800 XX

CXS TRENTON
1420 003 XXX XX

NEW page 215 **NEW** page 216 **NEW** page 216 page 216 **NEW** page 216

CXS TRENTON
1420 004 800 XX

CXS MORIS
1450 049 714 XX

CXS MORIS
1450 049 800 XX

CXS ROWAN
1440 035 800 XX

CXS UMI
1490 220 800 XX

page 217 **NEW** page 217 **NEW** page 217 page 218 page 218

CXS ELEN
1490 003 800 XX

CXS MIA
1490 202 800 XX

CXS IVA
1490 009 800 XX

CXS COOLDRY
1720 018 810 XX

CXS COOLDRY
1740 018 810 XX

NEW page 218 **NEW** page 219 **NEW** page 219 **NEW** page 219 page 220

CXS REWARD
1720 002 808 XX

CXS REWARD
1740 002 808 XX

CXS REWARD
1720 003 808 XX

CXS REWARD
1740 003 808 XX

CXS ACTIVE
1710 001 700 XX

page 220 page 220 page 221 page 221 page 221

CXS ACTIVE
1720 001 700 XX

CXS ACTIVE
1740 001 700 XX

CXS BOXER
1810 002 711 XX

CXS ROCKY
1810 003 800 XX

CXS NICK
1810 033 414 XX

page 221 page 222 page 222 page 222 page 222

CXS DIRK
1810 001 711 XX

CXS WARDEN
1830 059 800 XX

CXS VERDE
1830 060 XXX XX

CXS CAVA
1830 061 800 XX

CXS LOWER
1830 055 XXX XX

page 222 page 223 page 223 page 223

CXS NEVIS
1830 056 XXX XX

CXS PACK
1830 051 XXX XX

CXS SOFT
1830 011 XXX XX

CXS COMFORT
1830 005 800 XX

page 224 **NEW** page 224 **NEW** page 224 **NEW** page 225 page 225

CXS THERMMAX
1830 002 800 XX

CXS THERMOMAX
1830 006 700 XX

CXS SKI
1830 004 700 XX

CXS LORY
1820 135 806 XX

CXS LORY
1820 135 802 XX

 page 225	 page 225	 page 225	 page 225	 page 226
CXS LORY 1820 135 810 XX	CXS TOBY 1820 133 801 XX	CXS DARREN 1820 117 800 XX	CXS DARREN 1820 116 810 XX	CXS XAVER 1820 142 800 XX

 page 226	 page 227	 page 227
CXS FERDA 1820 003 XXX XX	CXS CAMO 1820 054 524 00	CXS PHIL 1820 002 XXX XX

NEW COLORS	SALE	page 226
		
CXS JACK 1820 001 XXX XX		

 page 228	 page 228
CXS LOKI 1820 157 XXX XX	CXS TYNAN 1115 049 XXX 00

 page 229	 page 229	 page 229	 page 229
CXS SIRIUS 1820 059 XXX 00	CXS IVANUS 1820 007 710 00	CXS IVAN 1820 006 800 00	CXS KULICH 1820 011 800 00

 page 230	 page 230	 page 230	 page 231	 page 231
CXS EVAN 1820 146 800 00	CXS TED 1820 015 800 00	CXS DAN 1820 016 800 00	CXS WASCO 6110 110 800 XX	CXS KARUK 6110 092 700 00

 page 231	 page 231	 page 232	 page 232	 page 232
CXS NAVAH 6110 003 800 XX	CXS SUTAJ 6110 006 800 00	CXS TOBA 6110 086 800 00	CXS TWANA 6110 004 800 00	CXS TONGVA 6110 005 800 00

 page 232	 page 233	 page 233	 page 233
CXS DARREN 1900 001 800 00	CXS BRACES 1900 001 999 00	CXS BONEKAN KIDNEY BAND 1900 002 700 00	CXS WAIST SUPPORT 6110 069 803 XX

NEW

CXS LEONIS, 1290 167 817 XX

Size
S - 3XL

Basic material: 100 % polyester

Material - quilted part: 100 % nylon

Additional material: 94 % polyester 6 % elastane

Padding: 100 % nylon

Lining: 100 % polyester

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

- Men's jacket**
- suitable for work and leisure
 - combination of materials
 - sleeves and bottom with elastic band
 - chest and side zipper pockets
 - back ventilation
 - inner chest zipper pocket
 - reflective accessories



NEW

CXS LEONIS, 1390 058 817 00

Size
S - 3XL

Basic material: 100 % polyester

Material - quilted part: 100 % nylon

Padding: 100 % nylon

Lining: 100 % polyester

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

- Men's vest**
- suitable for work and leisure
 - combination of materials
 - bottom with elastic band
 - chest and side zipper pockets
 - inner zipper chest pocket
 - reflective accessories



DURANCE

DESIGN

CXS LEONIS, 1020 120 XXX XX


Size
46 - 64

Material: canvas 72 % cotton 25 % nylon 3 % elastane

Additional material: 92 % nylon 8 % elastane

CORDURA®: 100 % nylon

Norm: EN ISO 13688

Grammage: 300 g/m²

Box: 20 pieces

Unit: 1 piece

Men's working trousers

- 4-way stretch material in exposed areas allows for free and easy movement
- inner waist with antislip rubber printing
- CORDURA® accessories
- flexible waist with adjustable size, belt loops, 2 front pockets, 2 removable tool pockets reinforced with CORDURA®, thigh zipper pockets with possibility of ventilation, side pocket with zipper pocket
- 2 back pockets (one with zipper) reinforced with CORDURA®, folding ruler pocket with other pockets
- ergonomic knees reinforced with CORDURA® with side opening for knee pads and ventilation
- removable ID card holder in the right thigh pocket
- leg bottom reinforced with CORDURA®
- reflective accessories
- possibility of simple extension of trousers to a higher figure



411



710



810



reinforcement of strained seams by triple stitching

thigh pocket with flat zippers

ergonomic knees reinforced with CORDURA material

insertion of knee pads from side

reflective accessories

COMFORT CUT



DESIGN & ENDURANCE

CXS NAOS, 1010 100 XXX XX


Size
46 - 64

Material: canvas 93 % nylon 7 % elastane

Additional material: 100 % polyester

CORDURA®: 100 % nylon

Norm: EN ISO 13688

Grammage: 220 g/m²

Box: 20 pieces

Unit: 1 piece

Men's working jacket

- 4-way stretch material allowing free and easy movement
- CORDURA accessories
- sleeves with adjustable cuff
- 3 zipper chest pockets, 2 zipper side pockets
- removable ID card holder in the right chest pocket
- back and side ventilation under the sleeves
- inside zipper pocket
- breathable mesh lining
- bottom reinforced with CORDURA® material
- contrast elements
- reflective accessories


406

702

530

706

fleece collar
4-way stretch material
reflective accessories
underarm ventilation
reinforcement by material CORDURA

FUNCTIONALITY

CXS NAOS, 1020 100 XXX XX

CORDURA
FABRIC

406
Size
46 - 64

Material: canvas 93 % nylon 7 % elastane

Additional material: 100 % polyester

CORDURA®: 100 % nylon

Norm: EN ISO 13688

Grammage: 220 g/m²
Box: 20 pieces

Unit: 1 piece

Men's working trousers

- 4-way stretch material allowing free and easy movement
- inner waist with antislip rubber tape
- CORDURA accessories
- flexible waist with adjustable size, belt loops
- 2 front pockets, 2 removable tool pockets reinforced with CORDURA, thigh zipper pocket with removable
- ID card holder, multifunctional side pocket
- 2 back pockets at the bottom reinforced with CORDURA
- zipper ventilation on the back of the thighs
- knees reinforced with CORDURA with the opening for knee pads
- leg bottom reinforced with CORDURA
- contrast elements
- reflective accessories
- possibility of simple extension of trousers to a higher figure


COMFORT CUT

530

702

706

removable pockets
thigh ventilation
free movement
reinforcement by material CORDURA

CXS NAOS, 1060 100 XXX XX



406

Size
46 - 64

Material: canvas 93 % nylon 7 % elastane

Additional material: 100 % polyester

CORDURA®: 100 % nylon

Norm: EN ISO 13688	Grammage: 220 g/m ²
---------------------------	---------------------------------------

Box: 25 pieces **Unit:** 1 piece

Men's working shorts

- 4-way stretch material allowing free and easy movement
- inner waist with antislip rubber tape
- CORDURA accessories
- flexible waist with adjustable size, belt loops
- 2 front pockets, 2 removable tool pockets reinforced with CORDURA, thigh zipper pocket with removable ID card holder, multifunctional side pocket
- 2 back pockets at the bottom reinforced with CORDURA
- contrast elements
- reflective accessories



702



COMFORT CUT



flexible waist

reinforcement by material CORDURA

removable pockets

reflective accessories

removable ID card holder in the pocket

STYLE & FUNCTION

CX5 STRETCH, 1010 027 XXX XX

Size
46 - 64,
colors 440, 710: 46 - 68

Material: canvas 98 % cotton 2 % elastane

Grammage: 250 g/m² | **Box:** 20 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working jacket

- stretch fabric allowing free movement
- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- flap pocket on the left sleeve
- covered zipper fastening with snaps
- chest pockets - with snap and zipper
- side zipper pockets
- adjustable waist
- ventilation on the back
- reflective accessories

NEW

435



710

734

260

109



SHORTENED VERSION

1010 034 XXX XX / Size 44 - 64

170 - 176 cm



440

441

270



SHORTENED VERSION

1010 034 XXX XX / Size 44 - 64

170 - 176 cm



ZP Otice, a.s.
Hlavní 266
370 01 Otice

reinforced shoulders

2 way stretch

reflective accessories

cuff regulation

MOVEMENT

CLOTHING



CXS STRETCH, 1020 027 XXX XX

Size
46 - 64,
colors 440, 710: 46 - 68

Material: canvas 98 % cotton 2 % elastane

Norm: EN ISO 13688

Grammage: 250 g/m²

Box: 20 pieces

Unit: 1 piece

Men's working trousers

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with flap
- back lower hem reinforced by 600D polyester
- reflective accessories
- possibility of simple extension of trousers to a higher figure

NEW

435



SHORTENED VERSION

1020 034 XXX XX / Size 44 - 64

170 - 176 cm



SHORTENED VERSION

1020 034 XXX XX / Size 44 - 64

170 - 176 cm



reinforcement of strained seams by triple stitching

reinforced knee pockets with 600D polyester

reflective accessories

COMFORT CUT



FREE MO



CXS STRETCH, 1030 027 XXX XX

Size
46 - 64, colors 440, 710: 46 - 68

Material: canvas 98 % cotton 2 % elastane	Grammage: 250 g/m ²
Norm: EN ISO 13688	Unit: 1 piece

Men's working bib pants

- stretch fabric allowing free movement
- bib flap pocket
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with flap
- lower hem on the back leg reinforced by 600D polyester
- elastic braces in the back
- reflective accessories
- possibility of simple extension of trousers to a higher figure



710

SHORTENED VERSION
1030 034 XXX XX / Size 44 - 64
170 - 176 cm



734

109



260

440



441



270

SHORTENED VERSION
1030 034 XXX XX / Size 44 - 64
170 - 176 cm



braces with rubber at the back

side fastening with button

reinforcement of strained seams by triple stitching

COMFORT CUT





NEW

CXS STRETCH, 1060 027 XXX XX

435



Size
46 - 64, color 440: 46 - 68

Material: canvas 98 % cotton 2 % elastane | Grammage: 250 g/m²

Norm: EN ISO 13688 | Box: 25 pcs | Unit: 1 piece

Men's working shorts

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- two back pockets, one with flap
- reflective accessories

260

710

440

441

270



CXS STRETCH, 1090 027 440 XX

Size
46 - 64


Material: canvas 98 % cotton 2 % elastane | Grammage: 250 g/m²

Norm: EN ISO 13688 | Box: 20 pcs | Unit: 1 piece

Men's working 3/4 trousers

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester
- two back pockets, one with flap
- reflective accessories

COMFORT CUT



COMFORT CUT



reinforcement of strained seams by triple stitching

loop for tools

reflective accessories

multifunctional pockets

FREE MOVEMENT

NEW

CXS STRETCH, 1040 027 710 XX

Size
48 - 64

Material: canvas 98 % cotton 2 % elastane **Grammage:** 250 g/m²


Norm: EN ISO 13688 **Box:** 10 pcs **Unit:** 1 piece

Men's working overall

- stretch fabric allowing free movement
- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- flap pocket on the left sleeve
- covered zipper fastening with snaps
- two-way zipper
- chest pockets - with snap and zipper
- waist with side elastic bands
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with flap
- reflective accessories



flexible ribbing for comfort during movement



fleece collar

reinforced shoulders

reflective accessories

knees reinforced with 600D polyester

COMFORT CUT



FREE MOVEMENT

SALE

CXS STRETCH, 1010 031 440 XX

Size
38 - 58

Material: canvas 98 % cotton 2 % elastane

Norm: EN ISO 13688 | Grammage: 250 g/m²

Box: 20 pieces | Unit: 1 piece

Ladies' working jacket

- stretch fabric allowing free movement
- shoulders reinforced by 600D polyester
- sleeves with elastic cuff
- flap pocket on the left sleeve
- covered zipper fastening with snaps
- chest pockets - with snap and zipper
- side zipper pockets
- adjustable waist
- ventilation on the back
- reflective accessories



CXS STRETCH, 1020 029 440 XX

Size
38 - 58

Material: canvas 98 % cotton 2 % elastane

Norm: EN ISO 13688 | Grammage: 250 g/m²

Box: 20 pieces | Unit: 1 piece

Ladies' working trousers

- stretch fabric allowing free movement
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester
- two back pockets, one with flap
- back lower hem reinforced by 600D polyester
- reflective accessories



COMFORT CUT



CXS STRETCH, 1030 029 440 XX

Size
38 - 58

Material: canvas 98 % cotton 2 % elastane

Norm: EN ISO 13688 | Grammage: 250 g/m²

Box: 20 pieces | Unit: 1 piece

Ladies' working bib pants

- stretch fabric allowing free movement
- bib flap pocket
- waist with belt loops
- front pockets with zipper pocket
- multifunctional pockets on both sides
- knees reinforced by 600D polyester
- two back pockets, one with flap
- lower hem on the back leg reinforced by 600D polyester
- elastic braces in the back
- reflective accessories



COMFORT CUT



braces with rubber at the back

side fastening with button

multifunctional pockets

knees reinforced with 600D polyester

FREE MOVEMENT

CXS SIRIUS BRIGHTON, 1010 001 XXX XX

Size
46 - 64, color 802: 44 - 68

Material: canvas 65 % polyester 35 % cotton

Grammage: 270 g/m² | **Box:** 20 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

- Men's working jacket**
- sleeves with adjustable cuff
 - covered zipper fastening with snaps
 - multifunctional chest pockets
 - side zipper pockets
 - pencil pocket on the left sleeve
 - adjustable waist
 - reflective accessories



SHORTENED VERSION
1010 035 802 XX / Size 44 - 64 | 170 - 176 cm



zip fastening covered by a flap with press studs

pencil pocket

cuff regulation

SIRIUS BRIGHTON



CXS SIRIUS BRIGHTON, 1020 001 XXX XX

Size
46 - 64, color 802: 44 - 68

Material: canvas 65 % polyester 35 % cotton

Grammage: 270 g/m² | **Box:** 20 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

- Men's working trousers**
- waist with belt loops and side elastic bands
 - front pockets
 - multifunctional pockets on both sides
 - knees reinforced by 600D polyester with the opening for knee pads
 - two back flap pockets
 - reflective accessories

815



SHORTENED VERSION

1020 035 802 XX / Size 44 - 64

170 - 176 cm

802



803



multifunctional pockets

reflective accessories

knee pockets made of 600D material for inserting knee pads

STANDARD CUT



BIGGER HIGHLIGHTING

CXS SIRIUS BRIGHTON, 1030 001 XXX XX

Size
46 - 64, color 802: 44 - 68

Material: canvas 65 % polyester 35 % cotton

Grammage: 270 g/m²

Box: 15 pieces

Norm: EN ISO 13688

Unit: 1 piece

Men's working bib pants

- bib flap pocket
- waist with belt loops
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- back waist rubber with button for size adjustment
- two back flap pockets
- elastic braces in the back
- reflective accessories



815



SHORTENED VERSION

1030 035 802 XX / Size 44 - 64

170 - 176 cm



802



803



chest pocket with flap

elastic waist adjusting with button

reflective accessories

knee pockets made of 600D material for inserting knee pads

STANDARD CUT



COLOR HIGHLIGHTING



CXS SIRIUS BRIGHTON, 1060 001 XXX XX

Size
color 802: 46 - 68
color 803: 46 - 64

Material: twill 65 % polyester 35 % cotton	
Grammage: 190 g/m ²	Box: 25 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Men's working shorts**
- waist with belt loops and side elastic bands
 - front pockets
 - multifunctional pockets on both sides
 - two back flap pockets
 - reflective accessories

802 NEW SIZE! 66, 68



SALE 803



STANDARD CUT



loop for tools

reflective accessories

multifunctional pocket

HIGHLIGHT COLOR

CXS SIRIUS BRIGHTON, 1010 001 802 XX

Size
46, 50, 54, 58, 62

Material: canvas 65 % polyester 35 % cotton

Padding: flannel 100 % cotton

Grammage: 270 g/m ²	Box: 10 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Men's working jacket insulated**
- fleece lining
 - sleeves with adjustable cuff
 - covered zipper fastening with snaps
 - multifunctional chest pockets
 - side zipper pockets
 - adjustable waist
 - reflective accessories


CXS SIRIUS BRIGHTON, 1020 001 802 XX

Size
46, 50, 54, 58, 62

Material: canvas 65 % polyester 35 % cotton

Padding: flannel 100 % cotton

Grammage: 270 g/m ²	Box: 10 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Men's working trousers insulated**
- flannel lining
 - waist with belt loops and side elastic bands
 - front pockets
 - multifunctional pockets on both sides
 - knees reinforced by 600D polyester with the opening for knee pads
 - two back flap pockets
 - reflective accessories


CXS SIRIUS BRIGHTON, 1030 001 802 XX

Size
46, 50, 54, 58, 62

Material: canvas 65 % polyester 35 % cotton

Padding: flannel 100 % cotton

Grammage: 270 g/m ²	Box: 10 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Men's working bib pants insulated**
- flannel lining
 - bib flap pocket
 - waist with belt loops and elastic band in the back
 - front pockets
 - multifunctional pockets on both sides
 - knees reinforced by 600D polyester with the opening for knee pads
 - back waist rubber with button for size adjustment
 - two back flap pockets
 - elastic braces in the back
 - reflective accessories



jacket insulated with fleece

multifunctional pockets

adjustable waist

trousers insulated with flannel

knees reinforced with 600D polyester

reflective accessories

STANDARD CUT



COLOR HIGHLIGHTING

CLOTHING

CXS SIRIUS LUCIUS, 1010 001 XXX XX

Size
46 - 64, color 708: 44 - 68

Material: canvas 65 % polyester 35 % cotton

Grammage: 270 g/m² | **Box:** 20 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working jacket

- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- covered zipper fastening with snaps
- multifunctional chest pockets
- side zipper pockets
- adjustable waist
- reflective accessories


SHORTENED VERSION

1010 035 708 XX / Size 44 - 64

170 - 176 cm

shoulders reinforced by 600D polyester

multifunctional chest pockets

pencil pocket

cuff regulation

RESISTANCE

CXS SIRIUS NIKOLAS, 1020 001 XXX XX

Size
46 - 64, color 708: 44 - 68

Material: canvas 65 % polyester 35 % cotton

Grammage: 270 g/m² | **Box:** 20 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working trousers

- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- reflective accessories



SHORTENED VERSION

1020 035 708 XX / Size 44 - 64

170 - 176 cm

PROLONGED VERSION

1020 013 708 XX / Size 50, 54, 58, 62

194 cm



multifunctional pockets

knee pockets made of 600D material for inserting knee pads

reflective accessories

STANDARD CUT

RESISTANCE AND DURABILITY

CXS SIRIUS TRISTAN, 1030 001 XXX XX

Size
46 - 64, color 708: 44 - 68

Material: canvas 65 % polyester 35 % cotton

Grammage: 270 g/m²

Box: 15 pieces

Norm: EN ISO 13688

Unit: 1 piece

Men's working bib pants

- bib flap pocket
- waist with belt loops, rubber with button for size adjustment at the back
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- elastic braces in the back
- reflective accessories



410



SHORTENED VERSION

1030 035 708 XX / Size 44 - 64

170 - 176 cm



708



703



STANDARD CUT



chest pocket with flap

elastic waist adjusting with button

knee pockets made of 600D material for inserting knee pads

reflective accessories

RESISTANCE AND DURABILITY

CXS SIRIUS ELIAS, 1060 001 XXX XX

Size
 color 708: 46 - 68
 color 703: 46 - 64

Material: twill 65 % polyester 35 % cotton

Grammage: 190 g/m² **Box:** 25 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working shorts

- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- two back flap pockets
- reflective accessories

708 **NEW SIZE! 66, 68**



703



STANDARD CUT



loop for tools

reflective accessories

multifunctional pocket

RESISTANCE AND DURABILITY

CXS SIRIUS LUCIUS, 1010 014 708 XX

Size
46, 50, 54, 58, 62

Material: canvas 65 % polyester 35 % cotton

Padding: fleece 100 % polyester

Grammage: 270 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working jacket insulated

- fleece lining
- shoulders reinforced by 600D polyester
- sleeves with adjustable cuff
- covered zipper fastening with snaps
- multifunctional chest pockets
- side zipper pockets
- adjustable waist
- reflective accessories


CXS SIRIUS NIKOLAS, 1020 014 708 XX

Size
46, 50, 54, 58, 62

Material: canvas 65 % polyester 35 % cotton

Padding: flannel 100 % cotton

Grammage: 270 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working trousers insulated

- flannel lining
- waist with belt loops and side elastic bands
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- reflective accessories


CXS SIRIUS TRISTAN, 1030 014 708 XX

Size
46, 50, 54, 58, 62

Material: canvas 65 % polyester 35 % cotton

Padding: flannel 100 % cotton

Grammage: 270 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working bib pants insulated

- flannel lining
- bib flap pocket
- waist with belt loops, rubber with button for size
- adjustment at the back
- front pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back flap pockets
- bottom of legs reinforced by 600D polyester
- elastic braces in the back
- reflective accessories



shoulders reinforced by 600D polyester

jacket insulated with fleece

multifunctional pockets

trousers insulated with flannel

reflective accessories

STANDARD CUT



RESISTANCE AND DURABILITY

SALE
CXS SIRIUS NIKÉ, 1010 002 708 XX

Size
36 - 60

Material: canvas 65 % polyester 35 % cotton

Norm: EN ISO 13688 | **Grammage:** 270 g/m²
Box: 20 pieces | **Unit:** 1 piece

Ladies' working jacket

- sleeve with elastic cuff
- reinforced shoulders
- covered zipper fastening with snaps
- multifunctional chest pockets
- simple side pockets
- adjustable waist
- reflective accessories


CXS SIRIUS AISHA, 1020 002 708 XX

Size
36 - 60

Material: canvas 65 % polyester 35 % cotton

Norm: EN ISO 13688 | **Grammage:** 270 g/m²
Box: 20 pieces | **Unit:** 1 piece

Ladies' working trousers

- waist with belt loops
- waist with side elastic bands (from size 50)
- front pockets
- side multifunctional pocket
- back double pockets
- reflective accessories


STANDARD CUT

shoulders reinforced by 600D polyester
reflective accessories
multifunctional chest pockets
elastic cuff
RESISTANCE AND DURABILITY

CXS PHOENIX PERSEUS, 1010 016 XXX XX

Size
for colors 702 and 705 size 46-64,
for colors 706 and 710 size 46-68

Material: twill 65 % polyester 35 % cotton

Grammage: 190 g/m²

Box: 25 pieces

Norm: EN ISO 13688

Unit: 1 piece

Men's working jacket

- sleeves with elastic cuff
- zipper fastening
- chest flap pockets
- simple side pockets
- reflective accessories



702



705

SHORTENED VERSION

1010 043 706 XX / Size 44 - 64

170 - 176 cm



706



710



simple flap-covered pockets

reflective accessories

elastic cuff

& AIRY

CLOTHING



CXS PHOENIX CEFEUS, 1020 016 XXX XX

Size
for colors 702 and 705 size 46-64,
for colors 706 and 710 size 46-68

Material: twill 65 % polyester 35 % cotton

Grammage: 190 g/m²

Box: 25 pieces

Norm: EN ISO 13688

Unit: 1 piece

Men's working trousers

- waist with belt loops and side elastic band
- front pockets
- side flap pocket
- tape/folding measure pocket
- double knees
- back simple pocket
- reflective accessories

702



705



SHORTENED VERSION
1020 043 706 XX / Size 44 - 64

170 - 176 cm

706



710



STANDARD CUT



rubber in the hips

reflective accessories

simple pocket with flap

double knees

LIGHTWEIGHT & AIRY

CLOTHING

CXS PHOENIX CRONOS, 1030 016 XXX XX

Size
for colors 702 and 705 size 46-64,
for colors 706 and 710 size 46-68

Material: twill 65 % polyester 35 % cotton

Grammage: 190 g/m²

Box: 25 pieces

Norm: EN ISO 13688

Unit: 1 piece

Men's working bib pants

- bib flap pocket
- front pockets
- side flap pocket
- tape/folding measure pocket
- double knees
- back simple pocket
- elastic braces in the back
- reflective accessories




SHORTENED VERSION
1030 043 706 XX / Size 44 - 64

170 - 176 cm



STANDARD CUT



braces with rubber at the back

reflective accessories

chest pocket with flap

LIGHTWEIGHT & AIRY

CXS PHOENIX ZEFYROS, 1060 016 XXX XX

702

Size
for colors 702 and 705 size 46-64,
for colors 706 and 710 size 46-68

Material: twill 65 % polyester 35 % cotton

Grammage: 190 g/m²

Box: 25 pieces

Norm: EN ISO 13688

Unit: 1 piece

Men's working shorts

- front pockets
- side flap pocket
- tape/folding measure pocket
- back simple pocket
- reflective accessories



705



706



710



rubber in the hips

reflective accessories

STANDARD CUT



LIGHTWEIGHT & AIRY

CXS PHOENIX BELLONA, 1010 017 710 XX


Size 36 - 58	
Material: twill 65 % polyester 35 % cotton	
Grammage: 190 g/m ²	Box: 25 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Ladies' working jacket**
- sleeves with elastic cuff
 - zipper fastening
 - chest flap pockets
 - simple side pockets
 - reflective accessories


CXS PHOENIX MONETA, 1020 017 710 XX


Size 36 - 58	
Material: twill 65 % polyester 35 % cotton	
Grammage: 190 g/m ²	Box: 25 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Ladies' working trousers**
- waist with belt loops and side elastic band
 - front pockets
 - side flap pocket
 - tape/folding measure pocket
 - back simple pocket
 - reflective accessories


CXS PHOENIX HEKATE, 1030 018 710 XX


Size 36 - 58	
Material: twill 65 % polyester 35 % cotton	
Grammage: 190 g/m ²	Box: 25 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Ladies' working bib pants**
- bib flap pocket
 - front pockets
 - side flap pocket
 - tape/folding measure pocket
 - back simple pocket
 - elastic braces in the back
 - reflective accessories


NEW
CXS PHOENIX FORTUNE, 1060 017 710 XX


Size 36 - 58	
Material: twill 65 % polyester 35 % cotton	
Grammage: 190 g/m ²	Box: 25 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Ladies' working shorts**
- front pockets
 - side flap pocket
 - tape/folding measure pocket
 - back simple pocket
 - reflective accessories



braces with rubber at the back

reflective accessories

chest pocket with flap

STANDARD CUT


LIGHTWEIGHT & AIRY

CXS ORION OTAKAR, 1010 003 XXX XX

Size
46 - 64,
for colors 710, 805: 44 - 68

Material: twill 60 % cotton 40 % polyester

Grammage: 280 g/m² **Box:** 15 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working jacket

- sleeves with adjustable cuff
- small pencil pocket on the left sleeve
- covered zipper fastening with snaps
- multifunctional chest pockets
- side pockets
- waist with side elastic bands
- reflective accessories


411
510
610
710

SHORTENED VERSION

1010 025 710 XX / Size 46 - 64



reflective accessories

newly stitched tone in tone

cuff regulation

rubber in sides of jacket

FOR DEMANDING WORK

CXS ORION TEODOR, 1020 003 XXX XX

Size
46 - 64,
for colors 710, 805: 44 - 68

Material: twill 60 % cotton 40 % polyester

Grammage: 280 g/m² **Box:** 15 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective accessories



SHORTENED VERSION
1020 025 710 XX / Size 46 - 64 170 - 176 cm

PROLONGED SIZE
1020 015 710 XX / Sizes 50, 54, 58, 62 194 cm


STANDARD CUT


multifunctional pockets

reflective accessories

knee pockets made of 600D material for inserting knee pads

FOR DEMANDING WORK

CXS ORION KRYŠTOF, 1030 003 XXX XX

Size
46 - 64,
for colors 710, 805: 44 - 68

Material: twill 60 % cotton 40 % polyester

Grammage: 280 g/m² **Box:** 10 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working bib pants

- bib flap pockets
- waist with belt loops and elastic band in the back
- two-way zipper
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- elastic braces in the back
- reflective accessories


STANDARD CUT


FOR DEMANDING WORK

CXS ORION DAVID, 1060 003 XXX XX

Size
46 - 64,
for color 710: 46 - 68

Material: twill 60 % cotton 40 % polyester

Grammage: 240 g/m² **Box:** 15 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working shorts

- waist with belt loops and elastic band in the back
- front pockets with loops for tools
- multifunctional pockets on both sides
- two back pockets, one with velcro
- reflective accessories

NEW SIZE! 66, 68
710

805

SALE
610

STANDARD CUT

CXS ORION TEODOR PLUS, 1021 003 710 XX

Size
46 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 280 g/m² **Box:** 15 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets, hanging insertable tool pockets
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective accessories

STANDARD CUT

SALE
CXS ORION ADRIAN, 1040 003 710 XX

Size
48 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 280 g/m² **Box:** 10 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working overall

- sleeves with adjustable cuff
- small pencil pocket on the left sleeve
- covered zipper fastening with snaps
- multifunctional chest pockets
- waist with elastic band in the back
- two-way zipper
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective accessories



CXS ORION OTAKAR, 1010 004 710 XX

Size
46, 50, 54, 58, 62

Material: twill 60 % cotton 40 % polyester

Padding: fleece 100 % polyester

Grammage: 280 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working jacket insulated

- fleece lining
- sleeves with adjustable cuff
- small pencil pocket on the left sleeve
- covered zipper fastening with snaps
- multifunctional chest pockets
- side pockets
- waist with side elastic bands
- reflective accessories



SHORTENED VERSION

1010 026 710 XX / Size 44 - 62

170 - 176 cm

CXS ORION TEODOR, 1020 004 710 XX

Size
46, 50, 54, 58, 62

Material: twill 60 % cotton 40 % polyester

Padding: flannel 100 % cotton

Grammage: 280 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working trousers insulated

- flannel lining
- waist with belt loops and elastic band in the back
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective accessories




SHORTENED VERSION

1020 026 710 XX / Size 44 - 62

170 - 176 cm

STANDARD CUT


CXS ORION OTAKAR, 1010 004 805 XX

Size
46, 50, 54, 58, 62

Material: twill 60 % cotton 40 % polyester

Padding: fleece 100 % polyester

Grammage: 280 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working jacket insulated

- fleece lining
- sleeves with adjustable cuff
- small pencil pocket on the left sleeve
- covered zipper fastening with snaps
- multifunctional chest pockets
- side pockets
- waist with side elastic bands
- reflective accessories


CXS ORION TEODOR, 1020 004 805 XX

Size
46, 50, 54, 58, 62

Material: twill 60 % cotton 40 % polyester

Padding: flannel 100 % cotton

Grammage: 280 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working trousers insulated

- flannel lining
- waist with belt loops and elastic band in the back
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- reflective accessories


CXS ORION KRYŠTOF, 1030 004 710 XX

Size
46, 50, 54, 58, 62

Material: twill 60 % cotton 40 % polyester

Padding: flannel 100 % cotton

Grammage: 280 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working bib pants insulated


- flannel lining
- bib flap pockets
- waist with belt loops and elastic band in the back
- two-way zipper
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- elastic braces in the back
- reflective accessories

SHORTENED VERSION

1030 026 710 XX / Size 44 - 62

170 - 176 cm

STANDARD CUT



Size
46, 50, 54, 58, 62

Material: twill 60 % cotton 40 % polyester

Padding: flannel 100 % cotton

Grammage: 280 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working bib pants insulated

- flannel lining
- bib flap pockets
- waist with belt loops and elastic band in the back
- two-way zipper
- front pockets with loops for tools
- multifunctional pockets on both sides
- knees reinforced by 600D polyester with the opening for knee pads
- two back pockets, one with velcro
- elastic braces in the back
- reflective accessories

STANDARD CUT



CXS LUXY BRIGHT, 1010 028 XXX XX

Size
46 - 64,
for color 411 46 - 68

Material: twill 100 % cotton

Grammage: 260 g/m² | Box: 20 pieces

Norm: EN ISO 13688 | Unit: 1 piece

Men's working jacket

- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- waist with side elastic bands
- reflective stripes



260



411



510



detachable sleeves

hidden chest pocket with zip

zip fastening covered by flap with velcro

elastic cuff

UTILITY



CXS LUXY BRIGHT, 1020 028 XXX XX

Size
46 - 64,
for color 411 46 - 68

Material: twill 100 % cotton

Grammage: 260 g/m² | Box: 20 pieces

Norm: EN ISO 13688 | Unit: 1 piece

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective stripes



rubber waist at the back

cell phone/wallet pocket

double knees

5 cm wide reflective stripes

STANDARD CUT

CLOTHING

GOOD VISIBILITY

CXS LUXY BRIGHT, 1030 028 XXX XX

Size
46 - 64,
for color 411 46 - 68

Material: twill 100 % cotton

Grammage: 260 g/m² | Box: 15 pieces

Norm: EN ISO 13688 | Unit: 1 piece

Men's working bib pants

- bib zipper pocket
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- elastic braces in the back
- reflective stripes



411



260



510



STANDARD CUT



braces with rubber at the back

chest pocket with zipper

belt with button

double knees

5 cm wide reflective stripes

GOOD VISIBILITY

CXS LUXY EDA, 1010 006 XXX XX

Size
46 - 68,
for colors 406, 464 - 46 - 64

Material: twill 100 % cotton

Grammage: 260 g/m² **Box:** 20 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working jacket

- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- bottom part with side elastic bands
- reflective accessories


NEW
406

NEW
464

411

510

260
SHORTENED VERSION

1010 038 411 XX / Size 44 - 64

PROLONGED SIZE

1010 007 510 XX / Sizer 50, 54, 58, 62

PROLONGED SIZE

1010 007 411 XX / Sizer 50, 54, 58, 62, 66


109

705

803

810


detachable sleeves

reflective accessories

zip fastening covered by flap with velcro

elastic cuff

ECONOMIC SOLUTION

CLOTHING

CXS LUXY JOSEF, 1020 006 XXX XX

Size
46 - 68,
for colors 406, 464 - 46 - 64

Material: twill 100 % cotton

Grammage: 260 g/m² | **Box:** 20 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working trousers

- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective accessories

NEW

406



NEW

464



411



SHORTENED VERSION
1020 038 411 XX / Size 44 - 64

510



PROLONGED SIZE
1020 007 510 XX / Size 50, 54, 58, 62

PROLONGED SIZE
1020 007 411 XX / Size 50, 54, 58, 62, 66

260



109



705



803



810



rubber waist at the back

multifunctional pocket

reflective accessories

double knees

STANDARD CUT



ECONOMIC SOLUTION

CLOTHING

CXS LUXY ROBIN, 1030 006 XXX XX

Size
46 - 68,
for colors 406, 464 - 46 - 64

Material: twill 100 % cotton

Grammage: 260 g/m² **Box:** 20 pieces

Norm: EN ISO 13688 **Unit:** 1 piece

Men's working trousers

- bib zipper pocket
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- elastic braces in the back
- reflective accessories

NEW
406

NEW
464

411

510

SHORTENED VERSION

1030 038 411 XX / Size 44 - 64

PROLONGED SIZE

1030 007 510 XX / Size 50, 54, 58, 62

PROLONGED SIZE

1030 007 411 XX / Size 50, 54, 58, 62, 66

260

109

705

803

810


rubber waist at the back

reflective accessories

STANDARD CUT


ECONOMIC SOLUTION

CXS LUXY TOMÁŠ, 1060 006 XXX XX


Size
46 - 64,
for colors 411, 510: 46 - 68

Material: twill 100 % cotton


Grammage: 260 g/m² Box: 25 pieces

Norm: EN ISO 13688 Unit: 1 piece

Men's working shorts

- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- back flap pocket
- reflective accessories


411
510

109
STANDARD CUT

CXS LUXY PATRIK, 1090 006 411 XX


Size
46 - 64


Material: twill 100 % cotton

Grammage: 260 g/m² Box: 20 pieces

Norm: EN ISO 13688 Unit: 1 piece

Men's working 3/4 trousers

- 3/4 length
- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective accessories


411
805
STANDARD CUT

CXS LUXY DENIS, 1061 006 411 XX


Size
46 - 64

Material: twill 100 % cotton

Grammage: 260 g/m² Box: 25 pieces

Norm: EN ISO 13688 Unit: 1 piece

Men's working shortss náprsenkou

- bib zipper pocket
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- back flap pocket
- elastic braces in the back
- reflective accessories


STANDARD CUT

CXS LUXY ROBERT, 1040 006 XXX XX


Size
48 - 64

Material: twill 100 % cotton

Grammage: 260 g/m² Box: 10 pieces

Norm: EN ISO 13688 Unit: 1 piece

Men's working overall

- covered zipper fastening with velcro
- sleeves with elastic cuff
- chest flap pockets
- hidden chest zipper pocket
- belt with buckle for waist adjustment
- two-way zipper
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- elastic part in the back
- back flap pocket
- reflective accessories


STANDARD CUT


CXS LUXY HUGO, 1010 009 411 XX


Size
46, 50, 54, 58, 62, 66

Material: twill 100 % cotton

Padding: fleece 100 % polyester

Grammage: 260 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working jacket insulated

- fleece lining
- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- bottom part with side elastic bands
- reflective accessories


CXS LUXY MARTIN, 1030 009 411 XX


Size
46, 50, 54, 58, 62, 66

Material: twill 100 % cotton


Padding: flannel 100 % cotton

Grammage: 260 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working bib pants insulated

- flannel lining
- bib zipper pocket
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- elastic braces in the back
- reflective accessories


STANDARD CUT

CXS LUXY JAKUB, 1020 009 411 XX


Size
46, 50, 54, 58, 62, 66

Material: twill 100 % cotton

Padding: flannel 100 % cotton

Grammage: 260 g/m² | **Box:** 10 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working trousers insulated

- flannel lining
- waist with belt loops and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective accessories


STANDARD CUT

CXS LUXY ALASKA, 1040 009 411 XX


Size
46, 50, 54, 58, 62, 66

Material: twill 100 % cotton

Lining: 100 % polyester


Padding: canvas 100 % cotton

Grammage: 260 g/m² | **Box:** 5 pieces

Norm: EN ISO 13688 | **Unit:** 1 piece

Men's working overall insulated

- hollow fibre padding
- sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- belt with buckle for waist adjustment, waist with elastic band in the back
- two-way zipper
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- double knees
- back flap pocket
- reflective accessories


STANDARD CUT


CXS LUXY DIANA, 1010 008 XXX XX



Size
38 - 58

Material: twill 100 % cotton

Grammage: 260 g/m²

Box: 20 pieces

Norm: EN ISO 13688

Unit: 1 piece

Ladies' working jacket

- detachable sleeves with elastic cuff
- covered zipper fastening with velcro
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- bottom part with side elastic bands
- reflective accessories

260



411



510



reflective accessories

detachable sleeves

zip fastening covered by flap with velcro

elastic cuff

rubber in sides of jacket



ECONOMIC SOLUTION


CLOTHING



CXS LUXY ELENA, 1020 008 XXX XX

Size 38 - 58	
Material: twill 100 % cotton	
Grammage: 260 g/m ²	Box: 20 pieces
Norm: EN ISO 13688	Unit: 1 piece

- Ladies' working trousers**
- waist with belt loops and elastic band in the back
 - front pockets
 - side pocket for tape / folding measure
 - side pocket for mobile phone / wallet
 - back flap pocket
 - reflective accessories



ECONOMIC SOLUTION

CXS LUXY SABINA, 1030 008 XXX XX


Size
38 - 58

Material: twill 100 % cotton

Grammage: 260 g/m²

Box: 15 pieces

Norm: EN ISO 13688

Unit: 1 piece

Ladies' working bib pants

- bib zipper pocket
- waist with buttons and elastic band in the back
- front pockets
- side pocket for tape / folding measure
- side pocket for mobile phone / wallet
- back flap pocket
- elastic braces in the back
- reflective accessories



braces with rubber at the back

chest pocket with zipper

belt with button

STANDARD CUT



ECONOMIC SOLUTION

CXS KLASIK MIREK, 1010 010 400 XX

Size
44 - 64

Material: twill 100 % cotton

Grammage: 240 g/m ²	Box: 25 pieces
Norm: EN ISO 13688	Unit: 1 piece

Men's working jacket

- reinforced elbows
- button for pulling sleeve cuffs
- covered button fastening
- 2 chest pockets with velcro


CXS KLASIK MIREK, 1020 010 400 XX

Size
44 - 64

Material: twill 100 % cotton

Grammage: 240 g/m ²	Box: 25 pieces
Norm: EN ISO 13688	Unit: 1 piece

Men's working trousers

- waist with lace for fastening
- double knees
- side folding ruler pocket on the right


CXS KLASIK FRANTA, 1030 010 400 XX

Size
44 - 64

Material: twill 100 % cotton

Grammage: 240 g/m ²	Box: 20 pieces
Norm: EN ISO 13688	Unit: 1 piece

Men's working bib pants

- chest zipper pocket
- back waist elastic band
- double knees
- side folding ruler pocket on the right
- button side fastening


CXS KLASIK JARDA, 1050 010 400 XX

Size
44 - 68

Material: twill 100 % cotton

Grammage: 240 g/m ²	Box: 15 pieces
Norm: EN ISO 13688	Unit: 1 piece

Men's working set

- button for fastening sleeve cuffs
- chest pocket with smaller one for the pencil
- trousers to the waist
- waist with lace for fastening
- double knees
- side folding ruler pocket on the right


CXS KLASIK VENCA, 1090 001 400 XX

Size
44 - 64

Material: twill 100 % cotton

Grammage: 240 g/m ²	Box: 20 pieces
Norm: EN ISO 13688	Unit: 1 piece

Men's working coat

- chest pocket with smaller one for the pencil
- back belt with button for fastening


CXS KLASIK STELA, 1090 002 400 00

Size
UNI 80 x 100 cm

Material: twill 100 % cotton, 260 g/m²

Box: 60 pieces

Balení: 5 pieces

Unit: 1 piece

Apron with front bib

- back lace for fastening


CXS KLASIK HELA, 1020 011 400 XX

Size
38 - 64

Material: twill 100% cotton

Grammage: 240 g/m²

Box: 25 pieces

Unit: 1 piece

Ladies' working trousers

- fixed waist
- button side fastening


SALE
CXS JUTOS, 1210 011 518 XX


Size
50, 54, 58, 62, 66

Material: canvas 100 % cotton

Lining: 100 % polyester

Padding: canvas 100 % cotton

Grammage: 195 g/m ²	Box: 10 pieces
Norm: EN ISO 13688	Unit: 1 piece

Men's working jacket

- hollow fibre padding
- impregnated
- 3/4 length
- detachable padded hood
- button fastening
- side pockets



CXS HALIFAX, 1112 008 155 XX


Size
46 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible jacket

- summer
- sleeves with velcro adjustable cuff
- chest pockets with velcro with covered zipper pocket
- covered zipper fastening with snaps
- mesh underarm and back for better ventilation
- velcro adjustable waist
- reflective tapes (width 5 cm)


CXS HALIFAX, 1112 009 155 XX


Size
46 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible trousers

- summer
- waist with belt loops and side elastic bands
- 2 front pockets
- 2 back covered pockets with velcro
- thigh pocket on the right leg
- reinforced knees with possibility to insert knee pads
- mesh back knee part for better ventilation
- reflective tapes (width 7 cm)


CXS HALIFAX, 1112 010 155 XX


Size
46 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Norm: EN ISO 20471

Box: 15 piece | **Unit:** 1 piece

Men's high visible bib pants

- summer
- elastic braces in the back
- chest zipper pocket
- side button fastening
- 2 front pockets
- 2 back covered pockets with velcro
- thigh pocket on the right leg
- reinforced knees with possibility to insert knee pads
- mesh in the back of the knee and on the inside of the thighs for better ventilation
- reflective tapes (width 7 cm)


mesh detail

zip fastening covered by a flap with velcro
mesh in the armpit
STANDARD CUT

EN ISO 20471

double knees with the option of inserting knee braces
mesh in the back of the knee
The combination of a blouse and trousers or bib pants meets the EN ISO 20471 standard - class 3

SUMMER HIGH VISIBLE CLOTHING

CXS HALIFAX, 1112 008 205 XX


Size
46 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible jacket

- summer
- sleeves with velcro adjustable cuff
- chest pockets with velcro with covered zipper pocket
- covered zipper fastening with snaps
- mesh underarm and back for better ventilation
- velcro adjustable waist
- reflective tapes (width 5 cm)


CXS HALIFAX, 1112 009 205 XX


Size
46 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible trousers

- summer
- waist with belt loops and side elastic bands
- 2 front pockets
- 2 back covered pockets with velcro
- thigh pocket on the right leg
- reinforced knees with possibility to insert knee pads
- mesh back knee part for better ventilation
- reflective tapes (width 7 cm)


CXS HALIFAX, 1112 010 205 XX


Size
46 - 64

Material: twill 60 % cotton 40 % polyester

Grammage: 190 g/m²

Additional material: 65 % polyester 35 % cotton and 100 % polyester

Norm: EN ISO 20471

Box: 15 piece | **Unit:** 1 piece

Men's high visible bib pants

- summer
- elastic braces in the back
- chest zipper pocket
- side button fastening
- 2 front pockets
- 2 back covered pockets with velcro
- thigh pocket on the right leg
- reinforced knees with possibility to insert knee pads
- mesh in the back of the knee and on the inside of the thighs for better ventilation
- reflective tapes (width 7 cm)


mesh detail

mesh
zip fastening covered by a flap with velcro
mesh in the armpit
mesh
double knees with the option of inserting knee braces
mesh in the back of the knee
STANDARD CUT


The combination of a blouse and trousers or bib pants meets the EN ISO 20471 standard - class 3

SUMMER HIGH VISIBLE CLOTHING



CXS NORWICH, 1112 001 155 XX



Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 20 pieces **Unit:** 1 piece

- Men's high visible jacket**
- button for pulling sleeve cuffs
 - left chest pocket with velcro with covered zip pocket
 - right chest pocket with velcro with smaller one for the pencil
 - covered button fastening
 - 3M reflective tapes (width 5 cm)



CXS NORWICH, 1112 002 155 XX



Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 20 pieces **Unit:** 1 piece

- Men's high visible trousers**
- waist with belt loops and side elastic bands
 - 2 back flap pockets
 - left side pocket with smaller one for the pencil
 - 3M reflective tapes (width 7 cm)



CXS NORWICH, 1112 003 155 XX



Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 15 piece **Unit:** 1 piece

- Men's high visible bib pants**
- rubber waist
 - elastic braces in the back
 - chest pocket with velcro with smaller one for the pencil
 - 2 back flap pockets
 - side button fastening
 - left side pocket with smaller one for the pencil
 - 3M reflective tapes (width 7 cm)



CXS NORWICH, 1112 007 150 XX



Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 25 piece **Unit:** 1 piece

- Men's high visible shorts**
- waist with belt loops and side elastic bands
 - 2 front pockets
 - 2 back flap pockets
 - 2 side flap pockets
 - 3M reflective tapes (width 5 cm, 6 cm)




UNIVERSAL HI-VIS CLOTHING

CLOTHING



simple flap-covered pockets

3M Reflective tapes width of 7 cm



CXS NORWICH, 1112 001 205 XX


Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 20 pieces **Unit:** 1 piece

Men's high visible jacket

- button for pulling sleeve cuffs
- left chest pocket with velcro with covered zip pocket
- right chest pocket with velcro with smaller one for the pencil
- covered button fastening
- 3M reflective tapes (width 5 cm)


CXS NORWICH, 1112 002 205 XX


Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 20 pieces **Unit:** 1 piece

Men's high visible trousers

- waist with belt loops and side elastic bands
- 2 back flap pockets
- left side pocket with smaller one for the pencil
- 3M reflective tapes (width 7 cm)


CXS NORWICH, 1112 003 205 XX


Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 15 piece **Unit:** 1 piece

Men's high visible bib pants

- rubber waist
- elastic braces in the back
- chest pocket with velcro with smaller one for the pencil
- 2 back flap pockets
- side button fastening
- left side pocket with smaller one for the pencil
- 3M reflective tapes (width 7 cm)


CXS NORWICH, 1112 007 200 XX


Size
46 - 68

Material: twill 65 % polyester 35 % cotton

Grammage: 280 g/m²

Norm: EN ISO 20471

Box: 25 piece **Unit:** 1 piece

Men's high visible shorts

- waist with belt loops and side elastic bands
- 2 front pockets
- 2 back flap pockets
- 2 side flap pockets
- 3M reflective tapes (width 5 cm, 6 cm)


3M
Reflective tapes

UNIVERSAL HI-VIS CLOTHING

CLOTHING

simple flap-covered pockets
button fastening covered by a flap
3M Reflective tapes width of 5 cm
STANDARD CUT


CXS BENSON, 1112 011 160 XX


Size
48 - 68

Basic material: sateen 60 % cotton 40 % polyester

Grammage: 280 g/m²

Additional material: twill 60 % cotton 40 % polyester

Norm: EN ISO 20471

Box: 20 pieces **Unit:** 1 piece

- Men's high visible jacket**
- shoulders reinforced with CORDURA
 - sleeves with velcro adjustable cuff
 - covered zipper fastening with velcro
 - left chest zipper pocket, right chest flap pocket
 - pencil pocket on left sleeve
 - side zipper pockets
 - segmented reflective tapes (width 5 cm)
 - contrast orange and reflective accessories
 - detachable ID card holder in the right pocket


CXS BENSON, 1112 012 160 XX


Size
48 - 68

Basic material: sateen 60 % cotton 40 % polyester

Grammage: 280 g/m²

Additional material: twill 60 % cotton 40 % polyester

Norm: EN ISO 20471

Box: 20 pieces **Unit:** 1 piece

- Men's high visible trousers**
- waist with belt loops and side elastic bands
 - inner waist with antislip rubber tape
 - 2 front pockets
 - two back pockets, one with flap
 - side multifunctional pockets
 - zipper pocket with inner ID card holder on the thigh
 - knees reinforced with CORDURA with the opening for knee pads
 - lower hem reinforced with CORDURA
 - segmented reflective tapes (width 7 cm)
 - contrast orange and reflective accessories



The combination of a blouse and trousers meets the EN ISO 20471 standard - class 3

CXS BENSON, 1110 079 160 XX


Size
S - 3XL

Material: 100 % polyester Oxford

Padding: 100 % polyester **Lining:** 100 % polyester

Norm: EN ISO 20471, EN 343+A1, EN 14058

Box: 10 pieces **Unit:** 1 piece

- Men's high visible jacket**
- padded
 - detachable hood in collar
 - fleece collar
 - sleeves with regulated wristband
 - covered zipper fastening with velcro
 - left chest zipper pocket, right chest flap pocket
 - side zipper pockets
 - segmented reflective tapes
 - contrast orange and reflective accessories
 - inner chest pocket
 - tightening at the bottom
 - taped seams
 - detachable ID card holder in the right pocket


CXS BENSON, 1114 079 160 XX


Size
S - 3XL

Material: 100 % polyester Oxford

Padding: 100 % polyester **Lining:** 100 % polyester

Norm: EN ISO 20471

Box: 10 pieces **Unit:** 1 piece

- Men's high visible vest**
- padded
 - fleece collar
 - covered zipper fastening with velcro
 - left chest zipper pocket, right chest flap pocket
 - side zipper pockets
 - segmented reflective tapes
 - contrast orange and reflective accessories
 - inner chest pocket
 - tightening at the bottom
 - water resistant material up to 2000 mm
 - detachable ID card holder in the right pocket


CXS BENSON, 1117 001 160 XX


Size
S - 3XL

Material: 100 % polyester

Lining: 100 % polyester - fleece

Norm: EN ISO 20471

Box: 10 pieces **Unit:** 1 piece

- Men's high visible softshell jacket**
- fleece collar
 - chest pocket
 - segmented reflective tapes
 - contrast orange and reflective accessories
 - inner chest pocket
 - inner cuffs
 - tightening at the bottom
 - TPU membrane
 - water resistant material up to 5 000 mm except seams
 - breathability 3000 g/m²/24h
 - detachable ID card holder in the chest pocket



CXS BENSON, 1112 011 210 XX


Size
48 - 60

Basic material: sateen 60 % cotton 40 % polyester

Grammage: 280 g/m²

Additional material: twill 60 % cotton 40 % polyester

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible jacket

- shoulders reinforced with CORDURA
- sleeves with velcro adjustable cuff
- covered zipper fastening with velcro
- left chest zipper pocket, right chest flap pocket
- pencil pocket on left sleeve
- side zipper pockets
- segmented reflective tapes (width 5 cm)
- contrast yellow and reflective accessories
- detachable ID card holder in the right pocket


CXS BENSON, 1117 001 210 XX


Size
S - 3XL

Material: 100 % polyester

Lining: 100 % polyester - fleece

Norm: EN ISO 20471

Box: 10 pieces | **Unit:** 1 piece

Men's high visible softshell jacket

- fleece collar
- chest pocket
- segmented reflective tapes
- contrast yellow and reflective accessories
- inner chest pocket
- inner cuffs
- tightening at the bottom
- TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 3000 g/m²/24h
- detachable ID card holder in the chest pocket


CXS BENSON, 1112 012 210 XX


Size
48 - 60

Základní Material: sateen 60 % cotton 40 % polyester

Grammage: 280 g/m²

Additional material: twill 60 % cotton 40 % polyester

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible trousers

- waist with belt loops and side elastic bands
- inner waist with antislip rubber tape
- 2 front pockets
- two back pockets, one with flap
- side multifunctional pockets
- zipper pocket with inner ID card holder on the thigh
- knees reinforced with CORDURA with the opening for knee pads
- lower hem reinforced with CORDURA
- segmented reflective tapes (width 7 cm)
- contrast orange and reflective accessories


STANDARD CUT

The combination of a blouse and trousers meets the EN ISO 20471 standard - class 3
shoulders reinforced with CORDURA material
zip fastening covered by a flap with press studs
multifunctional pocket
removable ID card holder inside
CORDURA knee pockets for inserting CORDURA knee pads
VISIBILITY & STYLE

NEW

CXS BEDFORD, 1117 006 180 XX



Size
S - 3XL

Material: 100 % polyester

Lining: 100 % polyester

Norm: EN ISO 20471

Box: 10 pieces | **Unit:** 1 piece

Men's high visible softshell jacket

- detachable hood
- fleece collar
- detachable sleeves
- elastic inner cuffs with thumb opening
- chest and side zipper pockets
- segmented reflective tapes
- contrast HV red and petrol accessories
- inner chest pocket
- tightening at the bottom
- TPU membrane
- water resistant material up to 8000 mm except seams
- breathability 3000 g/m2/24h
- detachable ID card holder in the right chest pocket



For size M and bigger | For size S | For vestu

NEW

CXS BEDFORD WINTER, 1110 105 180 XX



Size
S - 3XL

Material: 100 % polyester

Padding: 100 % polyester | **Lining:** 100 % polyester

Norm: EN ISO 20471, EN 14058

Box: 10 pieces | **Unit:** 1 piece

Men's high visible softshell jacket

- padded
- detachable hood in collar
- fleece collar
- underarm ventilation
- sleeves with regulated wristband
- inner cuffs
- covered zipper and snap fastening
- chest and side zipper pockets
- segmented reflective tapes
- contrast HV red and petrol accessories
- inner chest pockets
- tightening at the bottom
- TPU membrane



For size M and bigger | For size S

CXS HOVE, 1117 002 150 XX



Size
S - 3XL

Material: 100 % polyester

Lining: 100 % polyester fleece

Norm: EN ISO 20471

Box: 10 pieces | **Unit:** 1 piece

Men's high visible softshell jacket

- sleeves and bottom to the elastic band
- segmented reflective tapes
- contrast orange accessories
- chest pocket
- without TPU membrane



CXS DERBY, 1110 002 XXX XX



Size
S - 4XL (orange S - 3XL)

Material: 100 % polyester

Lining: 100 % polyester fleece

Norm: EN ISO 20471

Box: 10 pieces | **Unit:** 1 piece

Men's high visible softshell jacket

- detachable hood
- sleeves with regulated wristband
- main waterproof zipper
- chest pocket
- ID card holder
- tightening on the bottom
- TPU membrane
- water resistant material up to 8 000 mm except of seams
- breathability 3000 g/m2/24hours
- detachable ID card holder in the chest pocket



CXS LUTON, 1110 051 XXX XX



Size
S - 3XL (yellow XS - 5XL)

Material: 100 % polyester Oxford

Padding: 100 % polyester | **Lining:** 100 % polyester

Norm: EN ISO 20471, EN 343

Box: 10 pieces | **Unit:** 1 piece

Men's high visible jacket 2 in 1

- padded
- hood in the collar
- detachable sleeves
- sleeves with regulated wristband
- inner cuffs
- ID card holder
- radio loop
- inner pocket
- taped seams
- embroidery hole
- detachable ID card holder in the right chest pocket



Jacket - XS, S | Jacket - M and bigger | EN ISO 20471 | EN ISO 20471 | EN ISO 20471 | Vest - XS, S, M | Vest - L and bigger

VIZWELL LEEDS, 1110 007 XXX XX



Size
S - 3XL

Material: 100 % polyester Oxford

Padding: 100 % polyester | Lining: 100 % polyester

Norm: EN ISO 20471, EN 343+A1

Box: 10 pieces | Unit: 1 piece

Men's high visible jacket 2 in 1

- padded
- hood in the collar
- detachable sleeves
- zipper pocket on the left sleeve
- sleeves with regulated wristband
- inner cuffs
- ID card holder
- inner pocket
- taped seams
- embroidery hole



CXS CHESTER, 1110 089 XXX XX



Size
S - 3XL

Material: 100 % polyester

Padding: 100 % polyester | Lining: 100 % nylon

Norm: EN ISO 20471, EN 14058 (only if it is worn with the high visible color on top)

Box: 10 pieces | Unit: 1 piece

Men's high visible double-sided jacket

- padded
- fixed hood
- sleeves and bottom to the elastic band
- segmented reflective tapes
- chest zipper pockets
- reflective accessories



CXS OXFORD, 1110 005 XXX XX



Size
S - 3XL, (205 - M - 3XL)

Material: 100 % polyester Oxford

Padding: 100 % polyester | Lining: 100 % polyester

Norm: EN ISO 20471, EN 343

Box: 10 pieces | Unit: 1 piece

Men's high visible jacket

- padded
- hood in the collar
- 3 outside pockets + hidden pocket at the main zipper
- tightening on the bottom
- inner pocket
- taped seams



CXS LONDON, 1110 001 XXX XX



Size
S - 3XL

Material: 100 % polyester Oxford

Padding: 100 % polyester | Lining: 100 % polyester

Norm: EN ISO 20471, EN 343+A1

Box: 10 pieces | Unit: 1 piece

Men's high visible jacket 5 in 1

- hood in the collar
- regulated sleeves, waist and wristband
- 2 chest pockets
- 3M reflective tapes
- 2 inner pockets
- taped seams
- inner jacket with detachable fleece sleeves
- inner pocket

3M Reflective tapes



	EN ISO 20471	EN 343+A1	EN ISO 20471
Jacket set - XS	2	3	Vest - XS 1
Jacket set - S and bigger	3	1	Vest - S and bigger 2
Jacket upper - XS	2	3	
Jacket upper - S and bigger	3	3	

CXS CARDIFF, 1111 001 XXX XX



Size
S - 3XL

Material: 100 % polyester Oxford

Padding: 100 % polyester | **Lining:** 100 % polyester

Norm: EN ISO 20471

Box: 10 pieces | **Unit:** 1 piece

Men's high visible trousers

- padded
- waist with side elastic bands
- belt loops
- 6 pockets
- 3M reflective tapes
- adjustable leg width



VIZWELL YORK, 1116 001 XXX XX



Size
M - 3XL

Material: 100 % polyester Oxford

Norm: EN ISO 20471, EN 343+A1

Box: 10 pieces | **Unit:** 1 piece

Men's high visible rainsuit

- waterproof
- hood in the collar
- sleeves to the rubber
- back and underarm ventilation
- waist to the rubber
- 2 side pockets
- adjustable leg width
- taped seams
- practical packing

Practical package



VIZWELL BATH, 1116 009 XXX XX



Size
S - 3XL

Material: 100 % polyester Oxford

Norm: EN ISO 20471, EN 343+A1

Box: 10 pieces | **Unit:** 1 piece

Men's high visible raincoat

- waterproof
- detachable hood in the collar
- sleeves to the rubber
- taped seams
- back and underarm ventilation
- practical packing

Practical package



CXS PRESTON, 1115 023 XXX XX



Size
S - 3XL

Material: 100 % polyester fleece

Grammage: 290 g/m²

Lining: 100 % polyester mesh

Norm: EN ISO 20471

Box: 10 pieces | **Unit:** 1 piece

Men's high visible jacket

- fleece jacket with the lining
- chest pocket
- sleeves with the rubber band
- tightening at the bottom

EN ISO 20471



VIZWELL FROME, 1115 027 XXX XX



Size
S - 3XL

Material: 65 % polyester 35 % cotton

Grammage: 290 g/m²

Norm: EN ISO 20471

Box: 10 pieces | **Unit:** 1 piece

Men's high visible sweatshirt

- fixed hood
- waist and sleeves with elastic cuff
- 2 pockets



NEW
CXS OLDHAM, 1118 001 XXX XX

Size
S - 3XL

Basic material: 55 % cotton 45 % polyester

Grammage: 160 g/m²

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible T-shirt

- rounded neckline
- stabilizing neck tape
- underarm mesh ventilation
- side seams
- segmented vertical and horizontal reflective tapes



CXS EXETER, 1113 020 XXX XX

Size
yellow-blue: S - 5XL,
orange-blue: S - 3XL

Material: 55 % cotton 45 % polyester

Grammage: 160 g/m²

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible T-shirt

- blue rounded neckline
- stabilizing neck tape
- side seams
- blue mesh panels on the sides
- vertical and horizontal reflective tapes



CXS BANGOR, 1113 112 XXX XX

Size
yellow: S - 4XL,
orange: S - 3XL

Material: 100 % polyester

Grammage: 180 g/m²

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible T-shirt

- rounded neckline
- stabilizing neck tape
- underarm mesh ventilation
- side seams
- segmented vertical and horizontal reflective tapes



SALE
CXS LIVERPOOL, 1113 019 150 XX

Size
S - 5XL

Material: 100 % polyester Bird eye fabric

Grammage: 140 g/m²

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible T-shirt

- side seams
- vertical and horizontal reflective tapes



CXS RIPON, 1113 108 XXX XX

Size
yellow: S - 4XL,
orange: S - 3XL

Material: 55 % polyester 45 % polypropen

Grammage: 160 g/m²

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible T-shirt

- V-neck
- stabilizing neck tape
- contrasting black hem around the neck and sleeves
- underarm ventilation
- side seams
- segmented vertical and horizontal reflective tapes



VIZWELL DOVER, 1113 001 XXX XX

Size
S - 3XL

Material: 100 % polyester Bird eye fabric

Grammage: 140 g/m²

Norm: EN ISO 20471

Box: 20 pieces | **Unit:** 1 piece

Men's high visible T-shirt

- polo shirt with short sleeves
- 3 button fastening
- chest pocket
- side seams
- Wicking Finish



VIZWELL BOLTON, 1114 037 XXX XX



Size
S - 3XL

Material: 100 % polyester

Grammage: 120 g/m²

Norm: EN ISO 20471

Box: 50 pieces **Unit:** 1 piece

High visible vest

- two-color
- with pockets
- zipper fastening
- ID card holder
- plastic loop



SALE

205



155

CXS DORSET, 1114 038 XXX XX



Size
S - M, L - XL, 2XL - 3XL

Material: 100 % polyester

Grammage: 120 g/m²

Norm: EN ISO 20471

Box: 50 pieces **Unit:** 1 piece

High visible vest

- upper mesh part
- velcro fastening
- ID card holder



SALE

200



150

CXS GUSTAV, 1114 001 XXX XX



Size
150: S/M, L/XL, 2XL/3XL, 4XL/5XL
200: S/M, L/XL, 2XL/3XL

Material: 100 % polyester

Grammage: 120 g/m²

Norm: EN ISO 20471

Box: 50 pieces **Unit:** 1 piece

High visible vest

- velcro fastening



200



150

CXS CRAN, 4310 207 XXX 00



Material
65 % polyester 35 % cotton

Hardcap: ABS, EVA foam

Norm: EN 812:2012

Box: 60 pieces **Unit:** 1 piece

Cap with lining

- plastic inner lining
- reflective tapes
- side mesh part
- strap with velcro for size adjustment
- suitable for activities which do not require helmet wearing
- can not be used as a helmet replacement



215



166

CXS TYNAN, 1115 049 166 00



Size
UNI

Material: 100% acrylic

Výkon: 150 lm

Packing: 12 piece

Box: 120 pieces **Unit:** 1 piece

Hat with LED light

- knitted
- double-layer
- run time: 1 - 8 hours depending on used mode
- power supply: USB
- 3 light modes



200

150

CXS ELY, 1115 002 XXX 00



Size
UNI

Material: 100 % polyester

Box: 100 pieces **Unit:** 1 piece

Cap

- cap with a peak
- reflective accessories
- 6 panels
- velcro strap
- mesh back part



CXS KEADY, 1115 003 XXX 00

Size
UNI

Material: 100% acrylic

Box: 100 pieces | **Unit:** 1 piece

Cap

- knitted
- reflective accessories



VIZWELL CROSS, 1115 005 XXX XX

Size
UNI

Material: 100 % polyester

Norm: EN 13356

Box: 50 pieces | **Unit:** 1 piece

High visible cross belt

- elastic
- 4cm width
- 1,3cm reflective band heat transferred
- adjustable width and length
- plastic buckle



CXS REFLECTIVE TAPE, 1115 048 150 01

Size
43 x 4,5 cm

Material: reflective PVC foil, metal safety spring, vinyl

Norm: EN 13356

Box: 168 piece

Packing: 42 piece | **Unit:** 1 piece

Self-winding reflective tape

- high visible accessory for non-professional use



CXS ELEKTROTECHNIK II, 1130 172 400 XX

Size
46 - 64

Material: twill 65 % polyester 33 % cotton 2 % carbon fibres

Grammage: 200 g/m²

Norm: EN 1149-5, EN 61340-5-1

Box: 20 pieces | **Unit:** 1 piece

Men's protective jacket

- antistatic and ESD
- covered zipper fastening
- multifunctional chest pockets
- sleeves with adjustable cuff
- waist with side elastic bands
- reflective accessories



CXS ELEKTROTECHNIK II, 1130 173 400 XX

Size
46 - 64

Material: twill 65 % polyester 33 % cotton 2 % carbon fibres

Grammage: 200 g/m²

Norm: EN 1149-5, EN 61340-5-1

Box: 20 pieces | **Unit:** 1 piece

Men's protective trousers

- antistatic and ESD
- waist with belt loops and side elastic bands
- side pocket for tape / folding measure
- back flap pocket
- reflective accessories



CXS DENALI, 1130 140 XXX XX

Size
S - 3XL

Material: 96 % cotton 4 % carbon fibres

Grammage: 300 g/m²

Norm: EN 1149-5, EN 61340-5-1

Box: 30 pieces | **Unit:** 1 piece

Antistatic and ESD sweatshirt

- neck, waist and sleeves with elastic cuff
- inner part fine combed
- cotton knit with antistatic fiber



ESD CXS NOME, 1130 135 XXX XX


Size
XS - 3XL,
blue: XS - 5XL

Material: jersey 96% cotton 4% carbon fibre

Grammage: 155 g/m²

Norm: EN 1149-5, EN 61340-5-1

Box: 60 pieces | **Unit:** 1 piece

Antistatic and ESD T-shirt

- stabilizing neck tape
- side seams
- cotton knit with antistatic fiber


LESNÍK, 1120 022 503 XX


Size
48 - 64

Material: 50 % polyester 50 % cotton / 80 % polyester 20 % cotton

Norm: EN ISO 13688

Unit: 1 piece

Men's working jacket

- snap for pulling sleeve cuffs
- covered zipper and snap fastening
- prolonged back part of the jacket
- ventilation of the underarm and back part of the jacket


CXS MOFOS, 1180 001 703 XX


Size
46 - 64

Material: twill with permanent fire-resistant finishing 100% cotton

Grammage: 390 g/m²

Norm: EN ISO 13688, EN ISO 11611 class 1/A1+A2

Box: 10 pieces | **Unit:** 1 piece

Men's welding jacket

- underarm ventilation
- button for pulling sleeve cuffs
- reinforced elbows
- covered button fastening
- left chest pocket


LESNÍK, 1120 008 503 XX


Size
48 - 64

Material: 50 % polyester 50 % cotton / 80 % polyester 20 % cotton

Counter - shielding: 66 % polyester 34 % polypropylen

Insert: 100 % cotton / 100 % polyester

Norm: EN 381-5, level of protection 1, area of protection A - trousers only

Unit: 1 piece

Men's cut resistant trousers

- elastic braces
- 6 pockets on the trousers with bib
- back waist elastic bands
- side button opening
- cut-resistant lining across entire front part of the trousers
- anti-tick treatment at the bottom of the legs


CXS MOFOS, 1180 002 700 XX


Size
46 - 64

Material: twill with permanent fire-resistant finishing 100% cotton

Grammage: 390 g/m²

Norm: EN ISO 13688, EN ISO 11611 class 1/A1+A2

Box: 10 pieces | **Unit:** 1 piece

Men's welding trousers

- elastic braces in the back
- waist with button fastening
- right back pocket
- inside reinforced knees
- cover over shoes



CXS ENERGETIK MULTI, 1130 195 400 XX


Size
48 - 64

Material: twill 75 % cotton 24 % polyester 1 % antistatic carbon fibres

Grammage: 260 g/m²

Norm: EN ISO 13688, EN 13034+A1, EN ISO 11612 - A1, B1, C1, E1, F1, EN ISO 11611 - 1/A1, EN 1149-5



Unit: 1 piece

Men's protective jacket

- antistatic
- permanent fire resistant treatment PROBAN
- acid-resistant treatment
- elastic sleeve with adjustable cuff
- 4 front pockets
- covered zipper fastening with a velcro
- elastic waist on the sides of the jacket

CXS ENERGETIK MULTI, 1130 198 403 XX


Size
48 - 64

Material: twill 75 % cotton 24 % polyester 1 % antistatic carbon fibres

Grammage: 260 g/m²

Norm: EN ISO 13688, EN 13034+A1, EN ISO 11612 - A1, B1, C1, E1, F1, EN ISO 11611 - 1/A1, EN 1149-5



Unit: 1 piece

Men's protective trousers

- antistatic
- permanent fire resistant treatment PROBAN
- acid-resistant treatment
- waist with belt loops and elastic band in the back
- 4 front pockets with a velcro
- reflective accessories

CXS ENERGETIK MULTI, 1130 196 400 XX


Size
48 - 64

Material: twill 75 % cotton 24 % polyester 1 % antistatic carbon fibres

Grammage: 260 g/m²

Norm: EN ISO 13688, EN 13034+A1, EN ISO 11612 - A1, B1, C1, E1, F1, EN ISO 11611 - 1/A1, EN 1149-5



Unit: 1 piece

Men's protective trousers

- antistatic
- permanent fire resistant treatment PROBAN
- acid-resistant treatment
- waist with belt loops and elastic band in the back
- 4 front pockets with a velcro

CHEMIK, 1140 003 400 XX


Size
48 - 64

Material: 100 % polypropylen

Grammage: 230 g/m²

Norm: EN 13034 + A1 typ 6



Unit: 1 piece

Men's acid-resistant jacket

- elastic cuff
- covered button fastening
- elastic waist on the bottom sides of the jacket

CXS ENERGETIK MULTI, 1130 197 403 XX


Size
48 - 64

Material: twill 75 % cotton 24 % polyester 1 % antistatic carbon fibres

Grammage: 260 g/m²

Norm: EN ISO 13688, EN 13034+A1, EN ISO 11612 - A1, B1, C1, E1, F1, EN ISO 11611 - 1/A1, EN 1149-5



Unit: 1 piece

Men's protective jacket

- antistatic
- permanent fire resistant treatment PROBAN
- acid-resistant treatment
- elastic sleeve with adjustable cuff
- 4 front pockets
- covered zipper fastening with a velcro
- elastic waist on the sides of the jacket
- reflective accessories

CHEMIK, 1140 005 400 XX


Size
48 - 64

Material: 100 % polypropylen

Grammage: 230 g/m²

Norm: EN 13034 + A1 typ 6



Unit: 1 piece

Men's acid-resistant trousers

- fixed waist with a lace for fastening
- 2 front pockets on the trousers
- right back pocket on the trousers

ACID RESISTANT APRON, 1140 023 XXX XX


Size
84 x 112 cm

Material: polyvinylchloride

Lining: nylon/plastic weave

Norm: EN 14605:2005, TYP PB [4]

Box: 12 piece **Unit:** 1 piece

Acid resistant apron

- thickness: 0,508mm
- resistance to chemicals, water, grease and oil


100
500
PVC-45W (56-101)
PVC-45GR (56-101)
CXS NAOMI, 1150 088 100 XX


Size
38 - 60

Material: twill 64 % polyester 33 % cotton 3 % elastane (Spandex)

Grammage: 260 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

Ladies' lab coat

- chest pocket
- 2 bottom pockets
- back decorative belt in the waist section
- slit on the back
- 3/4 length


CXS EVA, 1150 017 100 XX


Size
38 - 60

Material: twill 100 % cotton

Grammage: 190 g/m²

Norm: EN ISO 13688, ČSN P ENIn 14237

Box: 20 pieces **Unit:** 1 piece

Ladies' lab coat

- 3 front pockets
- back belt with button for fastening


CXS ADAM, 1150 018 100 XX

Size
44 - 64

Material: twill 100 % cotton

Grammage: 190 g/m²

Norm: EN ISO 13688, ČSN P ENIn 14237

Box: 20 pieces **Unit:** 1 piece

Men's lab coat

- 3 front pockets
- back belt with button for fastening


NEW
CXS BELLA, 1150 087 100 XX


Size
38 - 58

Material: twill 62 % cotton 35 % polyester 3 % elastane

Grammage: 195 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

Dress

- covered button fastening
- left chest pocket
- 2 bottom pockets
- knee length


CXS BELLA, 1150 087 107 XX

SALE

Size
38 - 58

Material: twill 62 % cotton 35 % polyester 3 % elastane

Grammage: 195 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

Dress

- covered button fastening
- left chest pocket
- 2 bottom pockets
- knee length



CXS ERIN, 1150 089 100 XX


Size
36 - 60

Material: twill 64 % polyester 33 % cotton 3 % elastane (Spandex)

Grammage: 260 g/m²

Norm: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

Ladies' trousers

- partially elastic waist with belt loops
- 2 front sewn pockets
- back slat pocket


COMFORT CUT

CXS IRIS, 1150 090 100 XX


Size
36 - 60

Material: twill 64 % polyester 33 % cotton 3 % elastane (Spandex)

Grammage: 260 g/m²

Norm: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

Ladies' trousers

- elastic rib waist
- 2 front spacious wedge pockets
- 2 back sewn pockets


COMFORT CUT

CXS DARJA, 1150 015 100 XX


Size
36 - 60

Material: twill 100 % cotton

Grammage: 190 g/m²

Norm: EN ISO 13688, ČSN P ENIn 14237

Box: 20 pieces

Unit: 1 piece

Ladies' trousers

- fixed waist
- side button fastening
- 2 front pockets


STANDARD CUT

CXS DARJA, 1150 016 100 XX


Size
36 - 64

Material: canvas 100 % cotton

Grammage: 160 g/m²

Norm: EN ISO 13688, ČSN P ENIn 14237

Box: 20 pieces

Unit: 1 piece

Ladies' trousers

- back waist elastic band
- side button opening
- 2 front pockets


COMFORT CUT

CXS TARA, 1150 092 501 XX


Size
36 - 60

Material: canvas 62 % cotton 35 % polyester 3 % elastane

Grammage: 195 g/m²

Norm: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

Ladies' trousers

- rubber waist
- 2 front pockets
- contrasting white stripes


COMFORT CUT

CXS AMY, 1150 091 100 XX


Size
36 - 60

Material: twill 62 % cotton 35 % polyester 3 % elastane

Grammage: 195 g/m²


Norm: EN ISO 13688

Box: 25 piece

Unit: 1 piece

Ladies' 3/4 trousers

- cuff trousers with slit
- rubber waist with lacing
- 2 front spacious wedge pockets


COMFORT CUT

CXS EDWARD, 1020 100 100 XX

Size
46 - 62

Material: twill 64 % polyester 33 % cotton 3 % elastane (Spandex)

Grammage: 260 g/m²


Norm: EN ISO 13688

Box: 20 pieces

Unit: 1 piece

Men's trousers

- partially elastic waist with belt loops
- 2 sac front pockets
- back slat pockets
- knee ergonomy cut


COMFORT CUT

CXS ARTUR, 1150 014 100 XX

Size
44 - 64

Material: twill 100 % cotton

Grammage: 190 g/m²

Norm: EN ISO 13688, ČSN P ENIn 14237

Box: 20 pieces

Unit: 1 piece

Men's trousers

- waist with belt loops
- loops in the back part with buttons for fastening
- 2 front pockets
- right back pocket


STANDARD CUT


CXS TARA, 1150 094 501 XX


Size
36 - 60

Material: canvas 62 % cotton 35 % polyester 3 % elastane

Grammage: 195 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

- Ladies' smock**
- chest pocket with smaller one for a pencil
 - 2 bottom pockets
 - contrasting white stripes


CXS CHEF, 1150 146 801 XX

Size
42 - 64

Material: 65 % polyester 35 % cotton

Grammage: 190 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

- Chef's jacket**
- short sleeve
 - double row fastening with rondon buttons


CXS MAIA, 1150 093 100 XX


Size
36 - 60

Material: canvas 62 % cotton 35 % polyester 3 % elastane

Grammage: 195 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

- Ladies' smock**
- covered button fastening
 - 3 front pockets
 - satin edging of the pockets


CXS RADIM, 1150 001 100 XX

Size
38 - 64

Material: 100 % cotton

Grammage: 190 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

- Chef's jacket**
- slit on the sleeve cuff
 - rondon buttons


CXS GABRIELA, 1150 023 100 XX


Size
38 - 62

Material: canvas 100% cotton

Grammage: 160 g/m²

Norm: EN ISO 13688, ČSN P ENV 14237

Box: 20 pieces **Unit:** 1 piece

- Ladies' smock**
- 3 front pockets
 - back belt with button for fastening


CXS KAREL, 1150 009 812 XX

Size
38 - 62

Material: twill check 100% cotton

Grammage: 210 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

- Men's butcher's trousers**
- 2 front pockets
 - back loops with buttons for fastening
 - right back button pocket


STANDARD CUT


CXS ALTHEA, 1090 002 800 00

Size
80 x 100 cm

Material: twill 100 % cotton

Grammage: 260 g/m²

Norm: EN ISO 13688

Box: 60 pieces

Box: 5 piece **Unit:** 1 piece

Apron with a bib

- one-piece lace fastening with possibility to adjust the size of the lace around the neck


CXS DANA, 1150 075 000 00

Size
80 x 100 cm

Material: twill 100 % cotton

Grammage: 180 g/m²

Box: 100 pieces **Unit:** 1 piece

Ladies' apron

- with a bib
- plastic buckle for height adjustment
- front divided pocket
- back lace for fastening


CXS STELA, 1150 012 100 00

Size
80 x 100 cm

Material: twill 100 % cotton

Grammage: 190 g/m²

Box: 60 pieces

Box: 5 piece **Unit:** 1 piece

Apron with a bib

- back lace for fastening


CXS VEST, 1150 006 800 XX

Size
44 - 64

Material: rongo 100 % polyester

Unit: 1 piece

Men's waiters vest

- V neckline
- 2 front pockets
- back belt with a buckle for fastening
- fitted cut


CXS VEST, 1150 003 800 XX

Size
36 - 56

Material: rongo 100 % polyester

Unit: 1 piece

Ladies' waitress vest

- V neckline
- 2 front pockets
- back belt with a buckle for fastening
- fitted cut


CXS FELIX, 1150 008 800 XX

Size
44 - 64

Material: rongo 100 % polyester

Unit: 1 piece

Men's waiters trousers

- fashion style
- waist with belt loops
- 2 front pockets
- right back button pocket


CXS TEREZA, 1150 002 800 XX

Size
36 - 58

Material: rongo 100 % polyester

Unit: 1 piece

Ladies' waitress skirt

- fixed waist
- button and zipper fastening in the back part
- back slit in the back part



CXS APRON, 1150 007 800 00


Size
UNI

Material: twill 100 % cotton

Grammage: 190 g/m²

Unit: 1 piece

Apron for waiters

- long to the waist
- 2 front pockets
- detachable pocket

CXS CLOTH, 1150 008 100 00

Size
50 x 50 cm

Material: twill 100 % cotton

Grammage: 190 g/m²

Box: 100 pieces

Packing: 5 piece | **Unit:** 1 piece

Waiters cloth


CXS NELA, 1150 026 100 00


Size
80 x 100 cm

Material: 100% polyester mesh

Peak: twill 100 % cotton

Box: 100 pieces

Packing: 10 pieces | **Unit:** 1 piece

Chef's beret

- elastic band for fixing


CXS KUBA, 1150 025 100 XX

Size
56, 60

Material: twill 100 % cotton

Grammage: 190 g/m²

Box: 100 pieces

Packing: 10 pieces | **Unit:** 1 piece

Chef's beret


CXS HALITUS, 1160 168 400 01


Material
100 % polypropylen

Norm: EN 14683:2019 + AC:2019 - Typ I

Box: 200 Packing | **Unit:** 1 Packing

Disposable face mask

- medical device class I
- non woven textile
- integrated nose strap
- elastic ear hooks
- 3-ply
- 10 pcs in one package

CXS HALITUS, 1160 168 400 00


Material
100 % polypropylen

Norm: EN 14683:2019 + AC:2019 - Typ I

Box: 40 Packing | **Unit:** 1 Packing

Disposable face mask

- medical device class I
- non woven textile
- integrated nose strap
- elastic ear hooks
- 3-ply
- 50 pcs in one package

CXS RICK, 1160 131 100 95

Size
XL

Material: 100 % polypropylen

Grammage: 23 g/m²

Box: 50 pieces | **Unit:** 1 piece

Disposable coat

- non woven textile
- snap fastening
- sleeves to the rubber
- dust and dirt protection


CXS OVERAL, 1160 001 100 XX

Size
L - 3XL

Material: 100 % polypropylen

Grammage: 40 g/m²

Norm: EN ISO 13688

Box: 25 piece | **Unit:** 1 piece

Disposable clothing

- non woven textile
- hood
- dust and dirt protection



CXSCHM 100, 1160 173 100 XX

Size
M - 3XL

Material: microporous nonwoven textile, polypropylene + polyethylene

Grammage: 60 - 65 g/m²
Norm: EN 13034+A1, EN ISO 13982-1, EN 1073-2, EN 1149-5, EN 14126

Box: 50 pieces | **Unit:** 1 piece

Disposable protective coverall

- category III, type 5B, 6B
- ergonomic design
- hood
- elasticated waist
- elastic wrists, ankles and waist
- zipper covered with flap


3M OVERAL 4520, 1160 006 100 XX

Size
L - 2XL

Material: SMMMS polypropylen, non woven textile

Norm: EN 13034+A-1, EN 1073-2, EN 1149-5, EN 13982-1

Box: 20 pieces | **Unit:** 1 piece

Protective coverall

- category III, type 5,6
- antistatic
- protection against solid and liquid aerosols, acids, alkalines, spraying solvents and water


DUPONT TYVEK® 500 XPRT, 1160 005 100 XX

Size
M - 3XL (S on order)

Material: 100% polyethylene TYVEK®, non woven textile

Norm: EN 13034+A1, EN ISO 13982-1, EN 1073-2, EN 1149-5, EN 14126

Box: 100 pieces | **Unit:** 1 piece

Protective coverall

- antistatic
- silicone free
- category III, type 5B, 6B
- protection against water, chemical solutions, asbestos and dust



Size S is only available on order

DUPONT TYVEK® 600 PLUS, 1160 002 105 XX

Size
L - 3XL (S, M on order)

Material: 100% polyethylene TYVEK®, non woven textile

Norm: EN 14605+A1, EN 13034+A1, EN ISO 13982-1, EN 1073-2, EN 1149-5, EN 14126

Box: 100 pieces | **Unit:** 1 piece

Protective coverall

- antistatic
- silicone free
- sealed seams
- category III, type 4B, 5B, 6B
- protection against water, chemical solutions, asbestos and dust



Size S and M are available only on order

DUPONT TYCHEM® 2000 C, 1160 003 150 XX

Size
L - 2XL (3XL on order)

Material: 100% polyethylene TYVEK®, polymeric coating, non woven textile

Norm: EN 14605+A1, EN 13034+A1, EN ISO 13982-1, EN 1073-2, EN 1149-5, EN 14126

Box: 25 piece | **Unit:** 1 piece

Protective coverall

- antistatic
- sealed seams
- category III, type 3B, 4B, 5B, 6B
- protection against water, inorganic chemicals, asbestos and dust



Size 3XL is only available on order

DUPONT TYVEK® 500, 1160 011 100 00


Size
UNI (on order)

Material: 100% polyethylene TYVEK®, non woven textile

Norm: EN 13034 + A1 typ PB [6], EN 14126

Box: 200 pieces | **Unit:** 1 piece

Safety sleeve

- adjustable upper seam
- length 50cm
- category III, type 6B


CXS TONK, 1160 010 400 00

Size
15 x 41 cm

Material: 100 % polyetylen

Grammage: 5 g/m²

Thickness: 0,10 mm

Box: 100 Packing / 1000 pieces | **Unit:** 1 Packing / 10 pieces

Disposable shoe cover

- rubber band


CXS MAGDA, 1160 008 100 00

Size
15 x 41 cm

Material: 100 % polypropylen

Grammage: 10 g/m²

Box: 1000 pieces

Packing: 100 pieces | **Unit:** 1 Packing

Disposable cap Jednorázová čepice

- non woven textile
- cut beret


CXS ERIKA, 1160 007 113 00

Size
80 x 135 cm

Material: 100 % polyetylen

Thickness: 0,018 mm

Box: 10 Packing / 1000 pieces | **Unit:** 1 Packing / 100 pieces

Disposable apron

- fixation at the waist


CXS ONETIME, 1170 008 113 00

Size
UNI

Material: 100 % polyetylen

Box: 250 pieces | **Unit:** 1 piece

Raincoat

- disposable
- light
- well storable
- snap fastening


CXS EVA, 1170 037 150 00


Size
UNI (101 x 127 cm)

Material: 100 % EVA, eco-friendly

Box: 100 pieces | **Unit:** 1 piece

Rain poncho

- waterproof
- suitable for women, men and children
- side fastening with 2 snaps
- reflective accessories


CXS GUSTAV, 1170 005 XXX 00

Size
90 x 120 cm

Material: 64 % PVC 36 % polyester

Box: 40 pieces | **Unit:** 1 piece

Apron

- waterproof
- with shirt-front


CXS PU, 1170 002 717 XX


Size
M - 3XL

Material: 100 % polyuretan

Box: 20 pieces | **Unit:** 1 piece

Rain suit

- waterproof
- hood in the collar
- inner sleeve cuffs to rubber
- tightening on the bottom
- zipper and snap fastening
- back and underarm ventilation
- waist to the rubber
- thermo-sealed seams
- reflective accessories



VIZWELL YORK, 1116 001 XXX XX


Size
M - 3XL

Material: 100 % polyester Oxford

Norm: EN ISO 20471, EN 343+A1

Box: 10 pieces | **Unit:** 1 piece

Men's high visible rainsuit

- waterproof
- hood in the collar
- sleeves to the rubber
- back and underarm ventilation
- waist to the rubber
- 2 side pockets
- adjustable leg width
- taped seams
- practical packing



Practical package

VIZWELL BATH, 1116 009 XXX XX


Size
S - 3XL

Material: 100 % polyester Oxford

Norm: EN ISO 20471, EN 343+A1

Box: 10 pieces | **Unit:** 1 piece

Men's high visible raincoat

- waterproof
- detachable hood in the collar
- sleeves to the rubber
- taped seams
- back and underarm ventilation
- practical packing



Practical package

CXS PROFI, 1170 003 XXX XX

Size
M - 4XL (blue: S - 4XL)

Material: 60 % polyester 40 % PVC

Norm: EN ISO 13688

Box: 20 pieces | **Unit:** 1 piece

Rain suit

- waterproof
- hood in the collar
- tightening on the bottom
- zipper fastening
- back and underarm ventilation
- waist to the rubber
- taped seams
- lower grammage
- practical packing
- reflective accessories (only colors 400, 500)


CXS VENTO, 1170 004 XXX XX

Size
M - 4XL (blue: S - 4XL)

Material: 60 % polyester 40 % PVC

Norm: EN ISO 13688

Box: 40 pieces | **Unit:** 1 piece

Rain coat

- waterproof
- hood in the collar
- inner sleeve cuffs to rubber
- zipper and snap fastening
- back and underarm ventilation
- taped seams
- lower grammage
- practical packing
- reflective accessories


CXS DEREK, 1170 001 XXX XX

Size
M - 4XL

Material: 64 % PVC 36 % polyester

Norm: EN ISO 13688

Box: 20 pieces | **Unit:** 1 piece

Rain coat

- waterproof
- sleeves on press snap
- zipper and snap fastening
- back and underarm ventilation
- taped seams



CXS KOVAR, 1180 005 000 00


Size
UNI

Material: cow split leather

Norm: EN ISO 11611 class 2/A1

Box: 25 piece | **Unit:** 1 piece

Blacksmith apron

- length 110 cm
- width 75 cm
- thickness 1,0 - 1,2 mm


CXS RUKI, 1180 007 000 00


Size
UNI

Material: cow split leather

Norm: EN ISO 11611 class 2/A1

Box: 25 piece | **Unit:** 1 piece

Welding sleeve

- fastening with leather strap with plastic buckle
- length 68 cm
- thickness 1,0 - 1,2 mm


CXS SVAREC, 1180 004 000 00


Size
UNI

Material: cow split leather

Norm: EN ISO 11611 class 2/A1

Box: 25 piece | **Unit:** 1 piece

Welding apron

- covered shoulders
- length 110 cm
- width 75 cm
- thickness 1,0 - 1,2mm


CXS KAME, 1180 006 000 00


Size
UNI

Material: cow split leather

Norm: EN ISO 11611 class 2/A1

Box: 50 pieces | **Unit:** 1 piece

Welding gaiters

- leather welding gaiters
- fastening with leather straps with plastic buckles
- length 48 cm
- thickness 1,0 - 1,2 mm



CXS CAMO, 1290 147 531 XX

Size
S - 3XL

Material: 100 % polyester

Additional material: 96 % polyester 4 % elastane

Lining: 100 % polyester

Box: 10 pieces | Unit: 1 piece

Men's jacket

- combination of materials
- padded at front and back part of the jacket
- fleece collar
- inner cuffs
- tightening at the bottom
- inside chest pocket


CXS CAMO, 1290 148 524 XX
SALE

Size
46 - 64

Material: twill 65 % polyester 35 % cotton

Grammage: 240 g/m²

Norm: EN ISO 13688

Box: 15 pieces | Unit: 1 piece

Men's jacket

- sleeve with adjustable cuff
- chest flap pockets
- hidden chest zipper pocket
- simple side pockets
- elastic waist on the bottom sides of the jacket
- hydrophobic treatment
- mesh lining on back
- inside chest zipper pocket


CXS CAMO, 1490 170 524 XX
SALE

Size
46 - 64

Material: twill 65 % polyester 35 % cotton

Grammage: 240 g/m²

Norm: EN ISO 13688

Box: 20 pieces | Unit: 1 piece

Men's trousers

- flexible waist with belt loops
- front pockets
- back flap pockets
- side multifunctional pockets with hidden zipper pocket
- hydrophobic treatment


CXS CAMO, 1820 054 524 00

Size
46 - 64

Material: twill 65 % polyester 35 % cotton

Grammage: 240 g/m²

Box: 100 pieces

Packing: 20 pieces | Unit: 1 piece

Cap

- with a peak
- hydrophobic treatment


fleece collar
insulated in the front and back of the chest
hydrophobic treatment
thigh multifunctional pockets
COMFORT CUT


SALE
CXS DIXON, 1290 115 701 XX
Size

S - 3XL

Basic material: 92 % polyester 8 % elastane

Additional material: 65 % polyester 35 % cotton

Grammage: 180 g/m²
Box: 10 pieces

Unit: 1 piece

Men's jacket

- lightweight leisure jacket
- fixed hood
- covered zipper
- sleeves with regulated wristband
- chest pocket
- inside chest pocket
- tightening at the bottom
- reflective accessories
- mesh lining


CXS DIXON, 1490 121 701 XX
Size

S - 3XL

Basic material: 92 % polyester 8 % elastane

Additional material: 65 % polyester 35 % cotton

Grammage: 180 g/m²
Box: 20 pieces

Unit: 1 piece

Men's trousers

- lightweight leisure trousers
- waist with side elastic bands
- belt loops
- 4 front pockets
- back zipper pocket
- ventilation on thighs and back knee part
- reflective accessories
- inner waist with antislip rubber tape


CXS DIXON, 1450 032 XXX XX
Size

S - 3XL

Basic material: 92 % polyester 8 % elastane

Additional material: 65 % polyester 35 % cotton

Material - black variant: 92 % polyester 8 % elastane

Grammage: 180 g/m²
Box: 30 pieces

Unit: 1 piece

Men's shorts

- lightweight leisure shorts
- waist with side elastic bands
- belt loops
- 4 front pockets
- back zipper pocket
- reflective logo on the leg
- inner waist with antislip rubber tape



NEW COLOR 250

CXS STRETCH, 1230 116 XXX XX


Size
S - 3XL (black S - 5XL)

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester, combined with fleece

Norm: EN ISO 13688

Box: 10 pieces **Unit:** 1 piece

- Men's softshell jacket**
- detachable hood
 - underarm ventilation
 - chest pockets - with snap and zipper
 - side zipper pockets
 - inner cuffs
 - tightening at the bottom
 - reflective accessories
 - inner zipper pocket
 - TPU membrane
 - water resistant material up to 5 000 mm except seams
 - breathability 5 000 g/m²/24h


CXS NORFOLK, 1230 109 XXX XX


Size
S - 3XL (black S - 5XL)

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Norm: EN ISO 13688

Box: 10 pieces **Unit:** 1 piece

- Men's softshell jacket**
- detachable hood
 - underarm ventilation
 - inner cuffs
 - chest pocket
 - tightening at the bottom
 - reflective accessories
 - inner pocket
 - TPU membrane
 - water resistant material up to 8 000 mm except seams
 - breathability 3000 g/m²/24h



413



414



700



800



817



800

CXS DURHAM, 1230 072 XXX XX

160

Size
S - 3XL (black S - 4XL)

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 10 pieces | **Unit:** 1 piece

Men's softshell jacket

- detachable hood
- pocket on the left sleeve
- inner cuffs
- chest pocket
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 10 000 mm (except seams and material around pockets)
- breathability 3000 g/m²/24h


260

411

800

802

806
CXS DAYTON, 1230 112 410 XX


Size
S - 3XL

Material: 100 % polyester

Box: 10 pieces | **Unit:** 1 piece

Men's softshell jacket

- fixed hood
- small pocket on the sleeve
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 8 000 mm except seams
- breathability 3000 g/m²/24h


CXS FRANCISCO, 1230 066 710 XX


Size
S - 4XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 10 pieces | **Unit:** 1 piece

Men's softshell jacket

- detachable hood
- underarm ventilation
- sleeves with regulated wristband
- chest pocket
- tightening at the bottom
- reflective accessories
- TPU membrane


CXS SACRAMENTO, 1230 008 706 XX


Size
S - 4XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 10 pieces | **Unit:** 1 piece

Men's softshell jacket

- detachable hood
- underarm ventilation
- sleeves with regulated wristband
- chest pocket
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h



CXS LAVAL, 1230 026 800 XX

Size

S - 4XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 10 pieces

Unit: 1 piece

Men's softshell jacket

- detachable hood
- underarm ventilation
- inner cuffs
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h


CXS NORFOLK, 1220 016 XXX XX

Size

S - 3XL (black S - 5XL)

Material: 100 % polyester ripstop

Padding: 100 % polyester

Lining: 100 % polyester

Norm: EN ISO 13688

Box: 10 pieces

Unit: 1 piece

Men's softshell jacket

- padded
- detachable hood
- underarm ventilation
- inner cuffs
- chest pockets
- detachable ID card holder in the right pocket
- tightening at the bottom
- reflective accessories
- inner pockets
- TPU membrane
- hidden zipper opening for embroidery
- water resistant material up to 8 000 mm except
- breathability 3000 g/m²/24h


SALE
CXS JERSEY, 1230 029 510 XX

Size

S - XL

Basic material: 100 % polyester

Additional material: 90 % polyester 10 % elastane

Box: 20 pieces

Unit: 1 piece

Men's softshell jacket

- lightweight
- inner cuffs
- reflective accessories
- TPU membrane
- water resistant material up to 3000 mm except seams and except additional material on back and under arm
- breathability 3000 g/m²/24h


817

800


CXS VEGAS, 1220 013 XXX XX

160

- Size**
XS - 4XL (black XS - 5XL)
-
- Material:** 96 % polyester 4 % elastane
-
- Padding:** 100 % polyester
-
- Lining:** 100 % polyester - fleece
-
- Box:** 10 pieces **Unit:** 1 piece
- Men's softshell jacket**
- padded
 - detachable hood
 - underarm ventilation
 - inner cuffs
 - sleeves with regulated wristband
 - tightening at the bottom
 - reflective accessories
 - inner pocket
 - TPU membrane
 - water resistant material up to 10 000 mm except seams
 - breathability 3000 g/m²/24h


CXS KANSAS, 1290 160 XXX XX

726
800

- Size**
S - 3XL
-
- Material:** 100 % nylon a 92 % polyester 8 % elastane
-
- Lining:** 100 % nylon
-
- Padding:** 100 % polyester
-
- Box:** 10 pieces **Unit:** 1 piece
- Men's jacket**
- combination of materials
 - side zipper pockets
 - sleeves to the elastic band
 - bottom to the elastic band
 - inner chest zipper pocket
 - reflective accessories


CXS LINCOLN, 1290 161 800 XX


- Size**
S - 2XL
-
- Material:** 100 % polyester
-
- Padding:** 100 % polyester
-
- Lining:** 100 % polyester
-
- Box:** 10 pieces **Unit:** 1 piece
- Men's coat**
- padded
 - detachable hood
 - sleeves to the elastic cuff
 - bottom side slits with zipper
 - inner zipper pocket
 - black reflective accessories


260
411
800


CXS BALTIMORE, 1210 096 XXX XX


Size
S - 4XL (grey-black S - 5XL)

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Norm: EN ISO 13688, EN 14058

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- padded
 - detachable hood
 - inner cuffs
 - plastic loop
 - tightening at the bottom
 - reflective accessories
 - 3 inner pockets
 - taped seams
 - TPU membrane


CXS BRIGHTON, 1210 078 XXX XX


Size
S - 4XL

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Norm: EN ISO 13688, EN 14058

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- padded
 - detachable hood
 - underarm ventilation
 - inner cuffs
 - tightening at the bottom
 - reflective accessories
 - inner zipper pocket
 - taped seams



CXS IRVINE, 1210 001 XXX XX


Size
S - 4XL (grey-black S - 5XL)

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Norm: EN ISO 13688, EN 14058

Box: 10 pieces **Unit:** 1 piece

- Men's jacket 2 in 1**
- padded
 - detachable hood
 - detachable sleeves
 - sleeves with regulated wristband
 - plastic loop
 - tightening at the bottom
 - reflective accessories
 - inner pocket
 - taped seams

260

CXS FREMONT, 1210 005 810 XX


Size
S - 4XL

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- padded
 - hood in the collar
 - sleeves with regulated wristband
 - tightening at the waist
 - reflective accessories
 - inner pocket
 - taped seams


CXS VERMONT, 1210 007 414 XX


Size
M - 3XL

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- padded
 - detachable hood
 - inner cuffs
 - ID card holder
 - reflective accessories
 - inner pocket
 - taped seams


411
510
610
710


CXS PILOT, 1210 003 800 XX



Size
S - 3XL

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Fur lining: 100 % polyester

Box: 10 pieces

Unit: 1 piece

Men's jacket 5 in 1

- padded
- hood in the collar
- detachable sleeves
- detachable collar and inner fur liner
- pocket on the left sleeve
- waist and sleeves to the elastic cuff
- inner pocket
- taped seams



NEW

CXS WICHITA, 1290 174 800 XX



Size
XS - 3XL

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces

Unit: 1 piece

Ladies' coat

- padded
- fixed hood
- side zipper pockets
- sleeves to the elastic cuff
- bottom side slits
- inner zipper pocket
- black reflective accessories



CXS GEORGIA, 1210 010 800 XX



Size
S - 3XL

Material: 65 % polyester 35 % cotton

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces

Unit: 1 piece

Men's jacket 2 in 1

- padded
- detachable sleeves
- hood in the collar
- inner cuffs
- tightening at the bottom
- reflective accessories
- 2 inner pockets



NEW

CXS ARIZONA, 1210 122 700 XX



Size
XS - 3XL

Material: 100 % polyester

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces

Unit: 1 piece

Ladies' jacket

- padded
- prolonged
- fixed hood
- sleeves with regulated wristband
- inner cuffs
- small zipper pockets and flap pockets
- black reflective accessories
- taped seams
- TPU membrane
- water resistant material up to 5000 mm
- breathability 3000 g/m²/24h



CXS NEVADA, 1230 119 XXX XX



Size
XS - 3XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 10 pieces **Unit:** 1 piece

Ladies' softshell jacket

- detachable hood
- underarm ventilation
- inner cuffs
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 5000 mm except seams
- breathability 5000 g/m²/24h



CXS ORLEANS, 1290 144 800 XX



Size
XS - 2XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - velur

Box: 10 pieces **Unit:** 1 piece

Ladies' softshell coat

- detachable hood
- inner cuffs
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h



528



800



CXS MONROE, 1230 098 309 XX



Size
XS - 3XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

Ladies' softshell jacket

- detachable hood
- inner cuffs
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h



CXS DIGBY, 1230 025 800 XX



Size
XS - 4XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

Ladies' softshell jacket

- detachable hood
- underarm ventilation
- inner cuffs
- chest pocket
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 10 000 mm except seams
- breathability 3000 g/m²/24h



CXS MERIDEN, 1290 110 418 XX



Size
XS - 3XL

Basic material: 100 % nylon

Additional material: 92 % polyester 8 % elastane

Lining: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

Ladies' jacket

- combination of materials
- fixed hood
- sleeves to the elastic band
- reflective accessories



CXS OCEANIA, 1210 117 XXX XX



- Size**
S - 3XL
- Material:** 100 % nylon
- Padding:** 100 % polyester
- Lining:** 100 % nylon
- Box:** 10 pieces | **Unit:** 1 piece
- Ladies' double-sided jacket**
- padded
 - fixed hood
 - sleeves to the elastic band
 - bottom to the elastic band
 - reflective accessories



NEW COLOR
735

CXS OCEANSIDE II, 1210 116 511 XX



- Size**
S - 3XL
- Material:** 100 % nylon
- Padding:** 100 % polyester
- Lining:** 100 % nylon
- Box:** 10 pieces | **Unit:** 1 piece
- Ladies' jacket**
- padded
 - fixed hood
 - sleeves to the elastic band
 - bottom to the elastic band
 - reflective accessories



CXS KENOVA, 1210 017 802 XX



- Size**
XS - 3XL
- Material:** 100 % polyester
- Padding:** 100 % polyester
- Lining:** 100 % polyester
- Box:** 10 pieces | **Unit:** 1 piece
- Ladies' jacket**
- padded
 - fixed hood
 - sleeves with regulated wristband
 - tightening at the bottom
 - inner pocket
 - taped seams
 - reflective accessories
 - water resistant material up to 2000 mm
 - breathability 2000 g/m²/24h



460



460

inner side of jacket
735

CXS IRVINE, 1210 098 710 XX



- Size**
XS - 3XL
- Material:** 100 % polyester Oxford
- Padding:** 100 % polyester
- Lining:** 100 % polyester
- Norm:** EN ISO 13688, EN 14058
- Box:** 10 pieces | **Unit:** 1 piece
- Ladies' jacket 2 in 1**
- padded
 - detachable hood
 - detachable sleeves
 - plastic loop
 - waist and sleeves to the elastic cuff
 - reflective accessories
 - inner pocket
 - taped seams



CXS CARSON, 1210 095 710 XX


Size
S - 3XL

Material: 100 % polyester

Grammage: 280 g/m²

Lining: 100 % polyester - sherpa

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- knitted fabric
 - combination of materials
 - fixed hood
 - chest pocket
 - tightening at the bottom
 - reflective accessories


CXS INDIANAPOLIS, 1290 107 729 XX


Size
S - 3XL

Material: 100 % polyester

Grammage: 280 g/m²

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- knitted fabric
 - combination of materials
 - fixed hood
 - chest pocket
 - contrast accessories
 - sleeves to the elastic band
 - tightening at the bottom
 - reflective accessories


CXS MINTER, 1290 130 400 XX


Size
S - 3XL

Material: 100 % polyester

Lining: 100 % polyester single jersey

Padding: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- combination of materials
 - padded at front and back part of the jacket
 - fixed hood
 - contrast accessories
 - waist and sleeves to the elastic cuff
 - reflective accessories


CXS INDIANA, 1290 101 702 XX


Size
S - 3XL

Material: 100 % polyester

Grammage: 280 g/m²

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- knitted fabric
 - combination of materials
 - fixed hood
 - chest pocket
 - contrast accessories
 - waist and sleeves to the elastic cuff
 - reflective accessories


CXS FLINT, 1290 131 810 XX


Size
S - 3XL

Material: 100 % polyester

Lining: 100 % polyester - fleece

Padding: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

- Men's jacket**
- combination of materials
 - padded at front and back part of the jacket
 - fixed hood
 - chest pocket
 - contrast accessories
 - waist and sleeves to the elastic cuff
 - reflective accessories
 - inner chest pocket


CXS POMONA, 1290 103 715 XX


Size
XS - 3XL

Material: 100 % polyester

Grammage: 280 g/m²

Box: 10 pieces **Unit:** 1 piece

- Ladies' jacket**
- knitted fabric
 - fixed hood
 - waist and sleeves to the elastic band
 - reflective accessories



CXS CAPE, 1290 102 710 XX



Size
XS - 3XL

Material: 100 % polyester

Grammage: 280 g/m²

Box: 10 pieces | **Unit:** 1 piece

- Ladies' jacket**
- knitted fabric
 - prolonged
 - combination of materials
 - fixed hood
 - sleeves to the elastic band
 - bottom elastic hem
 - reflective accessories



CXS OTAWA, 1240 001 XXX XX



Size
S - 3XL (blue, black XS - 3XL)

Material: 100 % polyester - fleece

Grammage: 450 g/m²

Box: 10 pieces | **Unit:** 1 piece

- Men's jacket**
- fleece
 - sleeves to the rubber
 - chest pocket
 - tightening at the bottom
 - reflective accessories



CXS GARLAND, 1290 088 XXX XX



Size
S - 4XL (grey-black S - 5XL)

Material: 100 % polyester and 96 % polyester 4 % elastane

Grammage: 380 g/m²

Lining: 100 % polyester - fleece

Box: 10 pieces | **Unit:** 1 piece

- Men's jacket**
- knitted fabric
 - combination of materials
 - reinforced panels with TPU on shoulders, elbows, sides
 - sleeves to the elastic band
 - tightening at the bottom
 - reflective accessories



CXS GRANBY, 1510 031 XXX XX



Size
S - 3XL (black S - 4XL)

Material: 100 % polyester - microfleece

Grammage: 190 g/m²

Box: 20 pieces | **Unit:** 1 piece

- Men's sweatshirt**
- fleece
 - tightening at the bottom
 - reflective accessories



CXS GRANBY LADY, 1510 051 XXX XX


Size
XS - 3XL

Material: 100 % polyester - microfleece

Grammage: 190 g/m²

Box: 20 pieces **Unit:** 1 piece

Ladies' sweatshirt

- fleece
- sleeves to the elastic band
- bottom elastic hem
- reflective accessories


107
800
CXS ARYN, 1520 177 XXX XX


Size
S - 3XL, black XS - 5XL

Material: 65 % cotton 35 % polyester

Grammage: 300 g/m²

Box: 20 pieces **Unit:** 1 piece

Men's sweatshirt

- fixed hood with drawstring
- kangaroo pocket
- final silicon wash
- reflective accessories (except color 701)
- inner part fine combed
- waist and sleeves with ribbed knit cuff

NEW COLOR
701

416
414
800
700
CXS HARRISON, 1520 010 XXX XX


Size
S - 3XL

Outer material: 100 % cotton

Inner material: 100 % polyester fleece

Grammage: 360 g/m²

Box: 20 pieces **Unit:** 1 piece

Men's sweatshirt

- fixed hood
- side pockets with zipper
- final silicon wash
- reflective accessories


710

810
808
805
CXS HARRIET, 1520 011 800 XX


Size
XS - 3XL

Outer material: 100 % cotton

Inner material: 100 % polyester fleece

Grammage: 360 g/m²

Box: 20 pieces **Unit:** 1 piece

Ladies' sweatshirt

- fixed hood
- side pockets with zipper
- final silicon wash
- reflective accessories



CXS TEXAS, 1520 136 XXX XX


Size
S - 3XL,
mid blue a black XS - 5XL

Material: 55 % cotton 45 % polyester

Grammage: 300 g/m²

Box: 20 pieces | **Unit:** 1 piece

Men's sweatshirt

- waist and sleeves with elastic cuff
- reinforced panels on elbows
- chest pocket
- pockets with zipper
- reflective accessories


270

440
441
710
800
CXS ODEON, 1520 001 XXX XX
NEW COLOR
100

Size
S - 3XL, black S - 5XL

Material: 65 % cotton single jersey 35 % polyester

Grammage: 300 g/m²

Box: 30 pieces | **Unit:** 1 piece

Mikina

- waist, neck and sleeves with elastic cuff
- inner side brushed with fleece
- final silicon wash


250
413
414
800
CXS TORONTO, 1520 004 XXX XX


Size
S - 3XL

Material: 100 % polyester

Grammage: 230 g/m²

Box: 10 pieces | **Unit:** 1 piece

Men's sweatshirt

- thumb hole on the sleeve cuff
- fleece collar
- zipper fastening
- 2 front zipper pockets
- reflective accessories


800
805
806
CXS TORONTO, 1520 005 800 XX


Size
XS - 2XL

Material: 100 % polyester

Grammage: 230 g/m²

Box: 10 pieces | **Unit:** 1 piece

Ladies' sweatshirt

- thumb hole on the sleeve cuff
- fleece collar
- zipper fastening
- 2 front zipper pockets
- reflective accessories


CXS MALONE, 1590 003 XXX XX


Size
S - 3XL

Material: 87 % polyester 13 % elastane

Grammage: 240 g/m²

Box: 20 pieces | **Unit:** 1 piece

Men's sweatshirt / T-shirt

- suitable as 1st or 2nd layer
- zipper neck
- raglan long sleeve
- elastic and fast drying material
- flat seams
- side seams
- reflective accessories


800
700
SALE
CXS MALONE, 1590 002 800 XX


Size
XS - 2XL

Material: 87 % polyester 13 % elastane

Grammage: 240 g/m²

Box: 20 pieces | **Unit:** 1 piece

Ladies' sweatshirt / T-shirt

- suitable as 1st or 2nd layer
- zipper neck
- raglan long sleeve
- elastic and fast drying material
- flat seams
- side seams
- reflective accessories



CXS HEBRON, 1320 016 805 XX

Size

M - 3XL

Material: 96 % polyester 4 % elastane

Box: 20 pieces

Unit: 1 piece

Men's softshell vest

- chest pocket
- bottom to the elastic band
- TPU membrane
- water resistant material up to 3000 mm except seams
- breathability 600 g/m²/24h
- reflective accessories


CXS TOPEKA, 1320 001 800 XX

Size

S - 3XL

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 20 pieces

Unit: 1 piece

Men's softshell vest

- chest pocket
- TPU membrane
- water resistant material up to 3000 mm except seams
- breathability 800 g/m²/24h
- reflective accessories


CXS HEBRON, 1320 017 805 XX

Size

XS - 2XL

Material: 96 % polyester 4 % elastane

Box: 20 pieces

Unit: 1 piece

Ladies' softshell vest

- bottom to the elastic band
- TPU membrane
- water resistant material up to 3000 mm except seams
- breathability 600 g/m²/24h
- reflective accessories


CXS LAREDO, 1320 002 800 XX

Size

XS - 2XL

Material: 100 % polyester

Box: 20 pieces

Unit: 1 piece

Ladies' vest

- tightening at the bottom
- reflective accessories


CXS PASO, 1320 010 802 XX

Size

S - 3XL

Material: 100 % polyester

Box: 20 pieces

Unit: 1 piece

Men's softshell vest

- ultra light
- chest pocket
- bottom to the elastic band
- reflective accessories
- without TPU membrane


CXS OVERLAND, 1310 027 XXX XX

Size

S - 4XL

Material: 100% polyester

Box: 10 pieces

Unit: 1 piece

Men's vest

- padded
- fixed hood
- waist into elastic cuff
- reflective accessories


805
800

CXS OMAK, 1310 018 804 XX


Size
XS - 3XL

Material: 100 % nylon

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces | **Unit:** 1 piece

Ladies' vest

- padded
- fixed hood
- bottom to the elastic band
- reflective accessories


CXS MILFORD, 1330 036 100 XX


Size
XS - 2XL

Material: 100 % polyester fleece

Grammage: 260 g/m²

Box: 20 pieces | **Unit:** 1 piece

Ladies' vest

- fleece


NEW
CXS ANTARKTIDA, 1121 001 800 XX


Size
S - 3XL

Material: 100 % polyester - microfleece

Lining: 100 % polyester - microfleece

Grammage: 280 g/m²

Box: 10 pieces | **Unit:** 1 piece

Men's heated vest

- fleece
- integrated heating elements in the chest, back and back of the neck
- mechanical switch allows intuitive control and setting of 3 heating stages
- heating provided by a power bank connected to the USB cable
- internal zipped pocket for storing a power bank
- powerbank excluded


CXS UTAH, 1330 001 414 XX


Size
S - 3XL

Material: 100 % polyester - fleece

Grammage: 450 g/m²

Box: 10 pieces | **Unit:** 1 piece

Men's vest

- fleece
- tightening at the bottom
- reflective accessories


CXS UTAH, 1330 002 250 XX


Size
S - 3XL

Material: 100 % polyester fleece

Grammage: 350 g/m²

Box: 10 pieces | **Unit:** 1 piece

Men's vest

- fleece
- tightening at the bottom
- reflective accessories



CXS OHIO, 1310 003 XXX XX


Size
M - 3XL (black S - 3XL)

Material: 65 % polyester 35 % cotton

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

- Men's vest**
- padded
 - corduroy collar and shoulders
 - flexible armpit
 - zipper fastening with flap
 - tightening at the bottom
 - inner zipper pocket
 - reflective accessories


400

500

800
CXS DENVER, 1310 004 XXX XX


Size
M - 3XL (blue S - 3XL)

Material: 65 % polyester 35 % cotton

Padding: 100 % polyester

Lining: 100 % polyester

Box: 10 pieces **Unit:** 1 piece

- Men's vest**
- padded
 - prolonged back part
 - snap fastening
 - reflective accessories


400
800
CXS SEATTLE, 1310 001 XXX XX


Size
S - 3XL

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester

Norm: EN ISO 13688

Box: 10 pieces **Unit:** 1 piece

- Men's vest**
- padded
 - fleece collar
 - plastic loop
 - tightening at the bottom
 - reflective accessories
 - inner pocket
 - water resistant material up to 2000 mm


260
411
CXS SEATTLE, 1310 002 XXX XX


Size
M - 3XL (black-grey S - 3XL)

Material: 100 % polyester Oxford

Padding: 100 % polyester

Lining: 100 % polyester - fleece

Norm: EN ISO 13688

Box: 10 pieces **Unit:** 1 piece

- Men's vest**
- padded
 - fleece lining
 - plastic loop
 - tightening at the bottom
 - reflective accessories
 - inner pocket
 - water resistant material up to 2000 mm


810
802

CXS MARKUS, 1690 051 XXX XX

Size
S - 3XL, black S - 5XL

Material: 100 % cotton, single jersey

Grammage: 155 g/m²

Box: 60 pieces | **Unit:** 1 piece

Men's top

- tubular body
- final silicon wash



CXS WILDER, 1610 331 XXX XX

Size
S - 3XL, black S - 5XL

Material: 95 % cotton 5 % elastane, single jersey

Grammage: 180 g/m²

Box: 60 pieces | **Unit:** 1 piece

T-shirt

- CXS printing
- contrast grey/red stabilizing neck tape
- side seams
- final silicon wash



CXS NOLAN, 1610 312 XXX XX

Size
S - 3XL, black S - 5XL

Material: 98 % cotton 2 % elastane, single jersey

Grammage: 180 g/m²

Box: 60 pieces | **Unit:** 1 piece

T-shirt

- stabilizing neck and shoulder tape
- side seams
- final silicon wash



CXS MARMORO, 1610 332 XXX XX

Size
white XS - 3XL, dark blue S - 3XL, black S - 5XL

Material: 95 % cotton 5 % elastane, single jersey

Grammage: 170-175 g/m²

Box: 60 pieces | **Unit:** 1 piece

T-shirt

- marble printing
- red stabilizing neck tape
- contrast red seams
- side seams
- final silicon wash



CXS DARREN, 1610 200 XXX XX

Size
XS - 3XL, black XS - 5XL

Material: 95 % cotton 5 % elastane, single jersey

Grammage: 175 g/m²

Box: 60 pieces | **Unit:** 1 piece

T-shirt

- CXS printing
- contrast grey/red stabilizing neck tape
- contrast red seams
- side seams
- final silicon wash



CXS OLIVER, 1610 002 XXX XX

Size
S - 3XL, red-black,
black-grey, black-blue S - 5XL

Material: 100 % cotton, single jersey

Grammage: 180 g/m²

Box: 60 pieces

Unit: 1 piece

T-shirt

- stabilizing neck tape
- side seams
- final silicon wash



260



209

810

806

510

809

SALE

SALE

SALE

CXS DALTON, 1610 131 XXX XX

Size
S - 3XL, mid blue S - 5XL

Material: 100 % cotton, single jersey

Grammage: 160 g/m²

Box: 60 pieces

Unit: 1 piece

T-shirt

- V-neck
- stabilizing neck tape
- tubular body
- final silicon wash



413



414

800

CXS DANIEL, 1610 001 XXX XX

Size
S - 3XL
(white, mid blue and black S - 5XL)

Material: 100 % cotton, single jersey

Grammage: 160 g/m²

Box: 60 pieces

Unit: 1 piece

T-shirt

- stabilizing neck and shoulder tape
- tubular body
- final silicon wash

NEW COLOR

416



100

714

711

800

414

413



412

511

515

150

200

250

CXS MICHAEL, 1630 001 XXX XX

Size
S - 3XL,
black, dark blue S - 5XL

Material: 100 % cotton pique double lacost

Grammage: 200 g/m²

Box: 60 pieces

Unit: 1 piece

- Poloshirt**
- stabilizing neck tape
 - rib around the cuff edges
 - side seams
 - bottom with side vents
 - final silicon wash



CXS PETR, 1620 001 XXX XX

Size
S - 3XL,
black, dark blue S - 5XL

Material: 100 % cotton, single jersey

Grammage: 140 g/m²

Box: 60 pieces

Unit: 1 piece

- T-shirt**
- stabilizing neck tape
 - elastic sleeve cuffs
 - tubular body
 - final silicon wash



NEW

CXS SIMON, 1620 302 XXX XX

Size
S - 3XL, black S - 5XL

Material: 98 % cotton 2 % elastane, single jersey

Grammage: 180 g/m²

Box: 60 pieces

Unit: 1 piece

- T-shirt**
- stabilizing neck and shoulder tape
 - side seams
 - final silicon wash



NEW

CXS EMILY, 1610 384 XXX XX



Size
XS - 3XL, black XS - 4XL

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Box: 60 pieces

Unit: 1 piece

- Ladies' T-shirt**
- loose fit with elasticated waistband
 - round neck
 - side seams
 - final silicon wash



CXS LINDA, 1690 050 XXX XX



Size
XS - 2XL, black XS - 3XL

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Box: 60 pieces

Unit: 1 piece

Ladies' top

- side seams
- final silicon wash



528



100



250

SALE



800

CXS ELLA, 1610 178 XXX XX



Size
XS - 2XL, black a white XS - 4XL

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Box: 60 pieces

Unit: 1 piece

Ladies' T-shirt

- V-neck
- side seams
- raglan sleeve
- final silicon wash



528



100



250



413



415



515



800

SALE

CXS MARY, 1620 121 XXX XX



Size
XS - 4XL, mid blue XS - 2XL

Material: 95 % cotton 5 % elastane

Grammage: 180 g/m²

Box: 60 pieces

Unit: 1 piece

Ladies' T-shirt

- V-neck
- side seams
- raglan sleeve
- final silicon wash



100

413

800

CXS TIM, 1660 133 XXX XX

Size
39 - 48

Material: flannel 100 % cotton

Grammage: 160 g/m²

Norm: EN 13688

Box: 30 pieces

Unit: 1 piece

Flannel shirt

- wristbands and pocket flaps with button
- two chest pockets
- folding sleeves with a fastening strap
- woven flannel



402

465

CXS TOM, 1660 001 XXX XX

Size
39 - 48

Material: flannel 100 % cotton

Grammage: 145 g/m²

Norm: EN 13688

Box: 30 pieces

Unit: 1 piece

Flannel shirt

- wristbands and pocket flaps with button
- two chest pockets
- printed flannel



411

710

CXS NIMES I, 1490 071 411 XX

Size
46 - 62

Material: denim 100 % cotton

Cordura: 100 % nylon

Grammage: 370 g/m²

Box: 10 pieces **Unit:** 1 piece

Men's jeans

- waist with belt loops
- plastic loop
- inner waist with antislip rubber tape
- two back pockets made of CORDURA
- side multifunctional pockets
- knees reinforced with CORDURA with the opening for knee pads


CXS NIMES II, 1490 080 414 XX

Size
46 - 62

Material: denim 100 % cotton

Grammage: 370 g/m²

Box: 10 pieces **Unit:** 1 piece

Men's jeans

- waist with belt loops
- plastic loop
- inner waist with antislip rubber tape
- two back pockets
- side multifunctional pockets


CXS NIMES III, 1490 081 710 XX

Size
46 - 62

Material: denim 100 % cotton

Cordura: 100 % nylon

Grammage: 370 g/m²

Box: 10 pieces **Unit:** 1 piece

Men's jeans

- flexible waist with belt loops
- plastic loop
- inner waist with antislip rubber tape
- two back pockets made of CORDURA
- side multifunctional pockets
- knees reinforced with CORDURA


CXS MURET, 1450 040 XXX XX

Size
46 - 62

Material: 98 % denim cotton 2 % elastane

Cordura: 100 % nylon

Grammage: 350 g/m²

Box: 20 pieces **Unit:** 1 piece

Men's shorts

- waist with belt loops
- plastic loop
- two back pockets made of CORDURA
- side multifunctional pockets


INNOVATION
CXS VENATOR, 1490 001 XXX XX

Size
46 - 64

Material: 98 % cotton 2 % elastane

Grammage: 270 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

Men's trousers

- flexible waist
- waist with belt loops
- front pockets
- back pockets, right back pocket with flap
- side flap pockets
- zipper pocket on the right side
- detachable legs
- differentiation of the right and left leg by the color of the zipper
- reflective accessories

COMFORT CUT


detachable legs

SALE
CXS VENATOR II, 1490 167 XXX XX

Size
46 - 64

Material: 98 % cotton 2 % elastane

Grammage: 270 g/m²

Norm: EN ISO 13688

Box: 20 pieces **Unit:** 1 piece

Men's trousers

- flexible waist
- waist with belt loops
- front pockets
- back covered pockets with velcro
- multifunctional side pockets
- reflective accessories

COMFORT CUT


CXS OREGON, 1490 161 XXX XX

Size
46 - 60 (black 46 - 62)

Material: 95 % nylon 5 % elastane

Grammage: 135 g/m²

Box: 30 pieces | **Unit:** 1 piece

Men's trousers

- summer
- fixed waist with belt and inner antislip printing
- zipper pocket on the right thigh
- back zipper pocket
- ventilation on back knee part
- reflective accessories


NEW
CXS OREGON, 1490 211 810 XX

Size
36 - 54

Material: 95 % nylon 5 % elastane

Grammage: 135 g/m²

Box: 30 pieces | **Unit:** 1 piece

Ladies' trousers

- summer
- fixed waist with belt and inner antislip printing
- zipper pocket on the right thigh
- back zipper pocket
- ventilation on back knee part
- reflective accessories


CXS AKRON, 1430 004 XXX XX

Size
46 - 64 (black-yellow 46 - 60)

Material: 94 % polyester 6 % elastane

Grammage: 210 g/m²

Box: 20 pieces | **Unit:** 1 piece

Men's softshell trousers

- flexible waist with adjustable size
- belt loops
- 4 front pockets
- ventilation on thighs and back knee part
- back zipper pocket
- reflective accessories
- TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h


NEW
CXS AKRON, 1430 006 800 XX

Size
36 - 54

Material: 94 % polyester 6 % elastane

Grammage: 235 g/m²

Box: 20 pieces | **Unit:** 1 piece

Ladies' softshell trousers

- flexible waist with adjustable size
- belt loops
- 4 front pockets
- ventilation on thighs and back knee part
- back zipper pocket
- reflective accessories
- TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h


CXS TRENTON, 1420 003 XXX XX

Size
46 - 60 (black 46 - 62)

Material: 94 % polyester 6 % elastane

Grammage: 310 g/m²

Lining: 100 % polyester - fleece

Box: 20 pieces | **Unit:** 1 piece

Men's softshell trousers

- detachable braces with size adjustment
- flexible waist with adjustable size
- 2 front zipper pockets
- ventilation on thighs
- back zipper pocket
- zipper at the bottom
- inner snowbelt at the bottom of the legs
- reflective accessories
- TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h


CXS TRENTON, 1420 004 800 XX

Size
36 - 54

Material: 94 % polyester 6 % elastane

Grammage: 310 g/m²

Lining: 100 % polyester - fleece

Box: 20 pieces | **Unit:** 1 piece

Ladies' softshell trousers

- detachable braces with size adjustment
- flexible waist with adjustable size
- 2 front zipper pockets
- ventilation on thighs
- back zipper pocket
- zipper at the bottom
- inner snowbelt at the bottom of the legs
- reflective accessories
- TPU membrane
- water resistant material up to 5 000 mm except seams
- breathability 5000 g/m²/24h



NEW
CXS MORIS, 1450 049 XXX XX

Size
S - 3XL

Material: 80 % cotton 20 % polyester

Grammage: 300 g/m²

Box: 20 pieces **Unit:** 1 piece

Men's tracksuit shorts

- drawstring waist
- 2 front zipper pockets


CXS ELEN, 1490 003 800 XX


Size
36 - 56

Material: 73 % viscose 22 % nylon 5 % elastane

Grammage: 200 g/m²

Box: 20 pieces **Unit:** 1 piece

Ladies' trousers

- belt loops
- 2 front pockets
- 2 back pockets
- small side pockets for pencils


CXS ROWAN, 1440 035 800 XX

Size
S - 3XL

Material: 65 % cotton 35 % polyester

Grammage: 280 g/m²

Box: 20 pieces **Unit:** 1 piece

Men's sweatpants

- lacing at the waist
- inner part fine combed
- elastic rib waist and bottom of the legs


CXS MIA, 1490 202 800 XX


Size
XS - 4XL

Material: 95 % cotton single jersey 5 % elastane

Grammage: 230 g/m²

Box: 50 pieces **Unit:** 1 piece

Ladies' 3/4 leggings

- waist to the rubber
- trousers with slit
- final silicon wash
- 2 front pockets


NEW
CXS UMI, 1490 220 800 XX


Size
36 - 54

Material: 60 % cotton 40 % Sorona®

Grammage: 215 g/m²

Box: 20 pieces **Unit:** 1 piece

Ladies' cargo trousers

- the Sorona® fiber makes the material soft, elastic and washable up to 60°C
- waist with belt loops and elastic band in the back
- 2 front pockets
- 2 back pockets
- side gathered pockets - right zipped, left covered with flap
- tapered legs with elastics at the hems


CXS IVA, 1490 009 800 XX


Size
S - 3XL

Material: 95 % cotton 5 % elastane

Grammage: 230 g/m²

Box: 50 pieces **Unit:** 1 piece

Ladies' leggings

- waist to the rubber
- final silicon wash



CXS COOLDRY, 1720 018 810 XX

Size
XS - 3XL

Material: 50 % polypropylene 50 % polyester Cooldry

Grammage: 140 g/m²

Box: 50 pieces | **Unit:** 1 piece

- Men's functionalT-shirt**
- thumb hole on the sleeve cuff
 - transmission of moisture to the outer surface of the textile
 - eliminates the feeling of sweating
 - reflective accessories


CXS COOLDRY, 1740 018 810 XX

Size
XS - 3XL

Material: 50 % polypropylene 50 % polyester Cooldry

Grammage: 140 g/m²

Box: 50 pieces | **Unit:** 1 piece

- Men's functional underpants**
- waist band
 - transmission of moisture to the outer surface of the textile
 - eliminates the feeling of sweating
 - reflective accessories


CXS REWARD, 1720 002 808 XX

Size
M - 3XL

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Box: 50 pieces | **Unit:** 1 piece

- Men's functionalT-shirt**
- inner part fine combed
 - warming material
 - colored sewing
 - reflective accessories


CXS REWARD, 1740 002 808 XX

Size
M - 3XL

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Box: 50 pieces | **Unit:** 1 piece

- Men's functional underpants**
- waist band
 - inner part fine combed
 - warming material
 - colored sewing
 - reflective accessories


CXS REWARD, 1720 003 808 XX

Size
S - 2XL

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Box: 50 pieces | **Unit:** 1 piece

- Men's functionalT-shirt**
- inner part fine combed
 - warming material
 - colored sewing
 - reflective accessories


CXS REWARD, 1740 003 808 XX

Size
S - 3XL

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Box: 50 pieces | **Unit:** 1 piece

- Ladies' functional underpants**
- waist band
 - inner part fine combed
 - warming material
 - colored sewing
 - reflective accessories



CXS ACTIVE, 1710 001 700 XX

Size
S - 3XL

Material: 65 % cotton 35 % polyester

Grammage: 175 g/m²

Box: 50 pieces | Unit: 1 piece

Men's functional T-shirt

- Wicking finish treatment
- eliminates the feeling of sweating
- reflective accessories


CXS ACTIVE, 1720 001 700 XX

Size
S - 3XL

Material: 65 % cotton 35 % polyester

Grammage: 175 g/m²

Box: 50 pieces | Unit: 1 piece

Men's functional T-shirt

- Wicking finish treatment
- eliminates the feeling of sweating
- reflective accessories


CXS ACTIVE, 1740 001 700 XX

Size
S - 3XL

Material: 65 % cotton 35 % polyester

Grammage: 175 g/m²

Box: 50 pieces | Unit: 1 piece

Men's functional underpants

- Wicking finish treatment
- eliminate the feeling of sweating
- reflective accessories


CXS BOXER, 1810 002 711 XX

Size
M - 3XL

Material: 100 % cotton, single jersey

Grammage: 140 g/m²

Box: 50 pieces | Unit: 1 piece

Men's knickers

- waist to the rubber
- sweeping cut
- final silicon wash


CXS ROCKY, 1810 003 800 XX

Size
M - 3XL

Material: 95 % cotton 5 % elastane

Grammage: 200 g/m²

Box: 50 pieces | Unit: 1 piece

Men's knickers

- waist to the rubber


CXS NICK, 1810 033 414 XX

Size
M - 3XL

Material: 95 % modal 5 % elastane

Grammage: 200 g/m²

Box: 50 pieces | Unit: 1 piece

Men's knickers

- waist to the rubber


CXS DIRK, 1810 001 711 XX

Size
M - 3XL

Material: 100 % cotton, interlock

Grammage: 170 g/m²

Box: 50 pieces | Unit: 1 piece

Men's underpants

- waist to the rubber
- final silicon wash



CXS WARDEN, 1830 059 800 XX


Size
39, 42, 45, 47

Material: 79 % cotton 19 % nylon 2 % elastane

Box: 60 packing | **Unit:** 1 packing

Socks

- elastic
- fine hem
- 3 pairs per pack


CXS VERDE, 1830 060 XXX XX


Size
36, 39, 42, 45, 48

Material: 80 % cotton 15 % polyester 5 % elastane

Box: 60 pairs | **Unit:** 1 pair

Socks

- smooth
- elastic
- elastic hem


CXS CAVA, 1830 061 800 XX


Size
39, 41, 43, 45, 47

Material: 100 % cotton

Box: 60 pairs | **Unit:** 1 pair

Socks

- smooth
- fine hem


CXS LOWER, 1830 055 XXX XX


Size
35 - 38, 39 - 42, 43 - 46

Material: 75 % cotton 23 % nylon 2 % elastane

Box: 120 packing | **Unit:** 1 packing

Socks

- low
- smooth
- elastic hem
- suitable for sneakers, moccasins and espadrilles
- antislip silicone stripes on heel inside
- 3 pairs per pack


CXS NEVIS, 1830 056 XXX XX


Size
39, 42, 46

Material: 40 % MODAL 40 % cotton 9 % polypropylene 8 % polyester 3 % elastane

Unit: 1 pair

Socks

- functional (moisture removing)
- summer
- low
- elastic
- smooth


CXS PACK, 1830 051 XXX XX


Size
37 - 39, 40 - 42, 43 - 45, 46 - 48

Material: 76 % cotton 21 % polyester 2 % elastane 1 % nylon

Box: 60 packing | **Unit:** 1 packing

Socks

- functional
- elastic
- lower
- terry foot
- 3 pairs per pack


CXS SOFT, 1830 011 XXX XX


Size
39, 42, 45, 48

Material: 46 % cotton 30 % polypropylene 21 % polyamid 3 % elastane

Unit: 1 pair

Socks

- functional
- elastic
- lower
- terry foot with polypropylene


CXS COMFORT, 1830 005 800 XX


Size
39, 42, 45, 47

Material: 75 % cotton 22 % polypropylene 3 % elastane

Unit: 1 pair

Socks

- smooth
- elastic
- fine hem
- reinforced heel and spike



CXS THERMMAX, 1830 002 800 XX


Size
39, 42, 45, 47

Material: 72 % cotton 18 % polypropylene
6 % polyester 4 % elastane

Unit: 1 pair

Socks

- functional
- elastic
- terry foot with polypropylene


CXS THERMOMAX, 1830 006 700 XX


Size
37, 39, 42, 45, 47

Material: 65 % cotton 30 % polypropylene 5 % elastane

Unit: 1 pair

Socks

- functional
- elastic
- terry
- thermo isolation quality
- relieving the feeling of cold


CXS SKI, 1830 004 700 XX


Size
37, 39, 42, 45, 47

Material: 80 % cotton 16 % polypropylene 4 % elastane

Unit: 1 pair

Socks

- functional
- elastic
- thermo isolation quality
- relieving the feeling of cold
- terry foot with polypropylene


CXS LORY, 1820 135 XXX XX


Size
UNI

Material: 95 % polyester 5 % elastane

Box: 200 pieces

Packing: 10 pieces | **Unit:** 1 piece

Multifunctional scarf
• 9 different usage


CXS TOBY, 1820 133 801 00


Size
UNI

Material: 100 % polyester - fleece

Box: 200 pieces

Packing: 10 pieces | **Unit:** 1 piece

Multifunctional scarf
• winter
• 9 different usage


CXS DARREN, 1820 117 800 00


Size
UNI

Material: 100 % polyester

Box: 200 pieces

Packing: 10 pieces | **Unit:** 1 piece

Multifunctional scarf
• 9 different usage
• commercial printing


CXS DARREN, 1820 116 810 00

Size
UNI

Material: 92 % polyester 8 % elastane

Box: 120 pieces

Packing: 12 pieces | **Unit:** 1 piece

Cap
• reversible
• commercial printing



NEW

CXS FERDA, 1820 003 XXX XX



Size
56 - 58, 60 - 62

Material - white: twill 100 % cotton

Material - grey: twill 65 % polyester 35 % cotton

Grammage: 190 g/m²

Box: 100 pieces

Packing: 10 pieces | **Unit:** 1 piece

Hat

- textile
- simple loose cut
- embroidered air-holes



CXS PHIL, 1820 002 XXX 00

Size
UNI

Material: 100 % cotton

Grammage: 160 g/m²

Box: 100 pieces

Packing: 50 pieces | **Unit:** 1 piece

Cap

- cap with a peak
- 5 panels
- plastic closure
- embroidered air-holes



CXS XAVER, 1820 142 800 00



Size
UNI

Material: 100 % polyester

Box: 100 pieces

Packing: 10 pieces | **Unit:** 1 piece

Cap

- cap with a peak
- reflective printing
- 6 panels
- plastic closure



CXS JACK, 1820 001 XXX 00



NEW COLOR

Size
UNI

Material: 100 % brushed cotton

Grammage: 260 g/m²

Box: 100 pieces

Packing: 50 pieces | **Unit:** 1 piece

Cap

- sandwich cap with a peak
- 6 panels
- reflective stripe in the peak
- metal clip
- embroidered air-holes



CXS CAMO, 1820 054 524 00

Size
UNI

Material: twill 65 % polyester 35 % cotton

Box: 100 pieces

Packing: 20 pieces | **Unit:** 1 piece

Cap

- with a peak
- adjustable size
- 5 panels
- hydrophobic treatment



NEW

CXS LOKI, 1820 157 XXX 00

Size
UNI

Material: 100 % acrylic

Lining: 100 % polyester - fleece

Box: 60 pieces | **Unit:** 1 piece

Hat

- knitted
- double layer
- fleece lining



710



802

805

806

CXS TYNAN, 1115 049 XXX 00

Size
UNI

Material: 100 % acrylic

Performance: 150 lm

Box: 60 pieces | **Unit:** 1 piece

Hat with LED light

- knitted
- double-layer
- run time: 1 - 8 hours depending on used mode
- power supply: USB
- 3 light modes
- yellow version with reflective stripe



166



700



800

SALE

CXS SIRIUS, 1820 059 XXX 00

Size
UNI

Material: 100 % acrylic

Box: 60 pieces

Packing: 10 pieces | **Unit:** 1 piece

Hat

- double layer
- knitted



702

703

CXS IVANUS, 1820 007 710 00

Size
UNI

Material: 100 % acrylic

Lining: 100 % polyester fleece

Box: 60 pieces

Packing: 10 pieces | **Unit:** 1 piece

Hat

- knitted
- reflective stripe
- fleece lining
- double layer



CXS IVAN, 1820 006 800 00

Size
UNI

Material: 100 % acrylic

Box: 60 pieces

Packing: 10 pieces | **Unit:** 1 piece

Hat

- double layer
- knitted



CXS KULICH, 1820 011 800 00

Size
UNI

Material: 100 % acrylic

Box: 60 pieces

Packing: 10 pieces | **Unit:** 1 piece

Hat

- knitted
- double layer
- ribbed knit



CXS EVAN, 1820 146 800 00

 Size
UNI

Material: 95 % polyester 5 % elastane

Box: 60 pieces

Packing: 10 pieces | **Unit:** 1 piece

Balaclava

- elastic face and opening
- mesh panel over mouth and nose for better breathing


CXS TED, 1820 015 800 00

 Size
UNI

Material: 70 % cotton 30 % polyester

Box: 60 pieces

Packing: 10 pieces | **Unit:** 1 piece

Balaclava

- elastic face and neck opening


CXS DAN, 1820 016 800 00

 Size
UNI

Material: 100 % acrylic

Box: 60 pieces

Packing: 10 pieces | **Unit:** 1 piece

Balaclava

- knitted
- ribbed knit
- double layer


NEW
CXS WASCO

Size

6110 110 800 11- 110 cm

6110 110 800 13- 130 cm

Width: 4 cm

Material: 70 % polypropylene 30 % latex

Box: 50 pieces

Unit: 1 piece

Textile tangled belt

- buckle made from toned metal
- the belt can be fasten in any place of the tangled material


CXS KARUK, 6110 092 700 00

Size

3,5 x 125 cm

Material: 55 % polyester 45 % cotton

Box: 50 pieces

Unit: 1 piece

Textile belt

- high-quality metal buckle with CXS logo
- the buckle allows individual length adjustment


CXS NAVAH

Size

6110 003 800 00 - 125 cm

6110 003 800 15 - 150 cm

Width: 4 cm

Material: 55 % polyester 45 % cotton

Box: 50 pieces

Unit: 1 piece

Textile belt

- high-quality metal buckle with CXS logo
- simple patent closing
- the buckle allows individual length adjustment


CXS SUTAJ, 6110 006 800 00
Size

4 x 125 cm

Material: 100 % polyamid

Box: 100 pieces

Packing: 10 pieces

Unit: 1 piece

Textile belt

- metal buckle



CXS TOBA, 6110 086 800 00

Size
4 x 130 cm

Material: buffalo grain leather

Box: 100 pieces

Packing: 10 pieces | **Unit:** 1 piece

Leather belt

- possibility to shorten to the individual length
- thickness 2,5 - 2,7 mm


CXS TWANA, 6110 004 800 00

Size
4 x 130 cm

Material: buffalo grain leather

Box: 100 pieces | **Unit:** 1 piece

Leather belt

- thickness 2,5 - 2,7 mm


CXS TONGVA, 6110 005 800 00

Size
2,5 x 125 cm

Material: buffalo grain leather

Box: 100 pieces | **Unit:** 1 piece

Leather belt

- thickness 2,5 - 2,7 mm


CXS DARREN, 1900 001 800 00

Size
UNI

Material: elastic polyester

Packing: 50 pieces | **Unit:** 1 piece

Braces

- Width 5 cm
- commercial printing


CXS BRACES, 1900 001 999 00

Size
UNI

Material: elastic polyester

Packing: 25 pieces | **Unit:** 1 piece

Braces

- Width 4 - 5 cm


CXS BONEKAN KIDNEY BAND BONEKAN, 1900 002 700 00


Size
UNI

Material: twill 100 % cotton

Grammage: 240 g/m²

Lining: 100 % polyester

Box: 50 pieces

Packing: 10 pieces | **Unit:** 1 piece

Kidney band

- artificial fur lining


CXS WAIST SUPPORT, 6110 069 803 XX

Size
UNI

Material: 60 % neopren 20 % nylon 15 % polyester
5 % polyethylen

Box: 20 pieces | **Unit:** 1 piece

Waist support

- fastening with velcro
- strong stripes on the back
- adjustable orange stripes



FOOTWEAR

CXS MICHELIN	248	CXS SANDALS	317
CXS UNIVERSE	252	CXS FLIP-FLOPS	318
CXS PROFIT	258	BOOTS	321
CXS TEXTLINE	262	WHITE AND WORK FOOTWEAR	325
CXS LAND	270	ACCESSORIES	328
CXS ROCK	274		
CXS SAFETY STEEL	280		
CXS DOG	284		
CXS STONE	290		
CXS ROAD	296		
CXS ISLAND	300		
CXS WORK	307		
PRESTIGE FOOTWEAR	308		
BESTARD FOOTWEAR	310		
CXS GO-TEX	312		
CXS SPORT	314		
CXS WINTER	316		



OB

page 298 page 298 page 298 page 298

page 299 page 299 page 299 page 299 page 299 page 308

NEW page 308 page 309 page 309 NEW page 324 page 324

page 322 page 322 page 323 page 323 page 323

page 325 page 325 page 325 page 325 page 326

page 326 page 326 page 326 **01** page 260

page 261 page 264 page 266 page 268 page 278

page 289 page 292 page 303 page 305 page 307

page 327 page 327 **02** page 250 page 251

page 255 page 255 page 276 page 277 page 282

SALE page 282 page 286 page 287 page 292 page 293

page 124 **04** NEW page 322 page 329 **SB**

page 329 page 329 **S1** page 266 page 266

page 269 page 269 page 269 page 273 page 273

page 282	SALE	page 288	page 289	page 292	page 307
CXS SAFETY STEEL IRON S1 2135 001 800 XX	CXS DOG TERRIER S1 2135 003 411 XX	CXS DOG DOBRMAN S1 2125 103 706 XX	CXS STONE NEFRIT S1 2135 004 800 XX	CXS WORK KALE S1 2115 033 600 XX	

NEW	page 251	page 254	page 254	page 255	page 256
CXS MICHELIN SCRIVIA S3 2118 194 710 XX	CXS UNIVERSE CLUSTER S3 2128 136 808 XX	CXS UNIVERSE SUPERNOVA S3 2118 195 808 XX	CXS UNIVERSE COMET S3 2128 088 808 XX	CXS UNIVERSE METEOR S3 2118 131 808 XX	

page 307		page 327	S1P		page 254	page 260
CXS WORK DRAGO S1 2115 027 800 XX	CXS WHITE PINE S1 2135 057 100 XX	CXS UNIVERSE SOLAR S1P 2136 025 808 XX	CXS PROFIT GAIN S1P 2126 083 810 XX			

page 256		page 257		page 257	NEW	page 272	NEW	page 273
CXS UNIVERSE SOLID S3 2118 079 808 XX	CXS UNIVERSE ROCKET S3 2340 027 808 XX	CXS UNIVERSE SATELLITE S3 2118 157 808 XX	CXS LAND FYN S3S 2128 144 800 XX	CXS LAND SENJA S3S 2118 204 800 XX				

page 261	page 264	page 265	page 265	page 267
CXS PROFIT TOP S1P 2116 051 810 XX	CXS TEXLINE SAVA S1P 2126 089 810 XX	CXS TEXLINE VUKA S1P 2126 090 808 XX	CXS TEXLINE LOPUD S1P 2126 098 808 XX	CXS TEXLINE MURTER S1P 2116 046 810 XX

page 276	page 276		page 277	page 277	page 278
CXS ROCK DIORIT S3 2118 104 800 XX	CXS ROCK APLIT S3 2128 066 800 XX	CXS ROCK PEPRIT S3 2118 185 800 XX	CXS ROCK GRANITE S3 2118 004 800 XX	CXS ROCK ORE S3 2128 002 800 XX	

	page 267		page 268		page 268	NEW	page 272	page 279
CXS TEXLINE SILBA S1P 2126 060 806 XX	CXS TEXLINE MOLAT S1P 2126 049 806 XX	CXS TEXLINE OLIB S1P 2126 049 808 XX	CXS LAND FALSTER S1P 2126 108 806 XX	CXS ROCK PHYLLITE S1P 2136 013 700 XX				

page 283		page 283	page 286	page 287		page 288
CXS SAFETY STEEL MANGAN S3 2118 001 800 XX	CXS SAFETY STEEL NICKEL S3 2310 001 800 XX	CXS DOG SETTER S3 2128 119 411 XX	CXS DOG BOXER S3 2118 176 411 XX	CXS DOG MALAMUTE S3 2118 184 411 XX		

page 279	SALE	page 302		page 303	page 303	page 304
CXS ROCK SLATE S1P 2126 032 700 XX	CXS ISLAND BENSON S1P 2126 077 808 XX	CXS ISLAND PAROS S1P 2126 067 805 XX	CXS ISLAND MILOS S1P 2126 068 806 XX	CXS ISLAND TINOS S1P 2126 069 808 XX		

page 293	page 294		page 295		page 295	NEW	page 302
CXS STONE PYRIT S3 2128 003 800 XX	CXS STONE MARBLE S3 2118 005 800 XX	CXS STONE APATTIT WINTER S3 2118 096 800 XX	CXS STONE TOPAZ S3 WINTER 2340 002 800 XX	CXS ISLAND LIPARI S3 2128 133 806 XX			

page 304	page 328	page 328	page 328	page 328	page 328
CXS ISLAND NAVASSA S1P 2126 055 703 XX	VISITOR INTEGRAL 2900 092 800 92	VISITOR INTEGRAL 2900 092 800 93	VISITOR INTEGRAL 2900 092 800 94	VISITOR INTEGRAL 2900 092 800 95	

S4	page 324	S5	NEW	page 321	WITHOUT NORM
CXS NEPTUN S4 2463 002 800 XX		CXS PALLAS S5 2464 028 511 XX			

S2	page 293	page 294	NEW	page 250
CXS STONE PYRIT S2 2127 001 800 XX	CXS STONE MARBLE S2 2117 001 800 XX	CXS MICHELIN SARNO S3 2128 134 710 XX		

page 305	page 305	page 305	page 306	page 306
CXS ISLAND BARBADOS 2220 048 400 XX	CXS ISLAND BARBADOS 2220 048 800 XX	CXS ISLAND BARBADOS 2220 048 710 XX	CXS ISLAND JAVA 2220 001 600 XX	CXS ISLAND GILI 2220 008 706 XX

 page 311	 page 311	 page 310	 page 311	 page 312
BESTARD RANDO LITE 2220 050 708 XX	BESTARD RANDO II 2129 017 800 XX	BESTARD SPACE MID 3331 2129 034 800 XX	BESTARD TRAVESSA 2210 003 500 XX	CXS GO-TEX LHOCE 2210 030 600 XX

 page 312	 page 313	 page 313	 page 313	 page 314
CXS GO-TEX MAKALU 2210 031 600 XX	CXS GO-TEX NUPCE 2220 049 700 XX	CXS GO-TEX MOUNT COOK 2122 003 600 XX	CXS GO-TEX MONT BLANC 2112 006 600 XX	CXS SPORT 2220 047 808 XX

 page 314	 page 314	 page 314	 page 314	 page 315
CXS SPORT 2220 047 808 XX	CXS SPORT 2220 047 803 XX	CXS SPORT 2220 047 805 XX	CXS SPORT 2220 047 806 XX	CXS SPORT 2220 035 803 XX

 page 315	 page 316	 page 316	 page 316	 page 317
CXS SPORT 2220 035 810 XX	CXS WINTER SNOW 2340 006 999 XX	CXS WINTER LADY 2340 004 800 XX	CXS WINTER FROST 2340 005 800 XX	CXS SAHARA 2230 002 600 XX

 page 317	 page 317	 page 318	 page 318	 page 318
CXS SAHARA 2230 002 810 XX	CXS ATACAMA 2230 009 402 XX	CXS BALOS 2250 020 810 XX	CXS TREND 2250 014 708 XX	CXS TREND 2250 014 699 XX

 page 318	 page 319	 page 319	 page 319	 page 319
CXS TREND 2250 014 703 XX	CXS TREND 2250 017 107 XX	CXS TREND 2250 015 410 XX	CXS TREND 2250 015 710 XX	CXS TREND 2250 018 109 XX

 page 320	 page 320	 page 320	 page 320	 page 321
CXS TREND 2250 015 703 XX	CXS TREND 2250 015 806 XX	CXS FROG 2250 001 400 XX	CXS GULF 2250 005 808 XX	CXS PLUTO 2490 036 500 XX

 page 321	 page 327	 page 328	 page 329	 page 329
CXS PLUTO 2900 109 700 XX	CXS WHITE LIME 2530 007 100 XX	CXS ICEMAN 2900 105 800 XX	CXS GELFOOT 2900 102 800 XX	MONTA 2900 042 000 XX

 page 330	 page 330	 page 330	 page 330	 page 330
CARBON 2900 003 000 XX	INSERTS FOR SHOES 2900 004 000 XX	INSERTS FOR SHOES INSULATED 2900 081 000 XX	ACTIVE GEL 2900 058 700 XX	REFLECTIVE SHOELACES 2900 100 800 00

 page 331	 page 331	 page 331	 page 331	 page 331
SHOELACES 2900 007 000 00	SHOELACES 2900 006 600 00	SHOELACES 2900 006 612 00	SHOELACES 2900 111 800 00	SHOELACES 2900 044 800 00

 page 331
SHOELACES 2900 045 800 00

Product code - you can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 XX

Size

34 - 47

Upper

polyester and microfibre

Lining: textile	Outsole: PU/rubber
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012

• product informations

XX



EU	34	35	36	37	38	39	40	41	
	42	43	44	45	46	47	48	49	50



The abbreviation ESD means electrostatic discharge. The products with this design provide protection against electrostatic discharge and meet the current criteria and standards of this protection.

What is Electrostatic discharge?

Electrostatic discharge is caused by the rapid passage of electricity between differently charged objects or persons, either in direct physical contact or in close proximity. The shock lasts only a fraction of a second and is often seen as a spark. Electrostatic discharge often causes "hidden damage" that occurs after a period of use in the form of impaired functionality or similar problems. When making electronic devices (circuit boards, etc.), even a very small discharge can cause invisible damage. Defective or contaminated shoes may interfere with electrostatic discharge protection.

Limitations

The electrostatic discharge certificate must not be confused with the electrical safety properties. If it is necessary to work close to the live equipment, the requirements of state regulations must be observed.

What Affects Electrostatic discharge?

If shoe shields are to function satisfactorily, both personal equipment and work stations must be conductive. Factors influencing electrostatic discharge include material of used clothing, type of contact, use of antistatic wristbands, speed of movement, degree of cleanliness of the working environment and humidity. A thorough risk assessment should be carried out in all work situations to ensure the safety of persons, processed or refined substances or materials and the equipment used.

SIZE TABLES

EU	UK	CM*
34	2	22,9
35	3	23,1
36	3,5	23,6
37	4	24,2
38	5	24,9
39	6	25,5
40	6,5	26,1
41	7	26,8
42	8	27,5
43	9	28,2
44	9,5	28,8
45	10	29,5
46	11	30,1
47	12	30,9
48	13	31,5
49	14	32,1
50	15	32,4

Size and length information may vary depending on cut, brand and manufacturer.
 * The value given in the table indicates the length of the inner insole in cm.

PICTOGRAMS

- Metal toe cap and insole
- Metal toe cap
- Non-metal toe cap and insole
- Footwear category
- ESD (ElectroStatic Discharge) protection
- Goods to order
- Ladies version
- Winter version
- Made in EU
- Made in CZ
- Waterproof material
- Waterproof membrane CX-SHIELD
- GORE-TEX membrane
- Vibram material
- Footwear without metal parts
- Reflective accessories
- Footwear made of lightweight materials

Safety shoes have a protective toe cap just like protective shoes. However, it provides greater protection for the feet - against an impact energy of at least 200 J and a compression of at least 15 kN. Safety footwear is further specified by the letter 'S' in conjunction with the letter 'B' or a number from 1 to 5.

TABLE OF NORMS

class	protective toe cap	closed heel	A antistatic properties	E energy absorption in the heel part	FO resistance to fuel oil	WRU access and water absorption	sole with tread	P puncture-resistant sole
I, II	SB	✓	✗	✗	✗	✗	✗	✗
I	S1	✓	✓	✓	✓	✗	✗	✗
I	S2	✓	✓	✓	✓	✓	✗	✗
I	S3	✓	✓	✓	✓	✓	✓	✓
II	S4	✓	✓	✓	✓	✓	✗	✗
II	S5	✓	✓	✓	✓	✓	✓	✓

The basic characteristics of work, protective and safety footwear include one of the three requirements for slip resistance - see table.

Request		symbol	class	
complete footwear	slip resistance	marking	I	II
	slip resistance on ceramic floor tiles with SLS	SRA	✓	✓
	slip resistance on steel floor with glycerine	SRB		
	slip resistance on ceramic floor tiles with SLS and on steel floor with glycerine	SRC		

WORK FOOTWEAR ACCORDING TO EN ISO 20347:2012

Unlike footwear in the categories "safety shoes" and "safety boots", work boots do not have a protective toe cap to protect the foot from pressure and impact. In addition, work footwear is specified by the letter 'O' in conjunction with the letter 'B' or a number from 1 to 5.

TABLE OF NORMS

class	closed heel	A antistatic properties	E energy absorption in the heel part	WRU access and water absorption	sole with tread	P puncture-resistant sole
I, II	OB	✗	✗	✗	✗	✗
I	O1	✓	✓	✗	✗	✗
I	O2	✓	✓	✓	✗	✗
I	O3	✓	✓	✓	✓	✓
II	O4	✓	✓	✓	✗	✗
II	O5	✓	✓	✓	✓	✓

Updates to the 20345 and 20347 standards introduce more stringent testing and respond to new materials, so some designations are being changed. It is important to be careful which version (2011 or 2022) safety or work footwear is certified to.

The revised standard 20345:2022 and 20347:2022 will apply to all work and safety footwear that was placed on the market from April 2023 and did not have a valid certificate by the end of March 2023. The validity of the certificate is 5 years, so we will continue to see footwear labelled according to the older and new versions of these standards for several years.

In the following section we give you an overview of the biggest changes:

1. Slip resistance
The designation of slip protection SRA, SRB SRC will no longer be indicated. The SRA level test will be included as a basic requirement for all footwear. If the footwear is tested on an additional test, it will be marked with the abbreviation SR. Footwear with the SR supplementary test will be tested on a ceramic tile with glycerine, which is intended to simulate an oil-soiled work surface. If the footwear cannot be tested under these conditions, e.g.: spiked footwear, it will be marked with the symbol Ø.

2. Outsole resistance to perforation
The puncture resistance of the older version is P for all

materials. Newly, shoes will be marked with the letter P if metallic planchettes are used. If it will be a non-metallic planchette will be marked PL or PS. PL refers to a non-metallic insert that is tested with a 4.5 mm diameter tip and PS refers to a non-metallic insert that is tested with a 3 mm diameter tip.

3. The test for resistance to oils and hydrocarbons, abbreviated FO, is no longer included among the mandatory tests and will therefore be listed separately for safety footwear, as well as for work footwear.

4. Water resistance
The existing WRU water resistance test will be divided into WPA, water penetration and absorption, which will indicate the water resistance of the material, and WR, the water resistance of the footwear as a whole.

5. Extending the level of protection
The original 5 levels for work and safety footwear have been extended to 7. We will now have the markings SB, S1-S7, and for work boots OB, O1-O7. The sixth and seventh levels indicate footwear that is waterproof as a whole and falls into Class I, which means it is not rubber or plastic footwear.

TABLE OF STANDARD EN ISO 20345:2022

class	protective toe cap	SRA slip resistance (SLS)	closed heel	A antistatic properties	E energy absorption in the heel part	P*	PL**	PS***	WPA access and water absorption	sole with tread	WR waterproof footwear
I, II	SB	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
I	S1	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗
I	S1P	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗
I	S1PL	✓	✓	✓	✓	✗	✓	✗	✗	✗	✗
I	S1PS	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗
I	S2	✓	✓	✓	✓	✗	✗	✗	✓	✗	✗
I	S3	✓	✓	✓	✓	✓	✗	✗	✓	✓	✗
I	S3L	✓	✓	✓	✓	✗	✓	✗	✓	✓	✗
I	S3S	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗
II	S4	✓	✓	✓	✓	✗	✗	✗	✓	✗	✗
II	S5	✓	✓	✓	✓	✓	✗	✗	✗	✓	✗
II	S5L	✓	✓	✓	✓	✗	✓	✗	✗	✓	✗
II	S5S	✓	✓	✓	✓	✗	✗	✓	✗	✓	✗
I	S6	✓	✓	✓	✓	✗	✗	✗	✓	✗	✓
I	S7	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓
I	S7L	✓	✓	✓	✓	✗	✓	✗	✓	✓	✓
I	S7S	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓

* P – metallic insole, test tip Ø 4,5 mm
 ** PL – non-metallic insole, test tip Ø 4,5 mm
 *** PS – non-metallic insole, test tip Ø 3 mm

Division of the level of protection of work boots according to the revised standard 20347:2022. The specification "O6" and "O7" will be added to the designation of work boots and the designation L, S for levels that have a puncture resistant sole.

TABLE OF THE STANDARD EN ISO 20347:2022

class	protective toe cap	SRA slip resistance (SLS)	closed heel	A antistatic properties	E energy absorption in the heel part	P*	PL**	PS***	WPA access and water absorption	sole with tread	WR waterproof footwear
I., II.	OB	✓	✓	X	X	X	X	X	X	X	X
I.	01	✓	✓	✓	✓	X	X	X	X	X	X
I.	02	✓	✓	✓	✓	X	X	X	✓	X	X
I.	03	✓	✓	✓	✓	✓	X	X	✓	✓	X
I.	03L	✓	✓	✓	✓	X	✓	X	✓	✓	X
I.	03S	✓	✓	✓	✓	X	X	✓	✓	✓	X
II.	04	✓	✓	✓	✓	X	X	X	✓	X	X
II.	05	✓	✓	✓	✓	✓	X	X	X	✓	X
II.	05L	✓	✓	✓	✓	X	✓	X	X	✓	X
II.	05S	✓	✓	✓	✓	X	X	✓	X	✓	X
I.	06	✓	✓	✓	✓	X	X	X	✓	X	✓
I.	07	✓	✓	✓	✓	✓	X	X	✓	✓	✓
I.	07L	✓	✓	✓	✓	X	✓	X	✓	✓	✓
I.	07S	✓	✓	✓	✓	X	X	✓	✓	✓	✓

* P – metallic insole, test tip Ø 4,5 mm
 ** PL – non-metallic insole, test tip Ø 4,5 mm
 *** PS – non-metallic insole, test tip Ø 3 mm

ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS WITH THE RELEVANT SYMBOLS

SYMBOL	REQUIREMENTS
EN ISO 20347 EN ISO 20346 EN ISO 20345	
E	energy absorption in the heel
A	antistatic footwear
C	partially conductive
CI	footwear insulation of the bottom against cold
HI	insulation of the bottom against heat
HRO	contact heat resistant sole
M	instep protection (applies to safety shoes only)
AN	ankle protection
CR	cut-resistant upper
FO	oil and hydrocarbon resistant sole
P	puncture-resistant sole (various materials according to older standard)
P	metal sole/insole, test tip Ø 4.5mm (according to new standard from 2022)
PL	non-metallic insole, test tip Ø 4.5mm
PS	non-metallic insole, test tip Ø 3 mm
LG	Ladder grip
SR	additional protection against slipping
WRU	water-resistant and water-absorbent upper
WR	water-resistant
WPA	water-resistant and water-absorbing upper - replaces the original WRU marking
SC	scuff cap



Metal insole, test tip Ø 4,5 mm



Non-metallic insole test tip Ø 4,5 mm



Non-metallic insole, test tip Ø 3 mm



Water-resistant and water-absorbing upper



Footwear resistant to water penetration and absorption

SOLES BY



MICHELIN

WORK AND SAFETY SHOES

EXCLUSIVE SOLE
EXCLUSIVE SOLE
EXCLUSIVE SOLE
EXCLUSIVE SOLE



microfiber reinforced heel

laminated tip



oil resistant sole



MICHELIN sole resistant to 300 °C

FOOTWEAR

NEW
CXS MICHELIN OGLIO 02, 2124 017 710 XX
02

Size
37 - 47

Upper
hydrophobic polyester, microfiber

Lining: textile	Outsole: PU/rubber MICHELIN
------------------------	------------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O2 FO HRO SRC

Low cut working shoe

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- reflective accessories
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, antislip, heat resistant up to 300°C


NEW
CXS MICHELIN BRENTA 02, 2114 037 710 XX
02

Size
37 - 47

Upper
hydrophobic polyester, microfiber

Lining: textile	Outsole: PU/rubber MICHELIN
------------------------	------------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O2 FO HRO SRC

High cut working shoe

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- reflective accessories
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, antislip, heat resistant up to 300°C


FOOTWEAR
NEW
CXS MICHELIN SARNO S3, 2128 134 710 XX
S3

Size
37 - 47

Upper
hydrophobic polyester, microfiber

Lining: textile	Outsole: PU/rubber MICHELIN
------------------------	------------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 HRO SRC

Low cut safety shoe

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- fiberglass toe cap and textile anti-penetration insole
- reflective accessories
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, antislip, puncture resistant and heat resistant up to 300°C.


NEW
CXS MICHELIN SCRIVIA S3, 2118 194 710 XX
S3

Size
37 - 47

Upper
hydrophobic polyester, microfiber

Lining: textile	Outsole: PU/rubber MICHELIN
------------------------	------------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 HRO SRC

High cut safety shoe

- upper: 2,2mm hydrophobic polyester, the outer heel is reinforced with hydrophobic structured microfiber
- fiberglass toe cap and textile anti-penetration insole
- reflective accessories
- removable insole made of memory foam
- lining: breathable textile
- outsole: PU/rubber MICHELIN, oil resistant, antistatic, antislip, puncture resistant and heat resistant up to 300°C.



UNIVERSE

WORK AND SAFETY SHOES

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH

REINFORCED TRENCH



external TPU heel protection



PU trench reinforcement



Dyna-Flex® sole



durable HRO outsole

FOOTWEAR

NEW
CXS UNIVERSE CLUSTER S3, 2128 136 808 XX
S3

METAL FREE

Size
37 - 49

OVERSIZE
Upper
split nubuck leather

Lining: textile	Outsole: PU/rubber
------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC HRO

Low cut safety shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


NEW
CXS UNIVERSE SUPERNOVA S3, 2118 195 808 XX
S3

METAL FREE

Size
37 - 49

OVERSIZE
Upper
split nubuck leather

Lining: textile	Outsole: PU/rubber
------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC HRO

High cut safety shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS UNIVERSE SOLAR S1P, 2136 025 808 XX
S1P

Size
37 - 48

Upper
split nubuck leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN 20345:2011 S1P SRC ESD

Safety sandal

- upper: 1,6 - 1,8 mm perforated split nubuck leather (one piece), outer TPU heel protection
- plastic toe cap, Dyna-Flex® insole
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, antislip, puncture resistant
- ESD properties


CXS UNIVERSE COMET 02, 2124 014 808 XX
02

METAL FREE
Size
37 - 48

Upper
split nubuck leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 02 FO SRC

Low cut working shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, antislip


CXS UNIVERSE COMET S3, 2128 088 808 XX
S3

METAL FREE

Size
37 - 48

Upper
split nubuck leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC

Low cut safety shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, antislip, puncture resistant


CXS UNIVERSE METEOR 02, 2114 020 808 XX
02

METAL FREE
Size
37 - 48

Upper
split nubuck leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 02 FO SRC

High cut working shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, antislip



CXS UNIVERSE METEOR S3, 2118 131 808 XX
S3

METAL FREE

Size
37 - 48

Upper
split nubuck leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC

High cut safety shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, antislip, puncture resistant


CXS UNIVERSE ROCKET S3, 2340 027 808 XX
S3

METAL FREE

Size
38 - 49

OVERSIZE
Upper
split nubuck leather

Lining: textile	Outsole: PU/rubber
------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC CI HRO

Semi-shank insulated safety shoe

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather, outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- Thinsulate insulation (grammage 200g)
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, antislip, puncture resistant


3M Thinsulate INSULATION
FOOTWEAR
CXS UNIVERSE SOLID S3, 2118 079 808 XX
S3

METAL FREE

Size
38 - 49

OVERSIZE
Upper
cow grain and pig leather

Lining: textile	Outsole: PU/rubber
------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC HRO

High cut safety shoe

- upper: 1,8 - 2 mm quality cow grain leather
- collar: pig leather
- tongue: cow leather
- reflective accessories
- composite toe cap, Dyna-Flex® insole
- reinforced PU overcap
- TPU heel protection
- lining: breathable and abrasion resistant mesh
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS UNIVERSE SATELLITE S3, 2118 157 808 XX
S3

METAL FREE

Size
36 - 49

OVERSIZE
Upper
split nubuck leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 CI SRC

High cut safety shoe insulated

- upper: 1,6 - 1,8 mm hydrophobic split nubuck leather (one piece), outer TPU heel protection
- completely metal free footwear
- plastic toe cap, Dyna-Flex® insole
- Thinsulate insulation (grammage 200g)
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antistatic, oil resistant, antislip, puncture resistant


3M Thinsulate INSULATION

PROFIT

WORK AND SAFETY SHOES

A COMBINATION
OF SMOOTH AND
BRUSHED LEATHER

A COMBINATION OF
SMOOTH AND

BRUSHED LEATHER



padded collar



steel toe cap



a combination of smooth and brushed leather



SRC anti-slip outsole

CXS PROFIT PRIZE 01, 2123 046 810 XX
01


Size
37 - 48

Upper
combined

Lining: mesh	Outsole: PU/PU
---------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC

Low cut working shoe

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- reflective accessories
- removable, comfortable and anatomical insert made of polyester
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant


CXS PROFIT WIN 01, 2113 030 810 XX
01


Size
37 - 48

Upper
combined

Lining: mesh	Outsole: PU/PU
---------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC

High cut working shoe

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- reflective accessories
- removable, comfortable and anatomical insert made of polyester
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant


CXS PROFIT GAIN S1P, 2126 083 810 XX
S1P


Size
37 - 48

Upper
combined

Lining: mesh	Outsole: PU/PU
---------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC

Low cut safety shoe

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- steel toe cap and insole
- reflective accessories
- removable, comfortable and anatomical insert made of polyester
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS PROFIT TOP S1P, 2116 051 810 XX
S1P


Size
37 - 48

Upper
combined

Lining: mesh	Outsole: PU/PU
---------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC

High cut safety shoe

- upper: 1,4 - 1,6 mm suede leather combined with 1,6 - 1,8 mm smooth split leather with PU coating
- padded textile collar
- steel toe cap and insole
- reflective accessories
- removable, comfortable and anatomical insert made of polyester
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant, puncture resistant



TEXTLINE

WORK AND SAFETY SHOES

FOOTWEAR

BREATHABLE UPPER

BREATHABLE UPPER

BREATHABLE UP

BREATHABLE



internal heel reinforcement

special tightening system

vents on the sides

SRC anti-slip outsole

CXS TEXTLINE BOSUT 01, 2123 049 810 XX
01

METAL FREE
Size
37 - 48

Upper
combination of microfibre and textile

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 O1 FO SRC

Low cut working shoe

- completely metal free footwear
- upper: 1,4 - 1,6 mm perforated microfibre combined with breathable textile
- side vents for better breathability
- reinforced PU overcap
- inner microfibre heel reinforcement
- reflective accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE VUKA S1P, 2126 090 808 XX
S1P

METAL FREE

Size
37 - 48

Upper
combination of microfibre and textile

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1P SRC

Low cut safety shoe

- completely metal free footwear
- upper: 1,4 - 1,6 mm perforated microfibre combined with breathable textile
- side vents for better breathability
- reinforced PU overcap
- composite toe cap, Dyna-Flex® insole
- inner microfibre heel reinforcement
- reflective accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE SAVA S1P, 2126 089 810 XX
S1P

METAL FREE

Size
37 - 48

Upper
combination of microfibre and textile

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1P SRC

Low cut safety shoe

- completely metal free footwear
- upper: 1,4 - 1,6 mm perforated microfibre combined with breathable textile
- side vents for better breathability
- reinforced PU overcap
- composite toe cap, Dyna-Flex® insole
- inner microfibre heel reinforcement
- reflective accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE LOPUD S1P, 2126 098 806 XX
S1P

Size
35 - 48

Upper
textile

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1P SRC

Low cut safety shoe

- special fastening system
- upper: 1,8 - 2,0 mm polyester
- reinforced microfibre overcap
- composite toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective accessories
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, antislip, puncture resistant



CXS TEXTLINE RAVA 01, 2123 044 810 XX
01

METAL FREE
Size
35 - 48

Upper
polyester

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 O1 FO SRC

Low cut working shoe

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- inner PU heel reinforcement
- reflective accessories
- firm, light, breathable inside
- lining: 3D breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE DOLIN S1, 2125 107 805 XX
S1

SIZE 34-50!
Size
34 - 50

Upper
polyester

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1 SRC

Low cut safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective accessories
- firm, light, breathable inside
- lining: 3D breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE SIT S1, 2125 106 810 XX
S1

OVERSIZE
Size
35 - 50

Upper
polyester

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1 SRC

Low cut safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective accessories
- firm, light, breathable inside
- lining: 3D breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE MURTER S1P, 2116 046 810 XX
S1P

METAL FREE

Size
35 - 48

Upper
polyester

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1P SRC

High cut safety shoe

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- composite toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective accessories
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, antislip, puncture resistant


CXS TEXTLINE SILBA S1P, 2126 060 806 XX
S1P

METAL FREE

OVERSIZE
Size
35 - 50

Upper
polyester

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1P SRC ESD

Low cut safety shoe

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- composite toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective accessories
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, antislip, puncture resistant
- ESD properties



CXS TEXTLINE MOLAT S1P, 2126 049 806 XX
S1P

METAL FREE

SIZES 34-50!
Size
34 - 50

Upper
polyester

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC ESD

Low cut safety shoe

- perforated
- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- fiberglass toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective accessories
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, antislip, puncture resistant
- ESD properties


CXS TEXTLINE VIS S1, 2125 076 806 XX
S1

OVERSIZE
Size
35 - 50

Upper
polyester

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Low cut safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective accessories
- firm, light, breathable inside
- lining: 3D breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE OLIB S1P, 2126 049 808 XX
S1P

METAL FREE

SIZES 34-50!
Size
34 - 50

Upper
polyester

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC ESD

Low cut safety shoe

- perforated
- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- fiberglass toe cap, Dyna-Flex® insole
- inner PU heel reinforcement
- reflective accessories
- lining: 3D breathable, abrasion resistant textile
- outsole: antistatic, oil resistant, antislip, puncture resistant
- ESD properties


CXS TEXTLINE CRES S1, 2125 076 803 XX
S1

Size
35 - 48

Upper
polyester

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Low cut safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective accessories
- firm, light, breathable inside
- lining: 3D breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE KORAT 01, 2123 032 806 XX
01

METAL FREE
Size
35 - 48

Upper
polyester

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC

Low cut working shoe

- completely metal free footwear
- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- inner PU heel reinforcement
- reflective accessories
- firm, light, breathable inside
- lining: 3D breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS TEXTLINE RAB S1, 2125 076 808 XX
S1

Size
35 - 48

Upper
polyester

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Low cut safety shoe

- upper: 1,8 - 2,0 mm polyester, washable up to 30°C
- reinforced microfibre overcap
- steel toe cap
- inner PU heel reinforcement
- reflective accessories
- firm, light, breathable inside
- lining: 3D breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant



LAND

WORK AND SAFETY SHOES

FOOTWEAR

MODERN DESIGN

MODERN DESIGN

MODERN DESIGN

MODERN DESIGN



TPU trench reinforcement



structured TPU heel protection



textile anti-penetration placket



durable HRO outsole

NEW

NEW
CXS LAND FALSTER S1P, 2126 108 808 XX
S1P

METAL FREE
Size
37 - 48

Upper

polyester, PVC and TPU accessories

Lining: textile	Outsole: EVA/rubber
------------------------	----------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC HRO

Low cut safety shoe

- ultralight
- completely metal free footwear
- upper: 1,8mm polyester combined with TPU accessories, outer heel and overcap reinforced with durable structured PVC
- fiberglass toe cap and textile anti-penetration insole
- reflective accessories
- lining: breathable and abrasion resistant textile
- inner heel part reinforced with synthetic PU
- comfortable anatomical removable PU insole
- outsole: EVA/rubber, antislip, antistatic, oil resistant, resistant to punctures and contact heat up to 300°C



ULTRALIGHT

NEW
CXS LAND FYN S3S, 2128 144 800 XX
S3S

Size
38 - 48

Upper

cow grain leather, TPU accessories

Lining: textile	Outsole: PU/rubber
------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2022 S3S HRO FO SC SR

Low cut safety shoe

- upper: 1,8 - 2 mm hydrophobic cow grain leather, outer TPU toe and heel reinforcement
- abrasion resistant toe cap according SC (Scuff cap)
- plastic toe cap and textile anti-penetration insole
- reflective accessories
- lining: breathable fabric with good absorption properties
- inner PU heel reinforcement
- comfortable removable insert made of knitted fabric, PU and soft ETPU with cushioning effect
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS LAND SENJA S3S, 2118 204 800 XX
NEW
S3S

Size
38 - 48

Upper

cow grain leather, TPU accessories

Lining: textile	Outsole: PU/rubber
------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2022 S3S HRO FO SC SR

High cut safety shoe

- upper: 1,8 - 2 mm hydrophobic cow grain leather, outer TPU toe and heel reinforcement
- abrasion resistant toe cap according SC (Scuff cap)
- plastic toe cap and textile anti-penetration insole
- reflective accessories
- lining: breathable fabric with good absorption properties
- inner PU heel reinforcement
- comfortable removable insert made of knitted fabric, PU and soft ETPU with cushioning effect
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C



FOOTWEAR

CXS LAND EIVISSA S1, 2125 046 806 XX
S1

Size
35 - 48

Upper

combined

Lining: textile	Outsole: rubber
------------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Low cut safety shoe

- upper: 1,4 - 1,6 mm cow suede leather combined with breathable fabric
- steel toe cap
- reinforced front part made of durable rubber material
- reflective accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS LAND CABRERA S1, 2135 065 806 XX
S1

Size
35 - 48

Upper

combined

Lining: textile	Outsole: rubber
------------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Safety sandal

- upper: 1,4 - 1,6 mm cow suede leather combined with PU accessories
- steel toe cap
- reinforced front part made of durable rubber material
- reflective accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant



ROCK

WORK AND SAFETY SHOES

FOOTWEAR

DURABLE OUTSOLE

DURABLE OUTSOLE

DURABLE OUTSOLE

DURABLE OUTSOLE



reflective accessories



PU trench reinforcement



quality nubuck leather



durable HRO outsole

CXS ROCK DIORIT S3, 2118 104 800 XX
S3

Size
37 - 48

Upper
nubuck leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC HRO

High cut safety shoe

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- steel toe cap, steel insole
- reinforced PVC overcap
- PVC reflective strip
- PU accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS ROCK PEPRIT S3, 2118 185 800 XX
S3

Size
37 - 48

Upper
nubuck leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 CI HRO SRC

High cut safety shoe insulated

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- steel toe cap, steel insole
- reinforced PVC overcap
- Thinsulate insulation (grammage 200g)
- PVC reflective strip
- PU accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS ROCK DIORIT O2, 2114 018 800 XX
O2

Size
37 - 48

Upper
nubuck leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 O2 FO SRC HRO

High cut working shoe

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- reinforced PVC overcap
- PVC reflective strip
- PU accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, heat resistant up to 300°C


CXS ROCK PEPRIT O2, 2114 034 800 XX
O2

Size
37 - 48

Upper
nubuck leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 O2 FO CI HRO SRC

High cut working shoe insulated

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- reinforced PVC overcap
- Thinsulate insulation (grammage 200g)
- PVC reflective strip
- PU accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, heat resistant up to 300°C


CXS ROCK APLIT S3, 2128 066 800 XX
S3

Size
37 - 48

Upper
nubuck leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC HRO

Low cut safety shoe

- upper: 1,6 - 1,8 mm hydrophobic, smooth nubuck leather
- steel toe cap, steel insole
- reinforced PVC overcap
- PVC reflective strip
- PU accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS ROCK GRANITE S3, 2118 004 800 XX
S3

METAL FREE

OVERSIZE
Size
36 - 50

Upper
cow smooth leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC HRO

High cut safety shoe

- upper: 1,6 - 1,8 mm cow, smooth, hydrophobic leather
- completely metal free footwear
- reflective accessories
- plastic toe cap, Dyna-Flex® insole
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C



CXS ROCK ORE S3, 2128 002 800 XX
S3

METAL FREE

OVERSIZE
Size
36 - 50

Upper
cow smooth leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC HRO

Low cut safety shoe

- upper: 1,6 - 1,8 mm cow, smooth, hydrophobic leather
- completely metal free footwear
- reflective accessories
- plastic toe cap, Dyna-Flex® insole
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS ROCK PHYLLITE S1P, 2136 013 700 XX
S1P

METAL FREE

Size
37 - 48

Upper
suede leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1P SRA HRO

Safety sandal

- upper: 1,6 - 1,8 mm cow, suede, perforated leather
- completely metal free footwear
- velcro fastening with PVC reflective strips
- plastic toe cap, composite insole
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


CXS ROCK PHYLLITE 01, 2133 030 700 XX
01

METAL FREE
Size
37 - 48

Upper
suede leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 O1 FO HRO SRA

Working sandal

- upper: 1,6 - 1,8 mm cow, suede, perforated leather
- completely metal free footwear
- velcro fastening with PVC reflective strips
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, heat resistant up to 300°C


CXS ROCK SLATE S1P, 2126 032 700 XX
S1P

METAL FREE

Size
37 - 48

Upper
suede leather

Lining: textile **Outsole:** PU-rubber

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1P SRA HRO

Low cut safety shoe

- upper: 1,6 - 1,8 mm cow suede leather
- completely metal free footwear
- plastic toe cap, composite insole
- PVC reflective strip
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C



SAFETY STEEL

WORK AND SAFETY SHOES

PROVEN CLASSIC

PROVEN CLASSIC

PROVEN CLASSIC

PROVEN CLASSIC



PU trench reinforcement



smooth grain leather



perforated skin with vents



SRC anti-slip outsole



CXS SAFETY STEEL IRON S1, 2135 001 800 XX
S1

Size
36 - 48

Upper
smooth grain leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S1 SRC

Safety sandal

- upper: 1,8 - 1,9 mm grain perforated leather
- steel toe cap
- reflective accessories
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


SALE
CXS SAFETY STEEL VANAD 02, 2124 001 800 XX
02

Size
37 - 48

Upper
smooth grain leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 02 FO SRC

Low cut working shoe

- upper: 1,8 - 1,9 mm hydrophobic grain leather
- PVC reflective strip
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


SALE
CXS SAFETY STEEL MANGAN 02, 2114 001 800 XX
02

Size
37 - 48

Upper
smooth grain leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 02 FO SRC

High cut working shoe

- upper: 1,8 - 1,9 mm hydrophobic grain leather
- PVC reflective strip
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant


CXS SAFETY STEEL MANGAN S3, 2118 001 800 XX
S3

Size
37 - 48

Upper
smooth grain leather


Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC

High cut safety shoe

- upper: 1,8 - 1,9 mm hydrophobic grain leather
- steel toe cap, steel insole
- PVC reflective strip
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS SAFETY STEEL NICKEL S3, 2310 001 800 XX
S3

Size
38 - 48

Upper
smooth grain leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC

High cut safety shoe insulated

- upper: 1,8 - 2 mm hydrophobic grain leather
- PVC reflective strip
- steel toe cap, steel insole
- lining: synthetic fur
- outsole: antislip, antistatic, oil resistant, puncture resistant



DOG

WORK AND SAFETY SHOES

FOOTWEAR

QUALITY & COMFORT

QUALITY & COMFORT

QUALITY & COMFORT

QUALITY & COMFORT



hydrophobic nubuck leather



PU trench reinforcement



reflective accessories



SRC anti-slip outsole

CXS DOG SETTER S3, 2128 119 411 XX
S3

Size
37 - 48

Upper
split nubuck leather

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC

Low cut safety shoe

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- steel toe cap, steel insole
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS DOG BOXER S3, 2118 176 411 XX
S3

Size
37 - 48

Upper
split nubuck leather

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC

High cut safety shoe

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- steel toe cap, steel insole
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS DOG BOXER O2, 2114 028 411 XX
O2

Size
37 - 48

Upper
split nubuck leather

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O2 FO SRC

High cut working shoe

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant


CXS DOG MALAMUTE O2, 2114 033 411 XX
O2

Size
37 - 48

Upper
split nubuck leather

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O2 FO CI SRC

High cut working shoe insulated

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- Thinsulate insulation (grammage 200g)
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant

3M
Thinsulate
INSULATION


CXS DOG MALAMUTE S3, 2118 184 411 XX
S3

3M Thinsulate INSULATION
Size
37 - 48

Upper
split nubuck leather

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 CI SRC

High cut safety shoe insulated

- upper: 1,6 - 1,8 mm quality nubuck hydrophobic split leather
- steel toe cap, steel insole
- Thinsulate insulation (grammage 200g)
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant, puncture resistant


SALE
CXS DOG TERRIER S1, 2135 003 411 XX
S1

Size
37 - 48

Upper
split nubuck leather

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Safety sandal

- upper: 1,6 - 1,8 mm quality nubuck split leather
- steel toe cap
- reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant


CXS DOG DOBRMAN 01, 2123 043 706 XX
01

Size
37 - 48

Upper
combined

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC

Low cut working shoe

- upper: 1,4 - 1,6 mm suede leather combined with breathable Cambridge textile
- PU reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant


CXS DOG DOBRMAN S1, 2125 103 706 XX
S1

Size
37 - 48

Upper
combined

Lining: mesh	Outsole: PU-TPU
---------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Low cut working shoe

- upper: 1,4 - 1,6 mm suede leather combined with breathable Cambridge textile
- steel toe cap
- PU reflective accessories
- lining: breathable, abrasion resistant
- outsole: antislip, antistatic, oil resistant



STONE

WORK AND SAFETY SHOES

SPLIT LEATHER

SPLIT LEATHER

SPLIT LEATHER

SPLIT LEATHER



hydrophobic cow split leather



steel toe cap



reflective accessories

SRC anti-slip outsole

CXS STONE NEFRIT 01, 2133 003 800 XX
01

OVERSIZE
Size
35 - 50

Upper
cow split leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC

Working sandal

- upper: 1,6 - 1,8 mm cow split embossed, perforated leather
- velcro fastening with reflective strip
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant


CXS STONE NEFRIT S1, 2135 004 800 XX
S1

OVERSIZE
Size
35 - 50

Upper
cow split leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC

Safety sandal

- upper: 1,6 - 1,8 mm cow split embossed, perforated leather
- steel toe cap
- velcro fastening with reflective strip
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant


CXS STONE BERYL 02, 2123 002 800 XX
02

OVERSIZE
Size
35 - 50

Upper
cow split leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O2 FO SRC

Low cut working shoe

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- reflective accessories
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant


CXS STONE PYRIT S3, 2128 003 800 XX
S3

OVERSIZE
Size
35 - 50

Upper
cow split leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC

Low cut safety shoe

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap, steel insole
- reflective accessories
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS STONE PYRIT S2, 2127 001 800 XX
S2

Size
35 - 48

Upper
cow split leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S2 SRC

Low cut safety shoe

- upper: 1,6 - 1,8 mm cow hydrophobic split embossed leather
- steel toe cap
- reflective accessories
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant


CXS STONE APATIT 02, 2113 002 800 XX
02

OVERSIZE
Size
35 - 50

Upper
cow split leather

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O2 FO SRC

High cut working shoe

- upper: 1,6 - 1,8 mm cow hydrophobic split embossed leather
- reflective accessories
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant



CXS STONE MARBLE S2, 2117 001 800 XX
S2

Size
35 - 48

Upper

cow split leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S2 SRC

High cut safety shoe

- upper: 1,6 - 1,8 mm cow hydrophobic, split embossed leather
- steel toe cap
- reflective accessories
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant


CXS STONE APATIT WINTER S3, 2118 096 800 XX
S3

OVERSIZE
Size
35 - 50

Upper

cow split leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC

High cut safety shoe insulated

- upper: 1,6 - 1,8 mm cow, hydrophobic, split embossed leather
- steel toe cap, steel insole
- reflective accessories
- lining: textile, insulated by artificial fur
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS STONE MARBLE S3, 2118 005 800 XX
S3

OVERSIZE
Size
35 - 50

Upper

cow split leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC

High cut safety shoe

- upper: 1,6 - 1,8 mm cow, hydrophobic split embossed leather
- steel toe cap, steel insole
- reflective accessories
- lining: breathable textile
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS STONE TOPAZ S3 WINTER, 2340 002 800 XX
S3

OVERSIZE
Size
35 - 50

Upper

cow split leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20345:2011 S3 SRC

Insulated safety boot

- upper: 1,6 - 1,8 mm cow hydrophobic, split embossed leather
- steel toe cap, steel insole
- reflective strip
- lining: textile, insulated by artificial fur
- outsole: antislip, antistatic, oil resistant, puncture resistant


CXS STONE APATIT WINTER 02, 2310 003 800 XX
02

OVERSIZE
Size
35 - 50

Upper

cow split leather

Lining: textile **Outsole:** PU/PU

Box: 10 pairs **Unit:** 1 pair

Norm: EN ISO 20347:2012 O2 FO SRC

High cut working shoe insulated

- upper: 1,6 - 1,8 mm cow, hydrophobic, split embossed leather
- reflective accessories
- lining: textile, insulated by artificial fur
- outsole: antislip, antistatic, oil resistant



ROAD

WORKING FOOTWEAR

TIMELESS DESIGN

TIMELESS DESIGN

TIMELESS DESIGN

TIMELESS DESIGN



nubuck leather



embossed logo



Goodyear welted stitched outsole



rubber SRC outsole

CXS ROAD MADISON, 2122 001 600 XX

Size
37 - 48

Upper
Crazy horse leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E SRC

Low cut working shoe

- upper: 1,6 - 1,8 mm oil tanned Crazy horse leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: antislip, oil resistant


CXS ROAD LEVEL, 2122 001 800 XX

Size
38 - 48

Upper
full grain leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E SRC

Low cut working shoe

- upper: 1,6 - 1,8 mm oil tanned full grain leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: antislip, oil resistant


CXS ROAD BELMONT, 2122 001 612 XX

Size
38 - 48

Upper
nubuck leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E SRC

Low cut working shoe

- upper: 1,6 - 1,8 mm oil tanned nubuck leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: antislip, oil resistant


CXS ROAD AVERS, 2112 001 612 XX

Size
38 - 48

Upper
nubuck leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E SRC

High cut working shoe

- upper: 1,6 - 1,8 mm oil tanned nubuck leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: antislip, oil resistant


CXS ROAD GRAND, 2112 001 600 XX

Size
37 - 48

Upper
Crazy horse leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E SRC

High cut working shoe

- upper: 1,6 - 1,8 mm oil tanned Crazy horse leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: antislip, oil resistant


CXS ROAD CLARKE, 2112 001 800 XX

Size
38 - 48

Upper
full grain leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E SRC

High cut working shoe

- upper: 1,6 - 1,8 mm oil tanned full grain leather
- unique Goodyear welted construction (stitched outsole)
- lining: breathable and abrasion resistant polyester textile
- outsole: antislip, oil resistant


CXS ROAD GRAND WINTER, 2310 004 600 XX

Size
37 - 48

Upper
Crazy horse leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E CI SRA

High cut working shoe insulated

- upper: 1,6 - 1,8 mm oil tanned Crazy horse leather
- lining: breathable and abrasion resistant polyester textile insulated by artificial fur
- outsole: antislip, oil resistant


CXS ROAD INDUSTRY, 2310 005 800 XX

Size
37 - 48

Upper
nubuck leather

Lining: textile	Outsole: rubber
-----------------	-----------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Norm: EN ISO 20347:2012 FO E CI SRA

High cut working shoe insulated

- upper: 1,6 - 1,8 mm oil tanned nubuck leather
- lining: breathable and abrasion resistant polyester textile insulated by artificial fur
- outsole: antislip, oil resistant



ISLAND

WORK AND SAFETY SHOES

FOOTWEAR

WIDE CHOICE
WIDE CHOICE
WIDE CHOICE
WIDE CHOICE



special tightening system

TPU trench reinforcement



combination of KPU and textile upper



SRC anti-slip outsole

NEW

NEW
CXS ISLAND LIPARI S3, 2128 133 806 XX
S3

Size
37 - 48

Upper

hydrophobic mesh, PVC and TPU accessories

Lining: textile	Outsole: phylon/rubber
------------------------	-------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S3 SRC HRO

Low cut safety shoe

- special fastening system
- upper: hydrophobic fabric (mesh 400g/m²) combined with PVC accessories, microfiber collar
- outer heel and overcap reinforced with durable TPU
- laminate toe cap and textile antipenetrating insole
- reflective accessories
- lining: breathable, abrasion resistant
- inner heel part reinforced with microfiber
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C


SALE
CXS ISLAND BENSON S1P, 2126 077 808 XX
S1P

Size
37 - 48

Upper

combined

Lining: mesh	Outsole: EVA/rubber
---------------------	----------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRA HRO ESD

Low cut safety shoe

- completely metal free footwear
- upper: combination of KPU and breathable Oxford fabric
- reflective accessories
- composite toe cap and insole
- lining: breathable, abrasion resistant
- inner heel part reinforced with black microfiber
- three-layer, comfortable, anatomical insert
- outsole: antislip, antistatic, oil resistant, puncture resistant and heat resistant up to 300°C
- ESD properties


CXS ISLAND SYROS 01, 2123 039 805 XX
01

METAL FREE
OVERSIZE
Size
35 - 50

Upper
combined

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC ESD

Low cut working shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reflective accessories
- lining: breathable, textile
- outsole: antislip, oil resistant, antistatic outsole
- ESD properties


CXS ISLAND PAROS S1P, 2126 067 805 XX
S1P

METAL FREE
OVERSIZE
Size
35 - 50

Upper
combined

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC ESD

Low cut safety shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reflective accessories
- composite toe cap and Dyna-Flex® insole
- lining: breathable, textile
- outsole: antislip, oil resistant, antistatic, puncture resistant
- ESD properties


CXS ISLAND MILOS S1P, 2126 068 806 XX
S1P

METAL FREE
Size
35 - 48

Upper
combined

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC

Low cut safety shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reflective accessories
- composite toe cap and Dyna-Flex® insole
- lining: breathable, textile
- outsole: antislip, oil resistant, antistatic, puncture resistant



CXS ISLAND TINOS S1P, 2126 069 808 XX
S1P

METAL FREE
Size
35 - 48

Upper
combined

Lining: textile	Outsole: PU/PU
------------------------	-----------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC

Low cut safety shoe

- completely metal free footwear
- upper: combination of KPU and breathable 1,5mm polyester
- reflective accessories
- composite toe cap and Dyna-Flex® insole
- lining: breathable, textile
- outsole: antislip, oil resistant, antistatic, puncture resistant


CXS ISLAND NAVASSA S1P, 2126 055 703 XX
S1P

Size
37 - 48

Upper
textile

Lining: textile	Outsole: phylon/rubber
------------------------	-------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1P SRC

Low cut safety shoe

- upper: textile
- fiberglass toe cap, composite insole
- special fastening system
- reflective accessories
- lining: textile mesh providing moisture removal
- outsole: antislip, oil resistant, antistatic, puncture resistant


CXS ISLAND ARUBA 01, 2123 035 706 XX
01

Size
37 - 48

Upper
textile

Lining: textile	Outsole: phylon/rubber
------------------------	-------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC

Low cut working shoe

- upper: textile
- special fastening system
- reflective accessories
- lining: textile mesh providing moisture removal
- outsole: antislip, oil resistant, antistatic


NEW SIZES 47, 48
CXS ISLAND BARBADOS, 2220 048 XXX XX
Size
36 - 48

Upper: textile	Outsole: phylon
-----------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Low cut leisure shoe

- upper: breathable 2mm textile
- outsole: phylon


800

400

710

CXS ISLAND JAVA, 2220 001 600 XX

Size
38 - 46

Upper
combined

Lining: textile	Outsole: EVA-rubber
------------------------	----------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Low cut leisure shoe

- upper: permeable mesh and suede leather
- reflective accessories
- lining: textile and breathable
- outsole: rubber combined with EVA material


CXS ISLAND GILI, 2220 008 706 XX

Size
38 - 46

Upper
combined

Lining: textile	Outsole: phylon
------------------------	------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Low cut leisure shoe

- upper: textile mesh with cow suede leather
- reflective accessories
- lining: textile
- outsole: phylon


CXS WORK KALE S1, 2115 033 600 XX
S1


Size
39 - 48

Upper
cow suede leather

Lining: cow suede leather	Outsole: PU/rubber
----------------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRA HRO

High cut safety shoe

- upper: 2 - 2,2 mm cow suede leather
- steel toe cap
- covered rubber spring for quick release
- lining: 1,2 - 1,4 mm cow suede leather
- outsole: antislip, antistatic, oil resistant, heat resistant up to 300°C


CXS WORK KALE O1, 2112 005 600 XX
O1

Size
39 - 48

Upper
cow suede leather

Lining: cow suede leather	Outsole: PU/rubber
----------------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRA HRO

High cut working shoe

- upper: 2 - 2,2 mm cow suede leather
- covered rubber spring for quick release
- lining: 1,2 - 1,4 mm cow suede leather
- outsole: antislip, antistatic, oil resistant, heat resistant up to 300°C


CXS WORK DRAGO S1, 2115 027 800 XX
S1


Size
39 - 48

Upper
cow suede leather

Lining: cow suede leather	Outsole: PU/rubber
----------------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRA HRO

High cut safety shoe

- upper: 1,8 - 2 mm cow split embossed leather
- steel toe cap
- covered rubber spring for quick release
- lining: 1,2 - 1,4 mm cow suede leather
- outsole: antislip, antistatic, oil resistant, heat resistant up to 300°C



NEW
PRESTIGE M56810, 2112 010 800 XX
Size
37 - 48

Upper
leather

Lining: cotton terry

Outsole: PU/PU

Box: 10 pairs

Unit: 1 pair

Norm: EN ISO 20347:2012 E SRA

High cut working and sport shoe

- upper made of Italian leather with special foil for easy maintenance and long service life
- soft cotton terry lining
- collar made of foam pads
- reflective logo on the heel
- outsole: antislip, fuel resistant, energy-absorbing in the heel


NEW
PRESTIGE AIR M20030-85, 2129 025 718 XX
Size
37 - 48

Upper
hairy cowhide with hydrophobic treatment

Lining: cotton terry

Outsole: PU/PU

Box: 10 pairs

Unit: 1 pair

Norm: EN ISO 20347:2012 E SRA

Low cut working and sport shoe

- soft Italian suede upper (hairy cowhide with hydrophobic treatment)
- soft cotton terry lining
- outsole: antislip, fuel resistant, energy-absorbing in the heel


PRESTIGE, 2122 002 100 XX
Size
35 - 48, 49 to order

Upper
leather

Lining: textile

Outsole: rubber

Box: 10 pairs

Unit: 1 pair

Norm: EN ISO 20347:2012 E SRA

Low cut working and sport shoe

- upper: natural leather
- lining: textile
- outsole: antislip


PRESTIGE, 2122 002 800 XX
Size
35 - 48, 49 to order

Upper
leather

Lining: textile

Outsole: rubber

Box: 10 pairs

Unit: 1 pair

Norm: EN ISO 20347:2012 E SRA

Low cut working and sport shoe

- upper: natural leather
- lining: textile
- outsole: antislip


PRESTIGE SPORT, 2220 007 800 XX
Size
35 - 48

Upper
leather

Lining: textile

Outsole: rubber

Box: 10 pairs

Unit: 1 pair

Norm: EN ISO 20347:2012 E SRA

Low cut working and sport shoe

- upper: natural leather
- lining: textile
- outsole: antislip



BESTARD SPACE MID 3331, 2129 034 800 XX



SINCE 1940

Size
36 - 47

Upper
combined

Outsole: VIBRAM® Vento + EVA

Box: 10 pairs | **Unit:** 1 pair

Ankle cut trekking shoe

- upper: water resistant split leather, breathable CORDURA®, synthetic rubber, GORETEX Surround® membrane
- GORETEX Surround® membrane
- outsole: breathable and water resistant outsole VIBRAM® Vento + EVA



BESTARD RANDO LITE, 2220 050 708 XX



Size
39 - 47

Upper
water resistant CORDURA®

Outsole: Vibram® Tubava + EVA

Box: 10 pairs | **Unit:** 1 pair

Low cut trekking shoe

- upper: water resistant CORDURA® fabric with synthetic rubber
- lining: GORE-TEX® Most breathable
- outsole: Vibram® Tubava + EVA
- prolonged lacing system



BESTARD RANDO II, 2129 017 800 XX



Size
39 - 47

Upper
combined

Outsole: Vibram® Tubava + EVA

Box: 10 pairs | **Unit:** 1 pair

Low cut trekking shoe

- upper: waterproof split leather with synthetic rubber
- lining: GORE-TEX® Most breathable
- outsole: Vibram® Tubava + EVA
- prolonged lacing system



BESTARD TRAVESSA, 2210 003 500 XX



Size
39 - 47

Upper
combined

Outsole: Vibram®

Box: 10 pairs | **Unit:** 1 pair

Ankle cut trekking shoe

- Upper: waterproof split leather and Mesh with synthetic rubber
- Lining: GORE-TEX® Most Breathable
- Outsole: Vibram® Tubava + EVA



CXS GO-TEX LHOCE, 2210 030 600 XX
CX-SHIELD

Size
37 - 48

Upper
full grain leather

Lining: combined	Outsole: EVA/rubber
-------------------------	----------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

- High cut leisure shoe**
- upper: 1,5mm grain leather
 - reflective accessories
 - reinforced rubber overcap and heel protection
 - mesh collar
 - lining: textile, combined with waterproof membrane CX-SHIELD with TPU film
 - removable anatomic Ortholite® insole



OrthoLite anatomical insoles adapt to the foot, are antibacterial and breathable. They thus ensure great comfort when wearing shoes and prevent the formation of unwanted bacteria and smell.



Ortholite®
comfort foam insoles

CXS GO-TEX MAKALU, 2210 031 600 XX
CX-SHIELD

Size
37 - 48

Upper
full grain a suede leather

Lining: combined	Outsole: EVA/rubber
-------------------------	----------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

- High cut leisure shoe**
- upper: 1,5mm grain and 1,3mm suede leather
 - reflective accessory
 - reinforced rubber overcap and heel protection
 - mesh collar
 - lining: textile, combined with waterproof membrane CX-SHIELD with TPU film
 - removable anatomic Ortholite® insole



Ortholite®
comfort foam insoles

CXS GO-TEX NUPCE, 2220 049 700 XX
CX-SHIELD

Size
37 - 48

Upper
full grain leather

Lining: combined	Outsole: EVA/rubber
-------------------------	----------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

- Low cut leisure shoe**
- upper: 1,5mm grain leather
 - reflective accessory
 - reinforced rubber overcap
 - mesh collar
 - lining: textile, combined with waterproof membrane CX-SHIELD with TPU film
 - removable anatomic Ortholite® insole



Ortholite®
comfort foam insoles

CXS GO-TEX MOUNT COOK, 2122 003 600 XX

Size
37 - 48

Upper
nubuck leather

Lining: combined	Outsole: PU-rubber
-------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

- Low cut leisure shoe**
- upper: 2,2 mm nubuck leather
 - reflective accessories
 - waterproof membrane GO-TEX
 - lining: sheepskin, textile


CXS GO-TEX MONT BLANC, 2112 006 600 XX

Size
37 - 48

Upper
nubuck leather

Lining: combined	Outsole: PU-rubber
-------------------------	---------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

- High cut leisure shoe**
- upper: 2,2 mm nubuck leather
 - reflective strip
 - waterproof membrane GO-TEX
 - lining: sheepskin, textile



CXS SPORT, 2220 047 XXX XX


Size
36 - 48

Upper
softshell, TPU accessories

Lining: mesh	Outsole: phylon/rubber
--------------	------------------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Low cut leisure shoe

- upper: softshell, reinforced TPU overcap and heel protection
- inner microfibre heel reinforcement
- reflective accessories
- lining: textile mesh
- comfortable anatomical insert
- outsole: phylon/rubber


808

810

803

805

806
CXS SPORT, 2210 035 XXX XX


Size
36 - 48

Upper
softshell, TPU accessories

Lining: mesh	Outsole: phylon/rubber
--------------	------------------------

Box: 10 pairs	Unit: 1 pair
---------------	--------------

Ankle cut leisure shoe

- upper: softshell, reinforced TPU overcap and heel protection
- reflective accessories
- waterproof membrane CX-SHIELD (grey option only)
- lining: textile mesh
- comfortable anatomical insert
- outsole: phylon/rubber


803

CX-SHIELD
810

CXS WINTER SNOW, 2340 006 999 XX


Size
41 - 46

Lining
nylex fabric with Thinsulate insole

Upper: combined	Outsole: TPR
------------------------	---------------------

Box: 5 pairs **Unit:** 1 pair

Casual insulated boot

- upper: water resistant nylon fabric with PU accessories
- reflective accessories
- lining: warmed nylex fabric
- Thinsulate insole
- outsole: TPR


CXS WINTER LADY, 2340 004 800 XX


Size
36 - 42

Lining
textil

Upper: combined	Outsole: rubber
------------------------	------------------------

Box: 5 pairs **Unit:** 1 pair

Casual insulated boot

- upper: textile with PU
- reflective accessories
- lining: textile
- outsole: rubber


CXS WINTER FROST, 2340 005 800 XX


Size
41 - 47

Lining
textil

Upper: combined	Outsole: TPR
------------------------	---------------------

Box: 5 pairs **Unit:** 1 pair

Casual insulated boot

- upper: textile
- reflective accessories
- lining: textile
- outsole: TPR


CXS SAHARA, 2230 002 600 XX


Size
36 - 46

Upper
combined

Lining: textile	Outsole: phylon-rubber
------------------------	-------------------------------

Box: 10 pairs **Unit:** 1 pair

Leisure sandal

- upper: cow suede leather with textile accessories
- side vents for better breathability
- stretch strap tightening
- reflective accessories


CXS SAHARA, 2230 002 810 XX


Size
36 - 46

Upper
combined

Lining: textile	Outsole: phylon-rubber
------------------------	-------------------------------

Box: 10 pairs **Unit:** 1 pair

Leisure sandal

- upper: cow suede leather with textile accessories
- side vents for better breathability
- stretch strap tightening
- reflective accessories


SALE
CXS ATACAMA, 2230 009 402 XX


Size
36 - 48

Upper
combined

Lining: textile	Outsole: phylon-rubber
------------------------	-------------------------------

Box: 10 pairs **Unit:** 1 pair

Leisure sandal

- upper: PU with textile accessories
- side vents for better breathability
- stretch tightening strap
- velcro strap around the heel
- reflective accessories



NEW

CXS BALOS, 2250 020 810 XX

Size
36 - 48

Upper: PVC	Outsole: PVC
Box: 20 pairs	Unit: 1 pair

Leisure flip-flop



CXS TREND, 2250 014 708 XX

Size
36 - 41

Material: EVA

Box: 36 pairs	Unit: 1 pair
---------------	--------------

Ladies' leisure flip-flop
• slip resistance on dry and wet surfaces



CXS TREND, 2250 014 699 XX

Size
36 - 41

Material: EVA

Box: 36 pairs	Unit: 1 pair
---------------	--------------

Ladies' leisure flip-flop
• slip resistance on dry and wet surfaces



CXS TREND, 2250 014 703 XX

Size
36 - 41

Material: EVA

Box: 36 pairs	Unit: 1 pair
---------------	--------------

Ladies' leisure flip-flop
• slip resistance on dry and wet surfaces



CXS TREND, 2250 017 107 XX

Size
36 - 41

Material: EVA

Box: 36 pairs	Unit: 1 pair
---------------	--------------

Ladies' Leisure flip-flop
• slip resistance on dry and wet surfaces



CXS TREND, 2250 015 410 XX

Size
41 - 46

Material: EVA

Box: 36 pairs	Unit: 1 pair
---------------	--------------

Men's leisure flip-flop
• slip resistance on dry and wet surfaces



CXS TREND, 2250 015 710 XX

Size
41 - 46

Material: EVA

Box: 36 pairs	Unit: 1 pair
---------------	--------------

Men's leisure flip-flop
• slip resistance on dry and wet surfaces



CXS TREND, 2250 018 109 XX

Size
41 - 46

Material: EVA

Box: 36 pairs	Unit: 1 pair
---------------	--------------

Men's leisure flip-flop
• slip resistance on dry and wet surfaces



CXS TREND, 2250 015 703 XX

Size
41 - 46

Material: EVA

Box: 36 pairs | Unit: 1 pair

Men's leisure flip-flop
• slip resistance on dry and wet surfaces


CXS TREND, 2250 015 806 XX

Size
41 - 46

Material: EVA

Box: 36 pairs | Unit: 1 pair

Men's leisure flip-flop
• slip resistance on dry and wet surfaces


CXS FROG, 2250 001 400 XX
OVERSIZE

Size
35-50 (without sizes 36,40,44)

Upper: PVC | Outsole: PE

Box: 30 pairs | Unit: 1 pair

Leisure flip-flop
• slip resistance on dry and wet surfaces


CXS GULF, 2250 005 808 XX

Size
36 - 46

Upper: PVC | Outsole: EVA

Box: 30 pairs | Unit: 1 pair

Leisure flip-flop
• slip resistance on dry and wet surfaces


NEW
CXS PALLAS S5, 2464 028 511 XX
S5


Size
38 - 47

Upper: PU | Outsole: PU

Box: 5 pairs | Unit: 1 pair

Norm: EN ISO 20345:2011 S5 SRC

Safety boot
• steel toe cap and insole
• energy absorption of heel region
• outsole: antislippery, antistatic, oil resistant


CXS PLUTO, 2490 036 500 XX


Size
39 - 47

Upper: EVA | Outsole: EVA

Box: 5 pairs | Unit: 1 pair

Norm: E CI SRC

Working boot
• ultralight
• year-round
• removable insulation
• lightweight work boot E CI SRC
• the insert is washable up to 40°C


NEW
CXS PLUTO, 2900 109 700 XX


Size
39-47

Material: non-woven fabric - 100% polyester

Grammage: 350 g/m²

Box: 50 pairs | Unit: 1 pair

Removable insulation
• removable insulation for CXS PLUTO boots
• washable up to 40°C



CXS URAN, 2461 001 800 XX


Size
37 - 48

Upper: PVC	Outsole: PVC
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012 OB SRA

Working boot

- outsole: antislippery, antistatic, oil resistant


CXS MERKUR, 2471 001 800 XX


Size
37 - 47

Upper: PVC	Outsole: PVC
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012 OB SRA

Working boot

- outsole: antislippery, antistatic, oil resistant


CXS ERIS, 2471 002 100 XX


Size
37 - 46

Upper: PVC	Outsole: PVC
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012 OB SRA

Working boot

- outsole: antislippery, antistatic, oil resistant


CXS ATEN, 2471 003 500 XX


Size
37 - 41

Upper: PVC	Outsole: PVC
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012 OB SRA

Working boot

- outsole: antislippery, antistatic, oil resistant


NEW
CXS VENUS 04, 2462 023 800 XX
04


Size
39 - 48

Upper: PVC	
Lining: polyamide knit	Outsole: PVC
Box: 5 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012 O4 FO SRC

Working boot

- energy absorption of heel region
- outsole: antislippery, antistatic, oil resistant


CXS APOLLO, 2461 003 500 XX


Size
41 - 48

Upper: PVC	Outsole: PVC
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012 OB SRA

Working boot

- outsole: antislippery, antistatic, oil resistant



CXS NEPTUN S4, 2463 002 800 XX
S4
Size
38-48

Upper: PVC	Outsole: PVC
Box: 6 pairs	Unit: 1 pair

Norm: EN ISO 20345:2011 S4 SRC

Safety boot

- composite toe cap
- energy absorption of heel region
- outsole: antislippery, antistatic, oil resistant
- reflective accessories


NEW
CXS FROSTA, 2461 028 800 00
OB
Size
38-46

Upper: modified PVC with nitrile rubber	
Collar: waterproof nylon grammage 80g	
Outsole: PVC	
Box: 6 pairs	Unit: 1 pair

Norm: EN ISO 20347:2022 OB CI SR

Working boot

- warm lining
- outsole: antislippery


CXS BRUNO, 2461 005 800 XX
OB
Size
39 - 48

Upper: thermoplastic rubber and textile material	
Upper: textil	Outsole: rubber
Box: 5 pairs	Unit: 1 pair

Norm: EN ISO 20347:2012 OB SRA E

Working boot

- upper: combined thermoplastic rubber and textile material
- lining: textile
- outsole: thermoplastic rubber
- thermal felt insert in the whole boot


CXS CORK LISA, 2540 004 100 XX
Size
35 - 41

Upper: leather/PU	Outsole: EVA
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347/A1:2007 SRA E

Working flip-flop

- cow suede leather upper with PU coating
- cow suede leather perforated insole
- outsole with gusset


CXS CORK MEGI, 2530 003 100 XX
Size
35 - 41

Upper: leather/PU	Outsole: EVA
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347/A1:2007 SRA E

Working sandal

- cow suede leather upper with PU coating
- cow suede leather perforated insole
- heel band
- outsole with gusset


CXS CORK ZETA, 2540 003 600 XX
Size
41 - 46, to order 47 - 48

Upper: leather	Outsole: EVA
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347/A1:2007 SRA E

Working flip-flop

- cow suede leather perforated insole
- two instep bands


CXS CORK ZETA, 2540 002 600 XX
Size
35 - 41

Upper: leather	Outsole: EVA
Box: 10 pairs	Unit: 1 pair

Norm: EN ISO 20347/A1:2007 SRA E

Working flip-flop

- cow suede leather perforated insole
- outsole with gusset



CXS WHITE BEA, 2540 042 100 XX
OB

Size
35 - 47

Upper: microfibre

Insole: pig leather	Outsole: single density PU
----------------------------	-----------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 OB E A SRC

Working flip-flop

- upper: 2mm microfibre
- insole: pig leather padded with comfortable sponge
- outsole: antislip, antistatic
- two adjustable front bands with buckles


CXS WHITE PAOLA, 2530 094 100 XX
OB

Size
35 - 47

Upper: microfibre

Insole: pig leather	Outsole: single density PU
----------------------------	-----------------------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 OB E A SRC

Working flip-flop

- upper: 2mm microfibre
- insole: pig leather padded with comfortable sponge
- outsole: antislip, antistatic
- two adjustable front bands with buckles
- heel band


CXS WHITE MIKA, 2530 006 100 XX
OB

Size
35 - 46

Upper: cow leather

Lining: polyester	Outsole: PU
--------------------------	--------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 OB E A SRC

Working sandal

- upper: bovine perforated leather
- velcro fastening
- adjustable heel strap
- lining: polyester
- comfortable insole made of bovine leather
- outsole: antislip, antistatic


CXS WHITE MISA, 2530 005 100 XX
OB

Size
35 - 41

Upper: cow leather

Lining: polyester	Outsole: PU
--------------------------	--------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 OB E A SRC

Working sandal

- upper: bovine perforated leather
- adjustable heel strap
- lining: polyester
- comfortable insole made of bovine leather
- outsole: antislip, antistatic


CXS WHITE LIME, 2530 007 100 XX
OB

Size
35 - 42

Upper: cow leather

Lining: polyester	Outsole: PU
--------------------------	--------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Casual sandal

- upper: bovine perforated leather
- adjustable heel strap
- lining: polyester
- comfortable insole made of pig leather
- outsole: PU


CXS WHITE PINE 01, 2133 034 100 XX
01

Size
36 - 48

Upper: microfibre

Lining: textile	Outsole: PU
------------------------	--------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC ESD

Working sandal

- upper: 1,8 - 2,0mm perforated microfibre
- washable upper up to 30°C
- 2 bands with velcro fastening
- lining: breathable, abrasion resistant textile
- outsole: antislip, oil resistant, antistatic
- ESD properties


CXS WHITE PINE S1, 2135 057 100 XX
S1

Size
36 - 48

Upper: microfibre

Lining: textile	Outsole: PU
------------------------	--------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20345:2011 S1 SRC ESD

Safety sandal

- upper: 1,8 - 2,0mm perforated microfibre
- steel toe cap
- washable upper up to 30°C
- 2 bands with velcro fastening
- lining: breathable, abrasion resistant textile
- outsole: antislip, antistatic, oil resistant
- ESD properties


CXS WHITE LINDEN 01, 2123 020 100 XX
01

Size
36 - 48

Upper: microfibre

Lining: textile	Outsole: PU
------------------------	--------------------

Box: 10 pairs	Unit: 1 pair
----------------------	---------------------

Norm: EN ISO 20347:2012 O1 FO SRC ESD

Low cut working shoe

- upper: 1,8 - 2,0mm perforated microfibre
- washable upper up to 30°C
- lining: breathable, abrasion resistant textile
- outsole: antislip, oil resistant, antistatic
- ESD properties



NEW

CXS ICEMAN, 2900 105 800 XX

Size
 M: 36 - 40 (2900 105 800 93)
 L: 41 - 44 (2900 105 800 94)
 XL: 45 - 48 (2900 105 800 95)

Material: thermoplastic elastomer (TPE), stainless steel 201

Box: 50 pairs | **Unit:** 1 pair

- Antislippers**
- an outdoor tool providing stability and security in the field, where there is a risk of slipping
 - designed for walk on snow and ice
 - one pair packed in a textile bag



PRACTICAL PACKING

USE ON FOOTWEAR



VISITOR

Size
 S (34 - 38) - 2900 008 800 92
 M (39 - 43) - 2900 008 800 93
 XL (44 - 50) - 2900 008 800 94

Material: rubber | **Unit:** 1 pair

Box: 16 pairs (size S), 14 pairs (size M), 10 pairs (size XL)

Norm: EN ISO 20345:2011

- Safety overshoe**
- toe cap made from aluminium - titanium alloy



FOOTWEAR

VISITOR INTEGRAL

Size
 S (34 - 37) - 2900 092 800 92
 M (38 - 41) - 2900 092 800 93
 L (42 - 44) - 2900 092 800 94
 XL (45 - 47) - 2900 092 800 95

Material: rubber | **Unit:** 1 pair

Box: 8 pairs (size S and M), 6 pairs (size L and XL)

Norm: EN ISO 20345:2011

- Safety overshoe**
- ESD
 - toe cap made from aluminium - titanium alloy
 - steel insole
 - outsole: antistatic, oil resistant, antislip, puncture resistant



CXS GELFOOT, 2900 102 800 XX

OVERSIZE

Size
 35 - 40 (2900 102 800 40)
 41 - 45 (2900 102 800 45)
 46 - 50 (2900 102 800 50)

Box: 100 pairs | **Unit:** 1 pair

- Footwear inserts**
- antistatic
 - soft gel reinforcement in the front and TPR in the heel
 - friction reducing mesh fabric on top
 - protect the foot impact with the ground
 - help to reduce stress on the joints and ligaments in the foot
 - fits in most shoes with removable insoles



BLISTER

MONTA, 2900 042 000 XX

Size
 38 - 47, to order 35, 36, 37

Box: 100 pairs | **Unit:** 1 pair

- Footwear inserts**
- anatomically shaped, PES textile
 - bottom latex foam with content of active carbon eliminates unpleasant odour
 - carbosan pressing supports longitudinal and vertical foot arch, it softens bumps and keeps the correct shape of foot



BLISTER

CARBON, 2900 003 000 46 / 50
OVERSIZE

Size
36 - 46 (2900 003 000 46)
47 - 50 (2900 003 000 50)



Box: 200 pairs | **Unit:** 1 pair

Footwear inserts

- upper: green fabric
- insole: latex foam
- active carbon thickness 3,3 mm
- excellent deodorizing, breathable and perspiration
- absorbing
- trimmed


NEW
FOOTWEAR INSERTS, 2900 004 000 XX
OVERSIZE

Size
37 - 50 without sizes 40, 44

Unit: 1 pair


FOOTWEAR INSERTS INSULATED, 2900 081 000 00 / 50

OVERSIZE


Size
36 - 46 (2900 081 000 00)
47 - 50 (2900 081 000 50)



Box: 200 pairs | **Unit:** 1 pair

Footwear inserts

- winter insert with aluminium foil
- trimmed


ACTIVE GEL, 2900 058 700 41 / 45 / 50
OVERSIZE

Size
35 - 40 (2900 058 700 41)
41 - 45 (2900 058 700 45)
46 - 50 (2900 058 700 50)



Box: 50 pairs | **Unit:** 1 pair

Footwear inserts

- active gel absorbing shock
- prevents burning feets
- trimmed


REFLECTIVE SHOE LACES, 2900 100 800 00


Length
130 cm




Material: 100 % polyester | **Color:** černá

Box: 740 pairs | **Packing:** 5 pairs

Unit: 1 pair

Shoe laces - rounded


SHOE LACES, 2900 007 000 00

Length
110 cm

Material: 100 % polyester | **Color:** black

Box: 1000 pairs | **Packing:** 5 pairs

Unit: 1 pair

Shoe laces - flat


SHOE LACES, 2900 006 600 00

Length
130 cm

Material: 100 % polyester | **Color:** brown

Box: 1000 pairs | **Packing:** 5 pairs

Unit: 1 pair

Shoe laces - rounded


SHOE LACES, 2900 006 612 00

Length
130 cm

Material: 100 % polyester | **Color:** sand

Box: 1000 pairs | **Packing:** 5 pairs

Unit: 1 pair

Shoe laces - rounded


NEW
SHOE LACES, 2900 111 800 00

Length
150 cm

Material: 100 % polyester | **Color:** black

Box: 1000 pairs | **Packing:** 5 pairs

Unit: 1 pair

Shoe laces - rounded


SHOE LACES, 2900 044 800 00

Length
130 cm

Material: 100 % polyester | **Color:** black

Box: 1000 pairs | **Packing:** 5 pairs

Unit: 1 pair

Shoe laces - rounded


SHOE LACES, 2900 045 800 00

Length
90 cm

Material: 100 % polyester | **Color:** black

Box: 1000 pairs | **Packing:** 5 pairs

Unit: 1 pair

Shoe laces - rounded



GLOVES

LEATHER AND COMBINED GLOVES	346
MECHANICAL GLOVES	350
TEXTILE GLOVES	353
PU COATING	356
NITRILE COATING	358
LATEX COATING	361
PVC COATING	364
DISPOSABLE GLOVES	365
WELDING GLOVES	367
HEAT RESISTANT GLOVES	370
CUT RESISTANT GLOVES	371
ANTIVIBRATION GLOVES	373
SPECIAL GLOVES	375
ESD GLOVES	376
WINTER GLOVES	377
ANSELL GLOVES	381
MAPA GLOVES	384



GLOVES

Product code - you can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 XX

Size

09 - 10

XX


Palm: nylon with PU	Back: polyester	Cuff: polyester
Box: 60 pairs	Pack: 12 pairs	Unit: 1 pair

• detail description

SIZE	5	6	7	8	9	10	11	12
CODE	05	06	07	08	09	10	11	12

SIZE CHART

CODE	SIZE	SIZE	HAND CIRCUMFERENCE	HAND LENGTH
05	5	XXS	127 mm	< 160 mm
06	6	XS	152 mm	160 mm
07	7	S	178 mm	171 mm
08	8	M	203 mm	182 mm
09	9	L	229 mm	192 mm
10	10	XL	254 mm	204 mm
11	11	2XL	279 mm	215 mm
12	12	3XL	304 mm	226 mm



Do you have the right size? Measure your palm!
Put your palm by edge of index finger on the dashed line according to drawing. On the right side beside your hand is shown a size of your gloves.




THE CHANGES ARE MAINLY AIMED AT PROTECTING THE HEALTH OF THE USER/WORKER.
Existing safety requirements:

- The pH of the gloves must be between 3.5 and 9.5
- the chromium content of gloves containing leather must be less than 3 mg/kg
- all metallic materials likely to come into prolonged contact with the skin must have a value of a nickel release of less than 0,5 µg/cm² per week

New mandatory safety requirements:

- no azo dye shall be detected for all leather and textile materials
- for gloves containing PU, DMF (dimethylformamide) shall not exceed 1000 mg/kg
- polycyclic aromatic hydrocarbons shall not exceed 1 mg/kg for rubber and plastic materials

Another key requirement is the marking of gloves. This is now treated with an hourglass pictogram and the expiry date of the gloves is stamped on it:


EN 388 - PROTECTION AGAINST MECHANICAL RISKS
EN 388


Note: The letter X means that the test was not performed or is not applicable.

PERFORMANCE LEVELS

TEST	LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	LEVEL 5
Abrasion resistance (cycles)	100	500	2000	8000	-
Cut resistance - Couptest (index)	1,2	2,5	5,0	10,0	20,0
Tear resistance (Newton)	10	25	50	75	-
Puncture resistance (Newton)	20	60	100	150	-

TEST	LEVEL A	LEVEL B	LEVEL C	LEVEL D	LEVEL E	LEVEL F
Cut resistance according to EN ISO 13997 (Newton)	2	5	10	15	22	30

Shock protection according to EN 13594	SUCCEEDED (P) or FAILED (no label)
--	---

PROTECTION AGAINST COLD
EN 511

abc

- a - Protection against convective cold (X - 4)
- b - Protection against contact cold (X - 4)
- c - Water permeability (X - 1)

EN 407
PROTECTION AGAINST HEAT AND FLAME
EN 407

XBCDEF

If not declared limited flame spread

EN 407

ABCDEF

- a - Resistance to ignition (X - 4)
- b - Resistance to contact heat (X - 4)
- c - Resistance to convective heat (X - 4)
- d - Resistance to radiant heat (X - 4)
- e - Resistance to small splashes of molten metal (X - 4)
- f - Resistance to large amounts of molten metal (X - 4)

EN 12477
PROTECTIVE GLOVES FOR WELDERS
EN 407

abcdef

- a - Resistance to ignition (X - 4)
- b - Resistance to contact heat (X - 4)
- c - Resistance to convective heat (X - 4)
- d - Resistance to radiant heat (X - 4)
- e - Resistance to small splashes of molten metal (X - 4)
- f - Resistance to large amounts of molten metal (X - 4)

Welding gloves are divided into two types:

TYP A - low dexterity, the glove has higher class requirements according to EN 388 and EN 407
TYP B - high dexterity, the glove has lower class requirements according to EN 388 and EN 407

EN ISO 374-5:2016
PROTECTIVE GLOVES AGAINST MICRO-ORGANISMS

The gloves must pass a penetration test in accordance with EN 341-2:2015. If the glove passes the ISO 16604:2004 test (method B) it can be declared as virus protective.

EN ISO 374-5


For gloves offering protection against bacteria and fungi.




EN ISO 374-5

VIRUS

For gloves protecting against bacteria fungi and viruses.

PROTECTIVE GLOVES AGAINST CHEMICALS
Based on three test methods:

- Penetration test in accordance with EN 374-2:2014
- Permeation test in accordance with EN 16523-1:2015, which replaces EN 374-3
- Degradation test in accordance with EN 374-4:2013

ONE PICTOGRAM AND THREE TYPES OF GLOVES		
TYPE OF GLOVES	REQUIREMENT	MARKING
TYP A	Penetration resistance (EN 374-2) Penetration time > 30 min. for at least 6 chemicals in the new list (EN 16523-1)	 EN ISO 374-1 / TYP A AJKLPR
TYP B	Penetration resistance (EN 374-2) Penetration time > 30 min. for at least 3 chemicals in the new list (EN 16523-1)	 EN ISO 374-1 / TYP B JKL
TYP C	Penetration resistance (EN 374-2) Penetration time > 10 min. for at least 1 chemical in the new list (EN 16523-1)	 EN ISO 374-1 / TYP C

CODE	CHEMICAL	CAS NUMBER	CLASS
A	methanol	67-56-1	primary alcohol
B	acetone	67-64-1	ketone
C	acetonitrile	75-05-8	nitrile compound
D	dichloromethane	75-09-2	chlorinated hydrocarbon
E	carbon disulphide	75-15-0	sulphur containing organic compound
F	toluene	108-88-3	aromatic hydrocarbon
G	diethylamine	109-89-7	amine
H	tetrahydrofuran	109-99-9	heterocyclic and ether compound
I	ethyl acetate	141-78-6	ester
J	n-heptane	142-82-5	saturated hydrocarbon
K	sodium hydroxide 40%	1310-73-2	inorganic base
L	sodium hydroxide 40%	7664-93-9	inorganic mineral acid, oxidizing
M	nitric acid 65%	7697-37-2	inorganic mineral acid, oxidizing
N	acetic acid 99%	64-19-7	organic acid
O	ammonium hydroxide 25%	1336-21-6	organic base
P	hydrogen peroxide 30%	7722-84-1	peroxide
S	hydrofluoric acid 40%	7664-39-3	inorganic mineral acid
T	formaldehyde 37%	50-00-0	aldehyde


Mechanical risks

Radioactive contamination

Specific chemical resistance

Cold

Heat protection without flame

Work under voltage


Mikroorganism

Resistance to electrostatic discharge

Thermal hazards, Flame welding

Designed for short-term food contact

Vibrations and shocks
PICTOGRAMS OF DIFFICULTY

Dryness and common dirt

Light demanding

Small amount of water and oil

Moderate demanding

Large amount of water and oil

Heavy duty

SUBSTANCE	LATEX	NEOPRENE	NITRILE	PVC
Acetone	=	=	-	-
Amylic alcohol	=	+	+	=
Aniline	=	++	-	=
Benzaldehyde	-	=	=	-
Benzene	-	-	=	-
Petrol	-	+	++	=
Benzyl alcohol	=	+	=	+
n-Butanol	+	++	++	++
Butoxyethanol	+	++	++	=
Butyl acetate	-	+	+	-
Chloroacetone	++	++	-	-
Ammonium chloride	++	++	++	++
Calcium chloride	++	++	++	++
Calcium hydroxide	++	++	++	++
Calcium hypochlorite	++	++	++	++
Chloroform	-	-	=	-
Amonium hydroxide (conc.)	++	++	+	++
Cyklohexane	-	++	++	=
Cyklohexanol	++	++	++	++
Cyklohexanone	+	=	-	-
Diaceton alcohole	++	++	+	-
Dibutyl phtalat	=	++	++	-
Dichlorethane	-	=	=	-
Diethanolamine	++	++	++	++
Ethanol	+	++	++	++
2-Ethoxyethanol	=	++	++	+
Ethylamine	-	+	-	-
Ethylene glycol	++	++	++	++
Phenol (penic acid)	=	+	+	+
Formaldehyde 30%	++	++	++	++
Furaldehyde	+	++	-	-
Glycerine	++	++	++	++
Glycol	++	++	++	++
Hexane	-	+	++	=
Potassium hydroxide (conc.)	++	++	+	++
Sodium hydroxide	++	++	+	++
Calcium hydroxide	++	++	++	++
Isobutanol (isobutyl alcohol)	+	++	++	++
Kerosene	-	+	++	+
Hydrochloric acid 30% and 5%	++	++	++	++

EXPLANATIONS

- ++ high chemical stress or full contact with chemicals
- + medium chemical stress and easy contact with chemicals
- = simple protection, when it is necessary to replace the gloves after they have been stained with a given substance gloves are not suitable for contact with the substance in question
-

SUBSTANCE	LATEX	NEOPRENE	NITRILE	PVC
Chromic acid	=	+	=	+
Citric acid	++	++	++	++
Nitric acid 20%	+	++	+	++
Hydrofl uoric acid 30%	+	++	+	++
Phosphoric acid 75%	++	++	++	++
Lactic acid 75%	+	++	+	++
Formic acid 90%	+	++	=	++
Acetic acid 50%	++	++	=	++
Acetic acid, glacial	+	++	=	=
Oleic acid	+	++	++	+
Sulphuric acid, diluted (battery)	++	++	++	++
Sulphuric acid, concentrated	=	+	=	+
Oxalic acid	++	++	++	++
Sodium hydroxide (conc.)	++	++	+	++
Acqua regia	-	+	=	=
Potassium permanganate	++	++	++	++
2-Methoxyethanol	=	++	++	+
Methylamine	+	++	++	++
Methanol (methyl alcohol)	=	+	++	+
Methylene chloride	-	=	=	-
Monochlorobenzene	-	=	=	-
Monoethanolamine	++	++	++	++
Diesel oil	-	=	++	=
Nitrobenzene	-	=	-	-
Nitropropane	=	=	-	-
Octanol (octyl alcohol)	++	++	++	++
Perchloroethylene	-	=	++	=
Hydrogen peroxide	=	++	++	++
Petroleum ether	-	=	++	=
Solvents	-	+	++	+
Petroleum ether	-	=	+	=
Styrene	-	=	=	-
Turpentine	-	=	++	=
Carbon tetrachloride	-	=	+	=
Tetrahydrofurane	=	=	-	-
Toluene	-	=	+	=
Gas oil	-	=	++	+
Trichlorethylene	-	=	=	-
Triethanolamine 85%	++	++	++	++
Xylene	-	=	+	=

The resistance parameters of the materials are only indicative. It is always necessary that the gloves comply with EN ISO 374-1:2016 and have been tested for the substance in question. For more information, please contact your nearest store or your sales representative.

LEATHER AND COMBINED GLOVES



CXS FARO
3210 101 802 10

page 346



CXS HIVI
3210 081 152 XX

page 346



CXS BONO
3100 006 000 XX

page 346



CXS TALE
3210 012 000 XX

page 346



CXS MAWA
3310 002 100 XX

page 355



CXS FALO
3340 001 105 XX

page 355



CXS GABO
3310 001 163 10

page 355



CXS TURI
3440 061 000 XX

page 356

PU COATING



CXS TECHNIK HV
3210 086 034 XX

page 347



CXS TECHNIK A
3210 086 401 XX

page 347



CXS TECHNIK
3210 010 251 XX

page 347



CXS TECHNIK PLUS
3210 009 801 XX

page 347



CXS TECHNIK EGO
3210 011 801 XX

page 348



CXS BRITA TOUCH
3440 049 166 XX

page 356



CXS BRITA DOTS
3440 050 400 XX

page 356



CXS LEIVA
3440 051 999 XX

page 357



CXS SOLO
3440 002 100 XX

page 357



CXS BRITA WHITE
3440 001 100 XX

page 357



CXS DINGO
3210 001 000 XX

page 348



CXS DINGO A
3210 002 000 11

page 349



CXS FALCO
3210 004 000 10

page 349



CXS ZORO
3210 007 000 XX

page 348



CXS KALA
3100 001 000 10

page 348



CXS BUDY
3210 008 000 XX

page 349



CXS ASTAR
3100 003 000 XX

page 349

MECHANICAL GLOVES



CXS MAGNES
3220 030 803 XX

page 350



CXS FURNY
3220 029 803 XX

page 350



CXS BENSON
3220 025 160 XX

page 350



CXS CARAZ
3220 017 710 XX

page 351



CXS PUNO
3220 016 210 XX

page 351



CXS YEMA
3220 015 160 XX

page 351



CXS GE-KON
3220 002 800 XX

page 352



CXS SHARK
3220 003 260 XX

page 352



CXS PICEA
3220 001 301 XX

page 352

TEXTILE GLOVES



CXS FAWA
3310 005 100 XX

page 353



CXS IPO
3310 004 163 00

page 353



CXS SAWA
3330 001 100 XX

page 353



CXS FLASH
3340 003 100 XX

page 354



CXS KASA
3340 004 100 XX

page 354



CXS NOE
3340 002 600 XX

page 354



CXS DOLI
3310 007 100 11

page 355

NITRILE COATING



CXS BRITA BLACK
3440 001 800 XX

page 357



CXS ICA
3410 099 810 XX

page 358



CXS ALVAROS
3410 002 260 XX

page 358



CXS FIDO
3410 004 999 XX

page 358



CXS ABRAX
3410 001 109 XX

page 358



CXS MISTI
3410 087 209 XX

page 359



CXS CERRO
3410 086 410 XX

page 359



CXS NAPA
3410 003 710 XX

page 359



CXS JOKI
3410 005 400 XX

page 360



CXS ARET
3410 006 400 10

page 360



CXS PELA
3410 007 400 10

page 360

LATEX COATING



CXS MERU
3420 115 000 XX

page 361



CXS CHENA
3420 114 451 XX

page 361



CXS WAYNA
3520 036 160 XX

page 361



CXS OLAS
3420 032 510 XX

page 362



CXS ROXY
3420 001 157 XX

page 362



CXS COLCA
3420 026 706 XX

page 362



CXS BLANCHE
3420 003 102 XX

page 363



CXS DETA
3420 005 101 10

page 363



CXS NINA
3520 001 150 XX

page 363

PVC COATING



CXS FISO
3430 024 400 10

page 364



CXS KADO
3430 001 250 10

page 364



DISPOSABLE GLOVES

CXS SELA
3430 002 250 10



CXS STERN BLACK
3510 001 800 XX



CXS STERN
3510 001 400 XX



CXS STERN EGO
3510 058 400 XX

SALE



CXS BERT
3520 002 100 XX



CXS MOSE
3530 001 113 XX

WELDING GLOVES



CXS PATON RED
3610 055 250 11



CXS LORNE
3610 056 709 XX



CXS AMON
3610 007 200 11



CXS PATON BLUE
3610 002 600 11



CXS HURI
3610 003 000 10



CXS SYRO
3610 005 000 11

HEAT RESISTANT GLOVES



CXS VARMO
3620 073 000 10



MEFISTO DM
3620 001 716 11



MEFISTO M5 DM
3620 003 716 11



CXS IMPA
3630 225 700 XX

CUT RESISTANT GLOVES



CXS CITA
3630 001 700 XX



CXS CITA II
3630 002 700 XX



CXS RITA
3630 020 000 XX



CXS CIRU 45
3630 110 038 45



CXS CIRU 35
3630 110 038 35

ANTIVIBRATION GLOVES



CXS LEDA
3640 034 000 10



CXS LEDATEX
3610 035 000 10



CXS AMET
3640 021 800 10



CXS TEMA
3460 002 000 10



CXS TEMA
3640 001 000 10

SPECIAL GLOVES



CXS TEKPLAST
3660 001 150 10



DIELECTRIC GLOVES 500 V
3650 001 250 11



DIELECTRIC GLOVES 1000 V
3650 002 250 11

ESD GLOVES



CXS ADGARA
3670 034 714 XX



CXS SILOLI
3670 035 714 XX

WINTER GLOVES



CXS FURNY W
3700 096 803 XX



CXS CHIVAY
3700 095 209 XX



CXS DINGO WINTER
3700 001 000 11



CXS ZORO WINTER
3700 006 000 XX



CXS URBI
3700 007 000 XX



CXS TECHNIK WINTER
3700 009 801 XX



CXS YUNGAY
3700 091 209 XX



CXS INDUSTRY ROXY WINTER
3700 077 210 10



CXS ROXY WINTER
3700 010 160 XX



CXS ROXY BLUE WINTER
3700 023 400 10



CXS ROXY DOUBLE WINTER
3700 011 510 10



CXS ZARO WINTER
3700 012 250 11



CXS FREY
3700 074 800 XX



CXS NORNY
3700 097 800 XX

ANSELL GLOVES



EDGE 48-140
3670 021 700 XX



HYFLEX 48-100
3440 003 100 XX



HYFLEX 48-101
3440 004 800 XX



HYFLEX 48-105
3440 005 100 XX



HYFLEX 11-800
3410 011 109 XX



HYFLEX 47-400
3410 012 105 XX



ACTIVARMR HYGONR 27-805
3410 009 400 XX



ALPHATEC SOL-VEK 37-695
3410 015 500 XX



ALPHATEC SOL-VEK 37-676
3660 003 500 XX



ALPHATEC 87-900
3660 004 502 XX



ALPHATEC 87-190
3420 004 150 XX

MAPA GLOVES



ALTO 415
3450 001 800 XX



KRYTECH 579
3630 004 109 XX



ULTRANITRIL 495
3660 007 400 XX



VITAL 115
3660 008 300 XX

CXS FARO, 3210 101 802 10 cat. 2


- EN 388
- 2123X
- BLISTER
- Moderate demanding
- Dryness and common dirt

Size
10

Material: goat grain leather	Back: polyester	
Cuff: elastic		
Norm: EN ISO 21420, EN 388 / 2123X		
Box: 60 pairs	Pack: 12 pairs	Unit: 1 pair

Combined gloves

- breathable mesh back
- padding to decrease impact of vibration in palm
- adjustable elastic cuff with velcro
- blister

CXS HIVI, 3210 081 152 XX cat. 2


- EN 388
- 2222X
- BLISTER
- Moderate demanding
- Dryness and common dirt

Size
09, 10,5

Palm: high quality goat grain leather		
Back: cotton a polyester	Cuff: tough	
Norm: EN ISO 21420, EN 388 / 2222X		
Box: 120 pairs	Pack: 12 pairs	Unit: 1 pair

Combined gloves

- yellow-orange cloth on the back and cuff
- reflective accessory
- metal hole for carabine
- blister

CXS TECHNIK HV, 3210 086 034 XX cat. 2


- EN 388
- 2112X
- Moderate demanding
- Dryness and common dirt

Size
07 - 11

Palm: goat or sheep grain leather	Back: synthetic knit	
Cuff: elastic		
Norm: EN ISO 21420, EN 388 / 2112X		
Box: 240 pairs	Pack: 12 pairs	Unit: 1 pair

Combined gloves

- gloves with elastic back
- elastic cuff with velcro

CXS TECHNIK A, 3210 086 401 XX cat. 2


- EN 388
- 2112X
- Moderate demanding
- Dryness and common dirt

Size
07 - 11

Palm: goat or sheep grain leather (high quality)		
Back: cotton knit	Cuff: elastic	
Norm: EN 420, EN 388 / 2112X		
Box: 240 pairs	Pack: 12 pairs	Unit: 1 pair

Combined gloves

- high quality gloves with elastic back
- elastic cuff with velcro

CXS BONO, 3100 006 000 XX cat. 2


- EN 388
- 2122X
- Moderate demanding
- Dryness and common dirt

Size
08 - 10

Material: goat grain leather	Back: polyester	
Cuff: loose		
Norm: EN 420, EN 388 / 2122X		
Box: 120 pairs	Pack: 12 pairs	Unit: 1 pair

Leather gloves

- gloves with rubber band on the wrist

CXS TALE, 3210 012 000 XX cat. 2


- EN 388
- 2112X
- Moderate demanding
- Dryness and common dirt

Size
07 - 11

Palm: goat or sheep grain leather		
Back: cotton knit	Cuff: elastic	
Norm: EN 420, EN 388 / 2112X		
Box: 240 pairs	Pack: 12 pairs	Unit: 1 pair

Combined gloves

- gloves with knitted cuff

CXS TECHNIK, 3210 010 251 XX cat. 2


- EN 388
- 2112X
- Moderate demanding
- Dryness and common dirt

Size
07 - 11

Palm: goat or sheep grain leather	Back: cotton knit	
Cuff: elastic		
Norm: EN 420, EN 388 / 2112X		
Box: 240 pairs	Pack: 12 pairs	Unit: 1 pair

Combined gloves

- gloves with elastic back
- elastic cuff with velcro
- fourchette style in the palm for more comfortable grip

CXS TECHNIK PLUS, 3210 009 801 XX cat. 2


- EN 388
- 2112X
- Moderate demanding
- Dryness and common dirt

Size
07 - 11

Palm: goat or sheep grain leather	Back: synthetic knit	
Cuff: loose		
Norm: EN 420, EN 388 / 2112X		
Box: 240 pairs	Pack: 12 pairs	Unit: 1 pair

Combined gloves

- gloves with elastic back
- rubber band on the wrist

CXS TECHNIK ECO, 3210 011 801 XX cat. 2


EN 388
2112X
Moderate demanding
Dryness and common dirt

Size
08 - 10

Palm: goat or sheep grain leather	
Back: cotton knit	Cuff: loose
Norm: EN 420, EN 388 / 2112X	
Box: 240 pairs	Pack: 12 pairs Unit: 1 pair

Combined gloves
 • gloves with back of a black cotton knit
 • rubber band on the wrist

CXS DINGO, 3210 001 000 XX cat. 2


EN 388
2133X
Heavy duty
Dryness and common dirt

Size
11, 12

Palm: cow split leather	Back: tough cotton cloth
Cuff: tough	
Norm: EN 420, EN 388 / 2133X	
Box: 60 pairs	Pack: 12 pairs Unit: 1 pair

Combined gloves
 • palm and fingers lining

CXS ZORO, 3210 007 000 XX cat. 2


EN 388
3143X
Heavy duty
Dryness and common dirt

Size
09, 10, 12

Palm: cow split leather	Back: cotton cloth
Cuff: pasted	
Norm: EN ISO 21420, EN 388 / 3143X	
Box: 120 pairs	Pack: 12 pairs Unit: 1 pair

Combined gloves
 • palm lining

CXS KALA, 3100 001 000 10 cat. 2


EN 388
2132X
Heavy duty
Dryness and common dirt

Size
10

Palm: cow split leather	Cuff: stitched
Norm: EN 420, EN 388 / 2132X	
Box: 60 pairs	Pack: 12 pairs
Unit: 1 pair	

Leather gloves
 • cuff length 7 cm

CXS DINGO A, 3210 002 000 11 cat. 2


EN 388
2133X
Heavy duty
Dryness and common dirt

Size
11

Palm: high quality cow split leather	
Back: tough cotton cloth	
Cuff: tough	
Norm: EN 420, EN 388 / 2133X	
Box: 60 pairs	Pack: 12 pairs Unit: 1 pair

Combined gloves
 • palm and fingers lining

CXS FALGO, 3210 004 000 10 cat. 2


EN 388
2534B
Heavy duty
Dryness and common dirt

Size
10

Palm: cow split leather	Back: tough cotton cloth
Cuff: tough	
Norm: EN 420, EN 388 / 2534B	
Box: 60 pairs	Pack: 12 pairs Unit: 1 pair

Combined gloves
 • palm and fingers lining
 • double stitched palm

CXS BUDY, 3210 008 000 XX cat. 2


EN 388
3122X
Moderate demanding
Dryness and common dirt

Size
09, 11

Palm: pig grain leather	Back: cotton cloth
Cuff: tough	
Norm: EN ISO 21420, EN 388 / 3122X	
Box: 120 pairs	Pack: 12 pairs Unit: 1 pair

Combined gloves
 • palm lining
 • high comfort and service life

CXS ASTAR, 3100 003 000 XX cat. 2


EN 388
4111X
Moderate demanding
Dryness and common dirt

Size
09 - 10

Palm: pig grain leather	
Back: pig split leather	Cuff: loose
Norm: EN ISO 21420, EN 388 / 4111X	
Box: 120 pairs	Pack: 12 pairs Unit: 1 pair

Leather gloves
 • rubber band in the wrist

CXS MAGNES, 3220 030 803 XX

cat. 2



EN 388



2121X



BLISTER



Moderate demanding



Dryness and common dirt

MAGNET

Size
09, 10

Palm: nylon/PU **Back:** polyester **Cuff:** polyester

Norm: EN ISO 21420, EN 388 / 2121X

Box: 60 pairs **Pack:** 12 pairs **Unit:** 1 pair

Combined gloves

- practical magnet to collect nails and other metal parts
- reflective accessories
- velcro closure
- blister

CXS CARAZ, 3220 017 710 XX

cat. 2

EN 388



3131X




BLISTER



Moderate demanding



Dryness and common dirt

SILICON DOTS

Size
09, 10

Palm: microfibre: nylon with PU

Back: breathable Spandex, neoprene **Cuff:** neoprene

Norm: EN ISO 21420, EN 388 / 3131X

Box: 60 pairs **Pack:** 12 pairs **Unit:** 1 pair

Combined gloves

- silicon dots in palm
- velcro closure
- blister

CXS FURNY, 3220 029 803 XX

cat. 2

EN 388



2121X



Moderate demanding



Dryness and common dirt


Size
09, 10

Palm: synthetic leather **Back:** polyester **Cuff:** loose

Norm: EN ISO 21420, EN 388 / 2121X

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Combined gloves

- rubber wrist
- blister
- fourchette style

CXS BENSON, 3220 025 160 XX

cat. 2



EN 388



3131X



Moderate demanding



Dryness and common dirt


Size
09, 10

Palm: microfibre: nylon with PU

Back: breathable Spandex **Cuff:** neoprene

Norm: EN ISO 21420, EN 388 / 3131X

Box: 60 pairs **Pack:** 12 pairs **Unit:** 1 pair

Combined gloves

- silicon applications on fingers
- reflective accessories
- velcro closure
- blister

CXS PUNO, 3220 016 210 XX

cat. 2



EN 388



2132X



Moderate demanding



Dryness and common dirt


Size
09, 10

Palm: microfibre: nylon with PU

Back: breathable Spandex, neoprene **Cuff:** neoprene

Norm: EN ISO 21420, EN 388 / 2132X

Box: 60 pairs **Pack:** 12 pairs **Unit:** 1 pair

Combined gloves

- velcro closure
- reflective strip
- foam padding in the palm
- blister

CXS YEMA, 3220 015 160 XX

cat. 2

EN 388



2121X



Moderate demanding



Dryness and common dirt


Size
09, 10

Palm: microfibre: nylon with PU

Back: breathable Spandex, neoprene **Cuff:** loose

Norm: EN ISO 21420, EN 388 / 2121X

Box: 60 pairs **Pack:** 12 pairs **Unit:** 1 pair

Combined gloves

- rubber wrist
- TPR applications on fingers
- foam padding in the palm
- blister

CXS GE-KON, 3220 002 800 XX cat. 2

EN 388
2121X

BLISTER

Moderate demanding

Dryness and common dirt
ANTISLIP PVC IN THE PALM

Size
09, 10

Palm: synthetic leather, polyester s PVC

Back: breathable polyester, neoprene | **Cuff:** neoprene

Norm: EN 420, EN 388 / 2121X


Box: 60 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Combined gloves

- velcro closure
- foam padding in the palm
- antislip PVC in the palm
- blister

CXS FAWA, 3310 005 100 XX cat. 1

Light demanding

Dryness and common dirt
BLEACHED KNIT

Size
06 - 11

Material: 100 % cotton | **Cuff:** loose

Norm: EN ISO 21420

Box: 600 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- bleached knit
- fourchette style

CXS SHARK, 3220 003 260 XX cat. 2

EN 388
2131X

Moderate demanding

Dryness and common dirt
Size
09, 10

Palm: viscose, silicon printing

Back: stretch elastane, neoprene | **Cuff:** elastic

Norm: EN 420, EN 388 / 2131X

Box: 60 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Combined gloves

- velcro closure
- foam padding in the palm
- blister

CXS PICEA, 3220 001 301 XX cat. 2

EN 388
3131X

Moderate demanding

Dryness and common dirt
Size
07, 08

Palm: synthetic leather (polyester/PU)

Back: polyester/PU foam | **Cuff:** loose

Norm: EN ISO 21420, EN 388 / 3131X

Box: 60 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Ladies' combined gloves

- PVC printing
- rubber wrist
- blister

CXS IPO, 3310 004 163 00 cat. 1

Light demanding

Dryness and common dirt
Size
UNI

Material: 65 % cotton 35 % polyester

Cuff: elastic | **Norm:** EN 420

Box: 600 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- raw knit

CXS SAWA, 3330 001 100 XX cat. 2

EN 388
213XX

Light demanding

Dryness and common dirt
Size
06 - 10

Material: 100 % nylon | **Cuff:** elastic

Norm: EN ISO 21420, EN 388 / 213XX

Box: 240 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- seamless knit

CXS FLASH, 3340 003 100 XX


cat. 1



Light demanding



Dryness and common dirt


RAW KNIT

Size
06, 08, 10

Material: cotton/polyester | **Cuff:** elastic

Norm: EN ISO 21420

Box: 300 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- raw knit

CXS DOLI, 3310 007 100 11

cat. 1



Light demanding



Dryness and common dirt


Size
11

Material: 100 % cotton | **Cuff:** loose, sewn

Norm: EN 420

Box: 120 pairs | **Pack:** 6 pairs | **Unit:** 1 pair

Textile gloves

- cotton liner
- raw canvas

CXS MAWA, 3310 002 100 XX

cat. 1



Light demanding



Dryness and common dirt


Size
06 - 11

Material: 100 % cotton | **Cuff:** loose

Norm: EN ISO 21420

Box: 600 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- PVC dots in palm and fingers
- bleached knit
- rubber wrist
- fourchette style

CXS KASA, 3340 004 100 XX

cat. 1



Light demanding



Dryness and common dirt


Size
06, 08, 10

Material: cotton/polyester | **Cuff:** elastic

Norm: EN ISO 21420

Box: 300 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- bleached knit

CXS NOE, 3340 002 600 XX

cat. 1



Light demanding



Dryness and common dirt


Size
09, 10

Material: 55 % cotton 45 % polyester | **Cuff:** elastic

Norm: EN 420

Box: 240 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- dark brown jersey

CXS FALO, 3340 001 105 XX

cat. 1



Light demanding



Dryness and common dirt


Size
08, 10

Material: cotton/polyester | **Cuff:** elastic

Norm: EN ISO 21420

Box: 240 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- PVC dots in palm and fingers
- bleached knit

CXS GABO, 3310 001 163 10

cat. 1



Light demanding



Dryness and common dirt


Size
10

Material: 100 % cotton | **Cuff:** elastic

Norm: EN 420

Box: 240 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Textile gloves

- PVC dots in palm and fingers
- raw canvas

CXS TURI, 3440 061 000 XX cat. 2



EN 388
3121X




Light demanding



Dryness and common dirt

PALM AND FINGERS COATED



Size
06 - 11

Material: 100 % nylon **Coating:** polyurethane

Norm: EN ISO 21420, EN 388 / 3121X

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- ultrathin and breathable
- palm and fingers coated

CXS LEIVA, 3440 051 999 XX cat. 2



EN 388
3141X

3141X



BLISTER



Light demanding



Dryness and common dirt

Size
07, 08

Material: 100 % nylon **Coating:** polyurethane

Norm: EN 420, EN 388 / 3141X

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Ladies' semi coated gloves

- seamless knit
- palm and fingers coated
- blister

CXS SOLO, 3440 002 100 XX cat. 2



EN 388
113XX

113XX



Light demanding



Dryness and common dirt

Size
06 - 10

Material: 100 % nylon **Coating:** polyurethane

Norm: EN 420, EN 388 / 113XX

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- coated fingertips

CXS BRITA TOUCH, 3440 049 166 XX cat. 2



EN 388
2131X

2131X



BLISTER



Touch fingers



Light demanding



Dryness and common dirt

Size
07 - 10

Material: 100 % polyester **Coating:** polyurethane

Norm: EN 420, EN 388 / 2131X

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- copper fibre for touch screens on fingertip - thumb, forefinger and middle finger
- blister

CXS BRITA DOTS, 3440 050 400 XX cat. 2



EN 388
3131X

3131X



Light demanding



Dryness and common dirt

Size

06-07, 08-09, 10-11

Material: 100 % polyester **Coating:** polyurethane

Norm: EN 420, EN 388 / 3131X

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- PVC dots in palm and fingers
- seamless knit
- palm and fingers coated

CXS BRITA WHITE, 3440 001 100 XX cat. 2



EN 388
4131X

4131X



Light demanding



Small amount of water and oil

Size
05 - 11

Material: 100 % polyester **Coating:** polyurethane

Norm: EN 420, EN 388 / 4131X

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated

CXS BRITA BLACK, 3440 001 800 XX cat. 2



EN 388
4131X

4131X



Light demanding



Small amount of water and oil

Size
05 - 11

Material: 100 % polyester **Coating:** polyurethane

Norm: EN 420, EN 388 / 4131X

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated

CXS ICA, 3410 099 810 XX

cat. 2



4131X



X1XXXX



Moderate demanding



Large amount of water and oil

Size
07 - 11

Material: nylon and elastane (Spandex)

Coating: nitrile foam with water based polyurethane with sandy finish

Norm: EN 420, EN 388 / 4131X, EN 407 / X1XXXX

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- palm and fingers coated
- protection against contact heat up to 100 °C
- blister

CXS ALVAROS, 3410 002 260 XX

cat. 2



3121X



Moderate demanding



Large amount of water and oil

Size
06 - 11

Material: 100 % polyester

Coating: nitrile with sandy finish

Norm: EN 420, EN 388 / 3121X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated

CXS MISTI, 3410 087 209 XX

cat. 2



3121X



Moderate demanding



Large amount of water and oil

PVC DOTS
Size
08 - 10

Material: 100 % polyester

Coating: nitrile with breathable finish

Norm: EN 420, EN 388 / 3121X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- PVC dots
- seamless knit
- 3/4 coated

CXS CERRO, 3410 086 410 XX

cat. 2



3122X



Light demanding



Large amount of water and oil

Size
06 - 11

Material: 100 % polyester

Coating: smooth nitrile

Norm: EN 420, EN 388 / 3122X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated

CXS NAPA, 3410 003 710 XX

cat. 2



4131X



Light demanding



Large amount of water and oil

Size
07 - 10

Palm: nylon / elastane (Spandex)

Coating: nitrile foam

Norm: EN 420, EN 388 / 4131X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- microfoam breathable finish
- nitrile dots

CXS FIDO, 3410 004 999 XX

cat. 2



3121X



Light demanding



Large amount of water and oil

Size
07, 08

Material: 100 % polyester

Coating: smooth nitrile

Norm: EN 420, EN 388 / 3121X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- blister

CXS ABRAK, 3410 001 109 XX

cat. 2



4121X



Light demanding



Large amount of water and oil

Size
06 - 11

Material: 100 % polyester

Coating: nitrile foam

Norm: EN 420, EN 388 / 4121X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated



3122X



Light demanding



Large amount of water and oil

Size
06 - 11

Material: 100 % polyester

Coating: smooth nitrile

Norm: EN 420, EN 388 / 3122X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated



4131X



Light demanding



Large amount of water and oil

Size
07 - 10

Palm: nylon / elastane (Spandex)

Coating: nitrile foam

Norm: EN 420, EN 388 / 4131X

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- microfoam breathable finish
- nitrile dots

CXS JOKI, 3410 005 400 XX cat. 2

EN 388

312X


Moderate demanding



Large amount of water and oil

KNITTED CUFF

Size
07 - 10

Material: interlock 100 % cotton **Coating:** nitrile

Norm: EN 420, EN 388 / 312X

Box: 120 pairs **Pack:** 12 pairs **Unit:** 1 pair

Coated gloves

- 3/4 coated
- knitted cuff

CXS MERU, 3420 115 000 XX cat. 2

EN 388


213X
EN 407

X1XXXX


Moderate demanding



Large amount of water and oil

ANTI-SLIP GRIP

Size
07 - 11

Material: polyester **Coating:** crinkle latex

Norm: EN ISO 21420, EN 388 / 2131X, EN 407 / X1XXXX

Box: 240 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- anti-slip grip

CXS CHENA, 3420 114 451 XX cat. 2

EN 388

2121X


BLISTER



Light demanding



Large amount of water and oil

Size
07, 08

Material: 100 % polyester

Coating: latex foam, waved finish

Norm: EN ISO 21420, EN 388 / 2121X

Box: 120 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- 3/4 coated
- anti-slip grip
- blister

CXS ARET, 3410 006 400 10 cat. 2

EN 388

4122X


Heavy duty



Large amount of water and oil

Size
10

Material: jersey 100 % cotton **Coating:** nitrile

Norm: EN 420, EN 388 / 4122X

Box: 120 pairs **Pack:** 12 pairs **Unit:** 1 pair

Coated gloves

- fully coated
- knitted cuff

CXS PELA, 3410 007 400 10 cat. 2

EN 388

4122X


Heavy duty



Large amount of water and oil

Size
10

Material: jersey 100 % cotton **Coating:** nitrile

Norm: EN 420, EN 388 / 4122X

Box: 120 pairs **Pack:** 12 pairs **Unit:** 1 pair

Coated gloves

- fully coated
- cotton liner
- tough cuff

CXS WAYNA, 3520 036 160 XX cat. 2

EN 388

2121X


BLISTER



Light demanding



Large amount of water and oil

Size
07 - 11

Material: 100% soft polyester

Coating: latex with sandy finish

Norm: EN 420, EN 388 / 2121X

Box: 120 pairs **Pack:** 12 pairs **Unit:** 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- blister

CXS OLAS, 3420 032 510 XX

cat. 2


 EN 388
2131X


Moderate demanding



Large amount of water and oil

SEAMLESS KNIT

Size

06-07, 08-09, 10-11

Material: polyester + elastane (Spandex)

Coating: latex foam

Norm: EN 420, EN 388 / 2131X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

Coated gloves

- seamless knit
- 3/4 coated

CXS BLANCHE, 3420 003 102 XX

cat. 2


 EN 388
3142X


Heavy duty



Large amount of water and oil

ANTI-SLIP GRIP

Size

09 - 10

Material: 65 % polyester 35 % cotton

Coating: latex with textured surface

Norm: EN 420, EN 388 / 3142X

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- anti-slip grip

CXS ROXY, 3420 001 157 XX

cat. 2


 EN 388
3133X

 EN 407
X1XXXX


Heavy duty



Large amount of water and oil

Size

07 - 11

Material: 65 % polyester 35 % cotton

Coating: crinkle latex

Norm: EN 420, EN 388 / 3133X, EN 407 / X1XXXX

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- anti-slip grip
- protection against contact heat up to 100 °C

CXS COLCA, 3420 026 706 XX

cat. 2


 EN 388
2121X

 EN 407
X1XXXX


Moderate demanding



Large amount of water and oil

Size

08 - 11

Material: 60 % cotton 40 % polyester

Coating: smooth latex

Norm: EN 420, EN 388 / 2121X, EN 407 / X1XXXX

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

Semi coated gloves

- seamless knit
- palm and fingers coated
- anti-slip grip
- protection against contact heat up to 100 °C

CXS DETA, 3420 005 101 10

cat. 1



Light demanding



Large amount of water and oil

Size
10

Material: 50 % cotton 50 % polyester

Coating: crinkle latex

Norm: EN 420

Box: 120 pairs

Pack: 12 pairs

Unit: 1 pair

Semi coated gloves

- 3/4 coated
- knitted cuff
- anti-slip grip

CXS NINA, 3520 001 150 XX

cat. 1



Light demanding



Large amount of water and oil

Size
07 - 10

Material: latex

Norm: EN ISO 21420

Box: 240 pairs

Pack: 12 pairs

Unit: 1 pair

Coated gloves


- gloves with cotton flock lining
- embossed surface on the fingers and palm
- thickness 0,23 mm
- length 31 cm
- packed in pairs in a bag

NEW

CXS FISO 3430 024 400 10 cat. 2



TEXTURED PALM



Size
10

Material: 100 % cotton Coating: PVC

Norm: EN ISO 21420, EN 388

Box: 60 pairs Pack: 12 pairs Unit: 1 pair

Coated gloves
• textured palm and fingers
• length: 40 cm

CXS STERN BLACK, 3510 001 800 XX cat. 3

EN 374-1/Type B

EN ISO 374-5



KPT

VIRUS

CONTACT WITH FOOD

Touch fingers

Light demanding

Large amount of water and oil



Size
07 - 10

Material: nitrile

Norm: EN ISO 21420, EN ISO 374-1/Typ B, EN ISO 374-5, EN 1186

Box: 10 pack. Pack: 100 pcs Unit: 1 pack.

Disposable nitrile gloves

- powder free
- M 4.0 g
- high sensitivity for precise work
- suitable for short-term contact with food
- textured fingertips
- silicon free and latex protein free
- touch fingers



CXS STERN, 3510 001 400 XX cat. 3

EN 374-1/Type B

EN ISO 374-5



KPT

VIRUS

CONTACT WITH FOOD

Touch fingers

Light demanding

Large amount of water and oil



Size
07 - 10

Material: nitrile

Norm: EN 420, EN ISO 374-1/Typ B, EN ISO 374-5, EN 1186, EN 455-1/2/3

Box: 10 pack. Pack: 100 pcs Unit: 1 pack.

Disposable nitrile gloves

- powder free
- M 4.0 g
- high sensitivity for precise work
- medical device class I
- suitable for short-term contact with food
- textured fingertips
- silicon free and latex protein free
- touch fingers



CXS KADO, 3430 001 250 10 cat. 2



4121X



Heavy duty



Large amount of water and oil

Size
10

Material: jersey 100 % cotton Coating: PVC

Norm: EN ISO 21420, EN 388 / 4121X

Box: 120 pairs Pack: 12 pairs Unit: 1 pair

Coated gloves
• length 27 cm
• high quality PVC coating

CXS SELA, 3430 002 250 10 cat. 2



4121X



Heavy duty



Large amount of water and oil

Size
10

Material: 100 % cotton Coating: PVC

Norm: EN ISO 21420, EN 388 / 4121X

Box: 60 pairs Pack: 12 pairs Unit: 1 pair

Coated gloves
• length 35 cm

SALE

CXS STERN ECO, 3510 058 400 XX

cat. 3

EN 374-1/Type B



KPT

EN ISO 374-5



VIRUS



CONTACT WITH FOOD



Touch fingers



Light demanding



Large amount of water and oil



Size
08, 09

Material: nitrile

Norm: EN 420, EN ISO 374-1/Typ B, EN ISO 374-5, EN 1186, EN 455-1/2/3

Box: 10 pack. | Pack: 100 pcs | Unit: 1 pack.

Disposable nitrile gloves

- powder free
- M 3.0 g
- high sensitivity for precise work
- medical device class I
- suitable for short-term contact with food
- textured fingertips
- silicon free and latex protein free
- touch fingers



CXS BERT, 3520 002 100 XX

cat. 1



Touch fingers



Light demanding



Large amount of water and oil

Size
07 - 10

Material: latex | Norm: EN 420, EN 455-1/2/3

Box: 10 pack. | Pack: 100 pcs | Unit: 1 pack.

Disposable latex gloves

- slightly powdered
- M 5.0 g
- high sensitivity for precise work
- medical device class I
- touch fingers

CXS MOSE, 3530 001 113 XX

cat. 1



Touch fingers



Light demanding



Large amount of water and oil

Size
08 - 10

Material: vinyl | Norm: EN 420, EN 455-1/2/3

Box: 10 pack. | Pack: 100 pcs | Unit: 1 pack.

Disposable vinyl gloves

- slightly powdered
- silicon free
- M 4.5 g
- medical device class I
- touch fingers

CXS PATON RED, 3610 055 250 11

cat. 2



EN 388



3133X

EN 407



413X3X



Heavy duty



Dryness and common dirt

COVERED SEAMS

Size
11

Palm: cow split leather

Back: cow split leather

Norm: EN 420, EN 388 / 3133X, EN 12477/A, EN 407 / 413X3X

Box: 60 pairs | Pack: 12 pairs | Unit: 1 pair

Welding gloves

- leather welding gloves
- cotton lining in the palm and back
- sewn with kevlar threads
- length of the glove 35 cm
- length of the cuff 15 cm

CXS LORNE, 3610 056 709 XX

cat. 2



EN 388



2112X

EN 407



412X3X



Moderate demanding



Dryness and common dirt

Size
09 - 11

Palm: goat grain leather

Back: goat grain leather

Cuff: cow split leather

Norm: EN 420, EN 388 / 2112X, EN 12477 / B, EN 407 / 412X3X

Box: 60 pairs | Pack: 12 pairs | Unit: 1 pair

Welding gloves

- leather welding gloves
- without lining
- sewn with kevlar threads
- length of the glove 33 cm
- length of the cuff 13 cm
- suitable for TIG welding

CXS AMON, 3610 007 200 11

cat. 2



EN 388



4243X

EN 407



413X4X



Heavy duty



Dryness and common dirt

Size
11

Palm: cow split leather

Back: cow split leather

Norm: EN 420, EN 388 / 4243X, EN 12477 / A / 413X4X

Box: 60 pairs | Pack: 12 pairs | Unit: 1 pair

Welding gloves

- leather welding gloves
- cotton lining in the palm and back
- sewn with kevlar threads
- reinforced palm
- length of the glove 41 cm
- length of the cuff 18 cm

CXS PATON BLUE, 3610 002 600 11 cat. 2



EN 388
4143X

EN 407
413X3K



Heavy duty



Dryness and common dirt

SEAMS COVERED WITH YELLOW LEATHER



Size
11

Palm: cow split leather

Back: cow split leather

Norm: EN 420, EN 388 / 4143X, EN 12477 / A / 413X4X

Box: 60 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Welding gloves

- leather welding gloves
- seams covered with yellow leather, sewn with kevlar threads
- cotton lining in palm
- reinforced palm
- length of the glove 35 cm
- length of the cuff 15 cm

CXS HURI, 3610 003 000 10 cat. 2



EN 388
2122X

EN 407
412X3X



Heavy duty



Dryness and common dirt

Size
10

Palm: goat grain leather

Back: cow split leather

Norm: EN ISO 21420, EN 388 / 2122X, EN 407 / 412X3X

Box: 72 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Welding gloves

- leather welding gloves
- tough cuff
- length of the glove 36 cm
- length of the cuff 20 cm

CXS SYRO, 3610 005 000 11 cat. 2



EN 388
4143X

EN 12477 / B
41XX4X



Heavy duty



Dryness and common dirt

Size
11

Palm: cow split leather

Back: cow split leather

Norm: EN ISO 21420, EN 388 / 4143X, EN 12477 / B / 41XX4X

Box: 60 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Welding gloves

- leather welding gloves
- length of the glove 35 cm
- length of the cuff 15 cm



NEW

CXS VARMO, 3620 073 000 10

cat. 3

EN 388
144XC

EN 407
424X0X




Heavy duty



Dryness and common dirt

MIXTURE OF MATERIALS FOR PROTECTION AGAINST CONTACT HEAT



Size
10

Material: 75% Kevlar 25% Nomex

Lining: 100 % cotton

Norm: EN ISO 21420, EN 388 / 144XC, EN 407 / 424X0X

Box: 120 pairs | Pack: 12 pairs | Unit: 1 pair

Heat resistant gloves

- double-layer
- length of the glove: 29 cm
- protection against contact heat up to 250 °C

NEW

CXS IMPA, 3630 225 700 XX

cat. 3

EN 388



Moderate demanding



Small amount of water and oil

TPR PROTECTORS OF BACK AND FINGERS



Size
09, 10

Material: 400D UHMWPE, polyester, nylon, glass fibre, 140D elastane (100D Spandex), TPR protectors

Coating: polyurethane

Norm: EN ISO 21420, EN 388

Box: 120 pairs | Pack: 12 pairs | Unit: 1 pair

Cut resistant gloves

- knitted seamless
- palm and fingers coated
- anticut level D
- impact resistance

MEFISTO DM, 3620 001 716 11

cat. 3



EN 388
2X4XX

EN 407
4244X4



Heavy duty



Dryness and common dirt



Size
11 (to order)

Palm: aramid cloth

Back: aluminized aramid cloth

Norm: EN 420, EN 388 / 2X4XX, EN 407 / 4244X4

Unit: 1 pair

Heat resistant gloves

- length of the glove: 42 cm
- sewn with Kevlar thread
- resistance up to 500 °C
- two-layer insert - cotton and wool

MEFISTO M5 DM, 3620 003 716 11

cat. 3



EN 388
2X4XX

EN 407
4244X4



Heavy duty



Dryness and common dirt



Size
11 (to order)

Palm: aramid cloth

Back: aluminized aramid cloth

Cuff: cotton liner

Norm: EN 420, EN 388 / 2X4XX, EN 407 / 4244X4

Unit: 1 pair

Heat resistant gloves

- length of the glove: 35 cm
- sewn with Kevlar thread
- resistance up to 500 °C
- two-layer insert - cotton and wool

CXS GITA, 3630 001 700 XX

cat. 2

EN 388
4343C



Moderate demanding



Small amount of water and oil



Size
06 - 11

Material: 400D UHMWPE, 140D nylon, elastane (100D Spandex), polyester

Coating: polyurethane

Norm: EN 420, EN 388 / 4343C

Box: 120 pairs | Pack: 12 pairs | Unit: 1 pair

Cut resistant gloves

- knitted seamless
- palm and fingers coated
- anticut level 3

CXS GITA II, 3630 002 700 XX

cat. 2

EN 388
4X43D



Moderate demanding



Small amount of water and oil



Size
07 - 11

Material: 400D UHMWPE, polyester, nylon, glass fibre, 140D elastane (100D Spandex)

Coating: polyurethane

Norm: EN 420, EN 388 / 4X43D

Box: 120 pairs | Pack: 12 pairs | Unit: 1 pair

Cut resistant gloves

- knitted seamless
- palm and fingers coated
- anticut level D

CXS RITA, 3630 020 000 XX cat. 2


Size
09, 10

Material: UHMWPE fibre

Coating: smooth nitrile, nitrile with sandy finish

Norm: EN ISO 21420, EN 388 / 4X43D

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Cut resistant gloves

- knitted seamless
- fully coated
- high durability and lifetime service
- anticut level D

SALE
CXS CITA 3F, 3630 136 700 XX cat. 2


Size
08 - 10

Material: 400D UHMWPE, polyester, nylon, glass fibre, 140D elastane (100D Spandex)

Coating: polyurethane


Norm: EN 420, EN 388 / 4X43D

Box: 120 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Cut resistant gloves

- knitted seamless
- shortened fingers
- palm and fingers coated
- anticut level 5

NEW
CXS LEDA, 3640 034 000 10 cat. 2

PADDING IN PALM AND FINGERS


Size
10

Palm: cow grain leather | **Back:** cow split leather

Cuff: cow split leather

Norm: EN ISO 21420, EN 388, EN ISO 10819

Box: 60 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Antivibration gloves

- padding to decrease impact of vibration in palm and fingers

SALE
CXS CIRU 35, 3630 110 038 35 cat. 2


Length
35 cm

Material: 55 % aramid (para aramid) 25 % modacryl 20 % glass fibre

Norm: EN 420, EN 388 / 2544F, EN 407 / X1XXXX

Box: 200 pcs | **Unit:** 1 pair

Cut resistant sleeve

- with thumbhole
- anticut level 5
- protection against contact heat up to 100 °C

CXS CIRU 45, 3630 110 038 45 cat. 2


Length
45 cm

Material: 55 % aramid (para aramid) 25 % modacryl 20 % glass fibre


Norm: EN 420, EN 388 / 2544F, EN 407 / X1XXXX

Box: 200 pcs | **Unit:** 1 pair

Cut resistant sleeve

- with thumbhole
- anticut level 5
- protection against contact heat up to 100 °C

NEW
CXS LEDATEK, 3640 035 000 10 cat. 2

PADDING IN PALM AND FINGERS


Size
10

Palm: cow grain leather | **Back:** 100% polyester, cow grain leather

Cuff: 60 % cotton 40 % polyester

Norm: EN ISO 21420, EN 388, EN ISO 10819

Box: 60 pairs | **Pack:** 12 pairs | **Unit:** 1 pair

Antivibration gloves


- padding to decrease impact of vibration in palm and fingers

CXS AMET, 3640 021 800 10

cat. 2



EN 388 4142B	EN ISO 10819	BLISTER	Heavy duty	Small amount of water and oil
-----------------	--------------	---------	------------	-------------------------------

ANTI-VIBRATION PADS



Size 10		
Material: 95 % nylon 5 % cotton		
Coating: foam latex	Cuff: elastic	
Norm: EN ISO 21420, EN 388 / 4142B, EN ISO 10819		
Box: 60 pairs	Pack: 12 pairs	Unit: 1 pair
Antivibration gloves		
• anti-vibration pads		
• blister		

CXS TEKPLAST, 3660 001 150 10

cat. 3



EN 388 3111X	ISO 374-1/TYP A AKLMPT	Heavy duty	Large amount of water and oil
-----------------	---------------------------	------------	-------------------------------

FULLY COATED


Size 10		
Material: 100 % cotton	Coating: PVC	
Norm: EN 420, EN 388 / 3111X, EN 374-1 / Type A / AKLMPT		
Box: 60 pairs	Pack: 12 pairs	Unit: 1 pair
Acid resistant gloves		
• fully coated		
• chemical resistance according to technical sheet		

CXS TEMA, 3640 002 000 10

cat. 2



EN 388 4X23X	Heavy duty	Dryness and common dirt
-----------------	------------	-------------------------

Size 10		
Palm: cow grain leather	Back: synthetic fabric	
Cuff: knitted		
Norm: EN 420, EN 388 / 4X23X, EN ISO 10819		
Box: 50 pairs	Pack: 12 pairs	Unit: 1 pair
Antivibration gloves		
• anti-vibration pads Poretan		

CXS TEMA, 3640 001 000 10

cat. 2



EN 388 4X23X	Heavy duty	Dryness and common dirt
-----------------	------------	-------------------------

Size 10		
Palm: cow split leather	Cuff: leatherette	
Norm: EN 420, EN 388 / 4X23X, EN ISO 10819		
Box: 50 pairs	Pack: 12 pairs	Unit: 1 pair
Antivibration gloves		
• fully leather		

DIELECTRIC GLOVES 500 V, 3650 001 250 11


cat. 3



EN 60903

Size 11	
Material: latex	Insert: cotton
Norm: EN 420, EN 60903	
Unit: 1 pair	
Acid resistant gloves	
• protection against contact voltage up to 500 V	
• length 36 cm	
• recommended duration of use is 24 months from date of production	

DIELECTRIC GLOVES 1000 V, 3650 002 250 11


cat. 3



EN 60903

Size 11	
Material: latex	Insert: cotton
Norm: EN 420, EN 60903	
Unit: 1 pair	
Acid resistant gloves	
• protection against contact voltage up to 1000 V	
• length 36 cm	
• recommended duration of use is 24 months from date of production	

PROTECTIVE EQUIPMENT

EYE PROTECTION	392
SPECTACLES	394
WELDING SPECTACLES	402
WELDING HOODS	404
HEAD PROTECTION	405
COMBINED HEAD PROTECTION	408
HELMETS AND ACCESSORIES	413
HEARING PROTECTION	416
RESPIRATORY PROTECTION	426
PARTICULATE RESPIRATORS	428
MASKS AND FILTERS	433



PROTECTIVE
EQUIPMENT

SPECTACLES



CXS OPSIS TIEVA
4110 264 XXX 00



CXS MARGAY
4110 155 113 01



CXS FOSSA
4110 156 XXX 01



CXS IRBIS
4110 005 113 00



CXS OPSIS ALAVO
4110 208 XXX 00



CXS LYNX
4110 XXX XXX 00



CXS ROY
4110 013 113 00



CXS KID
4110 014 150 00



CXS SPARK
4110 015 720 00



CXS VISITOR
4110 010 113 00



CXS PANTHERA
4190 040 720 01



CXS SPECTACLE BAG
4190 001 800 00



CXS SPECTACLE CLOTH
4190 044 800 00



CXS SPECTACLE STRING
4190 002 800 00



3M SOLUS CCS
4120 055 113 01



3M SECURE FIT 200
4120 XXX XXX 00



3M SECURE FIT 400
4110 XXX XXX 00



CXS OPSIS FORS
4110 287 810 00



CXS OPSIS SKARA
4110 288 810 00



CXS OPSIS BRYNAS
4110 290 113 00



CXS OPSIS BRYNAS AC
4110 289 113 00



CXS VENTI
4110 012 113 00



CXS VITO
4110 011 113 00



3M 2890 A
4110 018 113 00



OKULA B-B 19
4110 023 113 00



OKULA B-E 7
4110 024 113 00

WELDING SPECTACLES AND HOODS



OKULA B-V 24
4120 002 000 05



GLASS FOR GOGGLES
4190 004 113 00



GLASS FOR GOGGLES
4190 003 000 05



PROTECO P800E-C
4200 009 000 00



CXS WELDING HOOD
4200 001 000 00



CXS CROSS FOR HOOD
4200 003 000 00



GLASS FOR HOOD
4200 005 113 00



GLASS FOR HOOD
4200 004 000 00



SAFETY FOIL FOR HOOD
4200 006 000 00

COMBINED HEAD PROTECTION



CXS VISOR VM85
4320 004 000 00



CXS VISOR VC85
4320 005 000 00



CXS HEAD GEAR H870
4320 003 000 00



CXS HEAD GEAR DP85
4320 007 166 00



CXS VISOR HOLDER H867
4320 006 000 00



3M G500-GU
4320 008 000 00



3M 5F-11
4320 009 000 00



3M V5
4320 010 000 00



3M ADAPTER P3EV/2
4320 015 000 00



3M V9C
4110 235 113 00



OKULA Š-P 28
4320 001 000 00



OKULA Š-P 29
4320 002 000 00

HELMETS AND ACCESSORIES



CXS STAVBAŘ
4310 001 XXX 00



CXS SWEAT BAND
4310 040 000 00



CXS CHIN STRAP
4310 005 000 00



MSA V-GARD 500
4310 163 XXX 00



MSA CHIN STRAP
4310 164 000 00



3M G3000
4310 003 XXX 00



3M CHIN STRAP GH4
4310 006 000 00



HELMET LASS
4310 002 XXX 00



CHIN STRAP
4310 007 000 00



CXS HYNEK INSOLE
4310 008 800 00



CXS GRAN
4310 207 XXX 00

HEARING PROTECTION

NEW  CXS CORTIX FEP-03 4410 093 200 00	page 418	NEW  CXS CORTIX FEP-03 4410 094 200 00	page 418	NEW  CXS CORTIX FEP-03C 4410 095 200 00	page 418	NEW  CXS CORTIX FEP-03TC 4410 096 200 00	page 418
--	----------	--	----------	---	----------	--	----------

NEW  CXS CORTIX DISPENSER 4410 097 000 00	page 419	 3M EAR SOFT NEON 4410 001 000 00	page 419	 3M EAR SOFT NEON 4410 001 000 01	page 419	NEW  3M EAR SOFT 4410 001 000 02	page 420	NEW  3M EAR SOFT NEON 4410 001 000 03	page 420
---	----------	---	----------	---	----------	--	----------	---	----------

 3M EAR CLASSIC 4410 002 000 00	page 420	 3M EAR CLASSIC 4410 002 000 01	page 420	NEW  3M EAR CLASSIC 4410 002 000 02	page 421	NEW  3M EAR CLASSIC 4410 002 000 03	page 421	 3M E-A-R CAPS 4410 007 000 00	page 421
---	----------	---	----------	---	----------	---	----------	--	----------

 3M E-A-R SOFT 4410 008 000 00	page 422	 3M E-A-R REFILL BOTTLE 4410 010 000 00	page 422	 3M DISPENSER ONE TOUCH PRO 4410 043 000 00	page 422	 CXS EP101 4420 081 166 00	page 423	 CXS EP106 4420 001 150 00	page 423
---	----------	--	----------	--	----------	---	----------	---	----------

 CXS EP106 4420 001 166 00	page 423	 CXS EP109 4420 047 166 00	page 423	 3M PELTOR H510A-401-GU 4420 002 000 00	page 424	 3M PELTOR H520A-407-GQ 4420 003 000 00	page 424	 3M PELTOR H540A-411-SV 4420 004 000 00	page 424
--	----------	--	----------	---	----------	---	----------	---	----------

 CXS EP167 4420 006 000 01	page 425	 3M PELTOR H510P3E-405-GU 4420 007 000 01	page 425	 3M PELTOR H520P3E-410-GQ 4420 008 000 01	page 425
--	----------	---	----------	---	----------

 CXS SPIRO 4510 001 000 00	page 428	 CXS SPIRO 4510 002 000 00	page 428	 CXS SPIRO 4510 003 000 00	page 428	 CXS SPIRO 4510 004 000 00	page 428
--	----------	--	----------	--	----------	--	----------

PARTICULATE RESPIRATORS

 CXS SPIRO 4510 005 000 00	page 429	 CXS SPIRO 4510 006 000 00	page 429	 CXS SPIRO 4510 007 000 00	page 429	 CXS SPIRO 4510 008 000 00	page 429	 CXS SPIRO 4510 009 000 00	page 430
--	----------	--	----------	--	----------	--	----------	--	----------

 CXS SPIRO 4510 010 000 00	page 430	 3M 9310- AURA 4510 011 000 00	page 430	 3M 9312- AURA 4510 012 000 00	page 430	 3M 9320- AURA 4510 013 000 00	page 431	 3M 9322- AURA GEN3 4510 099 000 00	page 431
--	----------	--	----------	--	----------	--	----------	---	----------

 3M 9332- AURA GEN3 4510 094 000 00	page 431	 3M 8833 4510 021 000 00	page 431	 CXS HALITUS 1160 168 400 00	page 432	 CXS HALITUS 1160 168 400 01	page 432	 CXS DUST 4590 005 000 00	page 432
---	----------	--	----------	--	----------	--	----------	---	----------

MASPIECE AND FILTERS	 3M 6200 / 3M 6300 4520 001 / 002 000 00	page 433	 3M 7502 / 3M 7503 4520 003 / 004 000 00	page 433	 3M 4251- 4520 124 000 00	page 433	 3M 400 4590 001 000 10	page 433
-----------------------------	---	----------	---	----------	--	----------	--	----------

 3M 6800 / 3M 6900 4520 006 / 007 000 00	page 434	 3M 6885 4590 007 000 00	page 434	 3M 603 4590 003 000 01	page 434	 3M 501 4590 002 000 01	page 434	 3M 502 4590 004 000 08	page 434
--	----------	--	----------	---	----------	---	----------	---	----------

 3M 105 4590 006 000 00	page 435	 3M 5911 4520 008 000 01	page 435	 3M 5925 4520 009 000 01	page 435	 3M 2125 4520 010 000 01	page 435	 3M 6051 4520 011 000 01	page 435
---	----------	--	----------	--	----------	--	----------	--	----------

 3M 6055 4520 012 000 01	page 436	 3M 6059 4520 013 000 01	page 436	 3M 6057 4520 014 000 01	page 436	 3M 6099 4520 016 000 01	page 436
--	----------	--	----------	--	----------	--	----------

- Anti-Scratch
- Elastic band
- Anti-Fog
- Foam insert
- UV Protection
- Made in EU
- Adjustable ear-stem
- Made in CZ
- Adjustable visor angle
- Goods to order
- Softflex ear-stem ends

EYE PROTECTION


Eye protection aids provide the protection against particles, liquids or fumes from chemicals. If you want your eyes to be safe, always choose the appropriate degree of protection provided. Our purpose is to provide an eye protection which is perfectly protects and allows the perfect vision. In addition, we recommend a select the appropriate mechanical strength of the glasses according to our table:

MECHANICAL STRENGTH	
F	resistant to low energy impact (45 m/s)
B	resistant to middle energy impact (120 m/s)
A	resistant to high energy impact (190 m/s)

The mechanical strength test is performed with a 6 mm diameter steel ball, weighing 0.86 g and corresponding speed (m/s) - this test method is performed in mechanical strength A, B, F.

- S** The increased strength test is performed with a steel ball of 22 mm diameter with a mini- mum weight of 43 g and a speed of 5.1 m / s - this test method is given by the letter S.
- T** The T symbol used in conjunction with F, B, or A indicates that the eye protector is designed against high speed particles at extreme temperatures (-5°C to + 55°C).

NORMS	
EN 166	personal eye protection - basic provisions
EN 169	filters for welding
EN 170	UV filters
EN 171	infrared filters
EN 172	solar filters for professional use
EN 1731	specifications for mesh materials products for eye and face protection
EN 379	filters for welding with switched light or dual light transmission


PROTECTIVE EQUIPMENT

CXS OPSIS TIEVA, 4110 264 XXX 00


Frame
polycarbonate / PVC

Lens: polycarbonate	Optical class: 1
Mechanical strength: FT	Lens color: clear, yellow, I/O, smoke

Frame color: grey - green

Norms: EN 166, EN 170 - clear, yellow lens
Norms: EN 166, EN 172 - I/O, smoke lens

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Safety spectacles

- UV385 protection for clear lens
- UV400 protection for amber, I/O and smoke lens
- removable foam carrier


CXS IRBIS, 4110 005 113 00


Frame
polycarbonate / TPE

Lens: polycarbonate	Optical class: 1
Mechanical strength: F	Lens color: clear

Frame color: black

Norms: EN 166, EN 170

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Safety spectacles

- UV400 protection
- 29 g weighing
- soft and nonslipping nose pad
- indirect ventilation between the lens and frame
- variable inclination of temples


CXS MARGAY, 4110 155 113 01


Frame
polycarbonate / TPE / EVA foam

Lens: polycarbonate	Optical class: 1
Mechanical strength: FT	Lens color: clear

Frame color: black-green

Norms: EN 166, EN 170

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Safety spectacles

- UV385 protection
- softer material of temples over the ears
- elastic adjustable textile band
- neoprene foam pad


CXS OPSIS ALAVO, 4110 208 XXX 00


Frame
polycarbonate

Lens: polycarbonate	Optical class: 1
Mechanical strength: FT	Lens color: clear, yellow, smoke

Frame color: clear, yellow, smoke

Norms: EN 166, EN 170 - clear, yellow lens
Norms: EN 166, EN 172 - smoke lens

Box: 144 piece	Packing: 12 piece
-----------------------	--------------------------

Unit: 1 piece

Safety spectacles

- UV385 protection for clear lens
- UV400 protection for amber and smoke lens
- 24 g weighing


CXS FOSSA, 4110 156 XXX 01


Frame
polycarbonate / TPR

Lens: polycarbonate	Optical class: 1
Mechanical strength: F	Lens color: clear, smoke, mirror

Frame color: black-green

Norms: EN 166, EN 170 - clear lens
Norms: EN 166, EN 172 - smoke, mirror lens

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Safety spectacles

- UV385 protection for clean lens
- UV400 protection for smoke and mirror lens
- slim elastic temples
- variable inclination of temples


CXS LYNX, 4110 XXX XXX 00


Frame
polycarbonate

Lens: polycarbonate	Optical class: 1
Mechanical strength: F	Lens color: clear, yellow, smoke

Frame color: clear, yellow, smoke

Norms: EN 166, EN 170 - clear, yellow lens
Norms: EN 166, EN 172 - smoke lens

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Safety spectacles

- UV385 protection for clear lens
- UV400 protection for amber and smoke lens
- 22 g weighing, no metal particles
- integrated brow guard



CXS ROY, 4110 013 113 00


Frame
nylon

Lens: polycarbonate	Optical class: 1
Mechanical strength: FT	Lens color: clear
Frame color: black	
Norms: EN 166, EN 170	
Box: 120 pieces	Packing: 10 pieces

Unit: 1 piece

Safety spectacles

- UV385 protection
- integrated side cover
- adjustable length and inclination of temples


CXS KID, 4110 014 150 00


Frame
nylon

Lens: polycarbonate	Optical class: 1
Mechanical strength: FT	Lens color: yellow
Frame color: black	
Norms: EN 166, EN 170	
Box: 120 pieces	Packing: 10 pieces

Unit: 1 piece

Safety spectacles

- UV385 protection
- integrated side cover
- adjustable length and inclination of temples


CXS SPARK, 4110 015 720 00


Frame
nylon

Lens: polycarbonate	Optical class: 1
Mechanical strength: FT	Lens color: smoke
Frame color: black	Norms: EN 166, EN 172
Box: 120 pieces	Packing: 10 pieces

Unit: 1 piece

Safety spectacles

- UV385 protection
- integrated side cover
- adjustable length and inclination of temples


CXS VISITOR, 4110 010 113 00


Frame
polycarbonate

Lens: polycarbonate	Optical class: 1
Mechanical strength: FT	Lens color: clear
Frame color: clear	
Norms: EN 166, EN 170	
Box: 120 pieces	Packing: 10 pieces

Unit: 1 piece

Safety spectacles

- UV385 protection, direct ventilation
- suitable over prescription glasses


CXS PANTHERA, 4190 040 720 01


Frame

nylon / polycarbonate / TPE

Lens: polycarbonate	Lens color: polarized
Frame color: black-green	
Norms: EN ISO 12312-1	
Box: 120 pieces	Packing: 10 pieces

Unit: 1 piece

Polarized spectacles

- UV400 protection
- minimizing unwanted reflections
- packed into CXS spectacle bag


CXS SPECTACLE BAG, 4190 001 800 00

Material

100 % polyester

Box: 1200 pieces	Packing: 100 pieces
-------------------------	----------------------------

Unit: 1 piece

Spectacle bag

- draw-string
- size: 20 x 11 cm


CXS SPECTACLE CLOTH, 4190 044 800 00

Material

100 % polyester, suede

Box: 2000 pieces	Packing: 50 pieces
-------------------------	---------------------------

Unit: 1 piece

Spectacle cloth

- gently cleans spectacle lenses, ski and diving goggles, camera lenses, binocular lenses and displays
- size: 18 x 15 cm



CXS SPECTACLE STRING, 4190 002 800 00

Material
66 % nylon 34 % polyester

Box: 1200 pieces **Packing:** 100 pieces

Unit: 1 piece

Spectacle string

- round, textile


3M SOLUS CCS, 4120 055 113 01


Frame
polycarbonate

Lens: polycarbonate **Optical class:** 1

Mechanical strength: FT **Lens color:** clear

Frame color: green

Norms: EN 166, EN 170

Packing: 10 pieces

Unit: 1 piece

Safety spectacles

- rimless frame
- 3M™ Scotchgard™ anti-fog and anti-scratch coating
- CCS design to attach cord or corded earplugs
- lenses absorb 99,9% of UVA and UVB


3M SECURE FIT 200, 4120 XXX XXX 00


Frame

polycarbonate

Lens: polycarbonate **Optical class:** 1

Mechanical strength: FT **Lens color:** clear, smoke

Frame color: clear, smoke

Norms: EN 166, EN 170 - clear lens

Norms: EN 166, EN 172 - smoke lens

Packing: 20 pieces

Unit: 1 piece

Safety spectacles

- rimless frame
- flexible temples
- pressure diffusion temple technology



4120 032 113 00



4120 033 720 00


3M SECURE FIT 400, 4110 XXX XXX 00


Frame
polycarbonate

Lens: polycarbonate **Optical class:** 1

Mechanical strength: FT **Lens color:** clear, smoke, yellow

Frame color: black-green

Norms: EN 166, EN 170 - clear, yellow lens

Norms: EN 166, EN 172 - smoke lens

Packing: 20 pieces

Unit: 1 piece

Safety spectacles

- rimless frame
- flexible temples
- pressure diffusion temple technology
- adjustable nosepiece

4110 145 113 00



4110 146 720 00



4110 147 150 00

CXS OPSIS FORS, 4110 287 810 00


Frame
polycarbonate / TPE

Lens: polycarbonate **Optical class:** 1

Mechanical strength: FT **Lens color:** clear

Other features: KN

Frame color: black-grey

Norms: EN 166, EN 170

Box: 160 pieces **Packing:** 16 piece

Unit: 1 piece

Safety spectacles

- UV385 protection
- conform additional tests EN 166 for antiscratch (K)
- and antifog (N) features
- elastic adjustable textile band
- washable TPE insertion


CXS OPSIS SKARA, 4110 288 810 00


Frame
polycarbonate / PP / TPE

Lens: polycarbonate **Optical class:** 1

Mechanical strength: B **Lens color:** clear

Frame color: black-grey

Norms: EN 166, EN 170

Box: 68 piece

Unit: 1 piece

Safety goggles

- UV385 protection
- elastic adjustable textile band
- washable TPE insertion



CXS OPSIS BRYNAS, 4110 290 113 00


Frame
PVC

Lens: polycarbonate	Optical class: 1
---------------------	------------------

Mechanical strength: BT	Lens color: clear
-------------------------	-------------------

Frame color: smoke

Norms: EN 166, EN 170

Box: 80 pieces

Unit: 1 piece

Safety goggles

- UV385 protection
- indirect ventilation
- suitable over prescription glasses
- elastic adjustable textile band


CXS OPSIS BRYNAS AC, 4110 289 113 00


Frame
PVC

Lens: acetate	Optical class: 1
---------------	------------------

Mechanical strength: FT	Lens color: clear
-------------------------	-------------------

Frame color: clear

Norms: EN 166, EN 170

Box: 80 pieces

Unit: 1 piece

Safety goggles

- UV360 protection
- indirect ventilation
- suitable over prescription glasses
- elastic adjustable textile band


CXS VENTI, 4110 012 113 00


Frame
PVC

Lens: polycarbonate	Optical class: 1
---------------------	------------------

Mechanical strength: B	Lens color: clear
------------------------	-------------------

Frame color: transparent grey

Norms: EN 166, EN 170

Box: 80 pieces

Unit: 1 piece

Safety goggles

- UV385 protection
- indirect ventilation on the top
- elastic adjustable textile band


CXS VITO, 4110 011 113 00


Frame
PVC

Lens: polycarbonate	Optical class: 1
---------------------	------------------

Mechanical strength: BT	Lens color: clear
-------------------------	-------------------

Frame color: transparent grey

Norms: EN 166

Box: 120 pieces

Unit: 1 piece

Safety goggles

- direct ventilation on the top and bottom
- elastic adjustable textile band


3M 2890 A, 4110 018 113 00


Frame
PVC

Lens: acetate	Optical class: 1
---------------	------------------

Mechanical strength: FT	Lens color: clear
-------------------------	-------------------

Frame color: transparent grey

Norms: EN 166, EN 170

Packing: 10 pieces

Unit: 1 piece

Safety goggles

- indirect ventilation
- elastic adjustable textile band


OKULA B-B 19, 4110 023 113 00


Lens
polycarbonate

Optical class: 1

Mechanical strength: S	Lens color: clear
------------------------	-------------------

Frame color: grey

Norms: EN 166

Box: 40 pieces

Packing: 5 piece

Unit: 1 piece

Safety goggles

- UV protection
- direct ventilation
- elastic adjustable band



OKULA B-E 7, 4110 024 113 00


Lens
polycarbonate

Optical class: 1

Mechanical strength: S	Lens color: clear
-------------------------------	--------------------------

Frame color: green

Norms: EN 166

Box: 40 pieces

Packing: 5 piece

Unit: 1 piece

Safety goggles

- UV protection
- direct and indirect ventilation
- elastic adjustable band


GLASS FOR GOGGLES, 4190 004 113 00


Material
glass

Optical class: 1

Mechanical strength: S	Lens color: clear
-------------------------------	--------------------------

Norms: EN 166

Unit: 1 piece

- flat with soft surface
- undistorted vision
- resistant to common liquids
- diameter: 50 mm, thickness: 2 mm


GLASS FOR GOGGLES, 4190 003 000 05


Material
glass

Optical class: 1

Mechanical strength: S	Lens darkness: 5
-------------------------------	-------------------------

Norms: EN 166, EN 167, EN 168, EN 169

Unit: 1 piece

- flat green coloured glass
- resistant to common liquids
- diameter: 50 mm


OKULA B-V 24, 4120 002 000 05


Welding Lens
Welding SVAR filter

Clear lens: polycarbonate	Optical class: 1
----------------------------------	-------------------------

Mechanical strength: S	Lens darkness: 5
-------------------------------	-------------------------

Frame color: blue

Norms: EN 166, EN 167, EN 168, EN 169

Box: 32 piece

Packing: 4 piece

Unit: 1 piece

Welding goggles

- indirect ventilation
- transparent visors
- swing section fitted with welding filters



PROTECO P800E-C, 4200 009 000 00

Viewing area
43 x 98 mm

Norms: EN 379, EN 166, EN 175

Unit: 1 piece

Welding hood

- selectable dark shades: 9-13
- switching time: 0,25 ms
- lightening time: 0,1 s to 1 s
- cassette with four sensors
- power source: solar cell + 2x 3V Lithium battery CR2450
- welding methods - MMA, MIG/MAG, TIG, SAW, PAC, PAW
- switch position for welding/grinding
- switching on/off
- working temperature: -5°C to +50°C


WELDING HOOD, 4200 001 000 00

Material
special cardboard sprayed on both sides with special matte finish

Viewing area: 90 x 110 mm

Norms: EN 175

Unit: 1 piece

Welding hood

- leather neck protector
- adjustable into the exact position
- stop protecting from crash into the welder's body
- welding methods - electric arc
- helmet harness and welding glass are not included
- helmet harness: 4200-003-000-00
- welding glass: 4200-005-113-00, 4200-004-000-XX


CROSS FOR HOOD, 4200 003 000 00

Material: polyetylen | **Unit:** 1 piece

Welding accessories

- designed for welding hood 4200 001 000 00


GLASS FOR HOOD, 4200 005 113 00

Material
glass

Viewing area: 90 x 110 mm


Optical class: 1

Mechanical strength: S | **Lens color:** clear

Norms: EN 166

Unit: 1 piece

- flat with smooth surface
- undistorted vision
- resistant to common liquids
- thickness: 2mm


GLASS FOR HOOD, 4200 004 000 XX

Material
glass

Viewing area: 90 x 110 mm

Lens darkness: 09 - 12

Norms: EN 166, EN 167, EN 168, EN 169

Unit: 1 piece

- flat green coloured glass, thickness: 2mm
- resistant to common liquids
- suitable for electric arc welding, plasmatic welding


SAFETY FOIL FOR HOOD, 4200 006 000 00

Viewing area: 90 x 110 mm | **Lens color:** clear

Norms: EN 166

Unit: 1 piece

- safety foil for welding hood



All European head protection products are covered by European Standards, which are explained in following table.

NORMS	
EN 812	Light industrial head protection helmets - designed to protect the head when striking hard and firmly placed objects (not applicable instead of EN 397 protective helmet)
EN 397	Industrial protective helmets to protect the worker from falling of the objects on the head
EN 14052-A1	Industrial helmets with a high degree of protection are tested for larger impact and side impact as well
EN 50365	Electrically insulating helmets for use in low voltage installations

ACCESSORIES NORMS	
EN 166	Personal eye-protection
EN 352-3	Ear-muffs for industrial safety helmets
EN 1731	Means for protecting eyes and face from mesh for industrial and other uses against mechanical hazards

HEAD PROTECTION FOR INDUSTRIAL USE: EN 397

The helmet for industrial use is intended for protection of the user against falling objects and prevent injuries of brain and skull fracture.



IMPACT ABSORPTION TEST

- 5kg heavy weight with rounded shape is dropped on the helmet from the height of 1m
- The maximum transmitted force must not exceed 5 kN



CHIN STRAP FASTENING

- At first, apply a force of 150N and then increase it up to 20N/min until it comes off
- The chin strap fastening should yield to a force of at least 150N, but not more than 250N



PENETRATION TEST

- A 3kg heavy pointed cone is dropped on the helmet from the height of 1 m
- The cone must not get into contact with the test dummy of head under the helmet



FLAME RESISTANCE TEST

- A burner effects at an angle of 45° on a random point in the distance from 50 to 100 mm from the top of the head for the period of 10 seconds
- The flame must not be visible after 5 seconds

HEAD PROTECTION



CXS VISOR VM85, 4320 004 000 00

Material
steel mesh

Size: 205 x 395 mm

Norms: EN 1731

Box: 200 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Protective visor

- provides protection for garden work
- combinable with head gears or visor holder CXS


CXS VISOR VC85, 4320 005 000 00

Material
polycarbonate

Size: 205 x 395 mm

Optical class: 1

Mechanical strength: B	Lens color: clear
-------------------------------	--------------------------

Norms: EN 166

Box: 200 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Protective visor

- provides protection for garden work and protection for work with liquids
- combinable with head gears or CXS Visor holder


CXS HEAD GEAR H870, 4320 003 000 00

Material
polypropylen

Color: black

Box: 40 pieces	Packing: 10 pieces
-----------------------	---------------------------

Unit: 1 piece

Head gear

- combinable with CXS visors
- not available for ear muffs
- wheel ratchet


CXS HEAD GEAR DP85, 4320 007 166 00

Material
polypropylen

Color: yellow

Box: 60 pieces	Packing: 10 pieces
-----------------------	---------------------------

Unit: 1 piece

Head gear

- combinable with CXS visors
- designed for forestry sets
- available for ear muffs CXS EP106
- wheel ratchet


CXS VISOR HOLDER H867, 4320 006 000 00

Material
polypropylen

Color: black

Box: 100 pieces	Packing: 50 pieces
------------------------	---------------------------

Unit: 1 piece

Visor holder

- combinable with CXS visors
- with removable adapter for using with helmet
- without adapter can be used in a combination with ear muffs for helmet


COMBINATIONS OF VISORS, HEAD GEARS AND VISOR HOLDERS


CXS HELMET STAVBAŘ, 4310 001 150 00

CXS VISOR HOLDER H867, 4320 006 000 00

CXS VISOR VM85, 4320 004 000 00



CXS HELMET STAVBAŘ, 4310 001 150 00

CXS VISOR HOLDER H867, 4320 006 000 00

CXS EP167, 4420 006 000 00

CXS VISOR VM85, 4320 004 000 00



CXS HEAD GEAR DP85, 4320 007 166 00

CXS VISOR VC85, 4320 005 000 00

3M G500-GU, 4320 008 000 00


Material
ABS

Color: yellow

Packing: 10 pieces | **Unit:** 1 piece

- Head gear**
- compatible with visors, ear muffs and integrated spectacles 3M
 - wheel ratchet
 - 3 positions for height adjustment
 - 8 positions for gear adjustment
 - front cover ventilation


3M 5F-11, 4320 009 000 00


Material
polycarbonate

Size: 172 x 348 mm

Optical class: 1

Mechanical strength: B | **Lens color:** clear

Norms: EN 166

Packing: 10 pieces

Unit: 1 piece

- Protective visor**
- compatible with visors holder, helmet G3000 and ear muffs 3M
 - thickness: 1,5 mm
 - protects face against liquid splash, mechanical particles and electric arc


3M V5, 4320 010 000 00

Material
polycarbonate

Packing: 10 pieces | **Unit:** 1 piece

Visor holder

- compatible with visors, helmet G3000 and ear muffs 3M
- snap in fixing


3M ADAPTER P3EV/2, 4320 015 000 00

Material
polycarbonate

Packing: 10 pieces | **Unit:** 1 piece

Adapter for helmet

- enables to attach visors to helmets in case of combination without ear muffs


3M V9C, 4110 235 113 00

Optical class: 1

Mechanical strength: F | **Lens color:** clear

Frame color: black

Norms: EN 166, EN 170

Unit: 1 piece

Integrated spectacles

- integrated eyewear for 3M helmets
- easy to use clip-on attachment to connect to the headband of the helmet or headgear
- flexible joints allow individual adjustment


COMBINATIONS OF VISORS, HEAD GEARS AND VISOR HOLDERS


3M V5, 4320 010 000 00
3M 5F-11, 4320 009 000 00

3M ADAPTER P3EV/2, 4320 015 000 00
3M V9C, 4110 235 113 00



3M G500-GU, 4320 008 000 00
3M PETOR H510P3E-405-GU, 4420 007 000 00
3M 5F-11, 4320 009 000 00



3M HELMET G3000, 4310 003 150 00
3M V9C, 4110 235 113 00

OKULA Š-P 28, 4320 001 000 00

Material
PMMA (plexiglass)

Size: 220 x 290 mm

Optical class: 2

Mechanical strength: S | **Color:** clear

Norms: EN 166

Box: 40 pieces | **Packing:** 5 piece

Unit: 1 piece

Protective visor

- including head gear
- suitable over prescription glasses
- protects face against liquid splash and mechanical particles


OKULA Š-P 29, 4320 002 000 00

Material
PMMA (plexiglass)

Size: 330 x 290 mm

Optical class: 2

Mechanical strength: S | **Color:** clear

Norms: EN 166

Box: 40 pieces | **Packing:** 5 piece

Unit: 1 piece

Protective visor

- including head gear
- suitable over prescription glasses
- protects face against liquid splash and mechanical particles


CXS STAVBAŘ, 4310 001 XXX 00


Material
HDPE

Size: 55 - 62 cm | **Norms:** EN 397

Box: 24 piece | **Unit:** 1 piece

Safety helmet

- temperature resistance: -10°C to +50°C
- weight: 340 g
- service life: 5 years from the production date
- electrical insulating ability to 440Vac
- 4-point textile harness

CXS SWEATBAND, 4310 040 000 00


Material
polyester a polyethylen

Packing: 10 pieces | **Unit:** 1 piece

Helmet accessories

- for CXS STAVBAŘ helmets

CXS CHIN STRAP, 4310 005 000 00


Material
polyester a polyethylen

Packing: 10 pieces | **Unit:** 1 piece

Helmet accessories

- for CXS STAVBAŘ helmets
- 2-point

MSA V-GARD® 500, 4310 163 XXX 00


Material
ABS

Size: 52 - 64 cm

Norms: EN 397, EN ISO 80079-36

Box: 20 pieces | **Unit:** 1 piece

Safety helmet

- with Fas-Trac III wheel ratchet
- temperature resistance: -30°C to +50°C
- weight: 360 g
- lateral deformation resistance
- service life: 3 years storage life + 5 years service life
- 4-point textile harness with PVC sweatband
- use in potentially explosive atmospheres ATEX areas

MSA CHIN STRAP, 4310 164 000 00


Material
polyester

Packing: 20 pieces | **Unit:** 1 piece

Helmet accessories

- for MSA V-GARD® 500 helmets

3M G3000, 4310 003 XXX 00


- 400** blue
- 500** green
- 523** fluorescent yellow
- 250** red
- 200** orange
- 150** yellow
- 100** white

Material
ABS

Size: 54 - 62 cm **Norms:** EN 397

Box: 20 pieces **Unit:** 1 piece

Safety helmet

- temperature resistance: -30°C to +50°C
- weight: 310 g
- uvicator tell by fading when to change the helmet
- 4-point textile harness with wheel ratchet
- lining can be rotated 180° which allows the helmet to be worn back-to-front

3M CHIN STRAP GH4, 4310 006 000 00


Material
nylon

Box: 100 pieces **Packing:** 10 pieces

Unit: 1 piece

Helmet accessories

- for 3M helmets
- 3-point

HELMET LASS, 4310 002 XXX 00


- 200** orange
- 100** white
- 400** blue
- 150** yellow
- 250** red

Material
HDPE

Size: 53 - 62 cm **Norms:** EN 397

Packing: 30 pieces **Unit:** 1 piece

Safety helmet

- temperature resistance: -20°C to +50°C
- weight: 370 g
- service life: 5 years from the production date
- electrical insulating ability to 440Vac
- 6-point textile harness
- resistance against lateral deformation

CHIN STRAP, 4310 007 000 00


Material
leather

Packing: 20 pieces **Unit:** 1 piece

Helmet accessories

- for PROHELM helmets
- 2-point

CXS HYNEK INSOLE, 4310 008 800 00

Material
100 % polyester fleece

Box: 100 pieces **Packing:** 10 pieces

Unit: 1 piece

Helmet accessories

- underneath helmet insert


CXS CRAN, 4310 207 XXX 00

166
fluorescent yellow

Material - fluorescent colors
65 % polyester 35 % cotton

Material - other colors
85 % cotton 15 % polyester

Hardcap: ABS, EVA foam

Norms: EN 812:2012

Box: 60 pieces **Unit:** 1 piece

Cap with lining

- plastic inner lining
- reflective tapes
- side mesh part
- strap with velcro for size adjustment
- suitable for activities which do not require helmet wearing
- can not be used as a helmet replacement



- 215** fluorescent orange
- 413** mid blue
- 700** grey
- 800** black

NORMS


EN 352-1	Earmuffs (machine operators, assembly line operators)
EN 352-2	Earplugs (operators in food processing industry)
EN 352-3	Earmuffs for industrial safety helmets
EN 352-6	Earmuffs with an electric communication device
EN 458	Recommendation for selection, use, and maintenance of hearing protection equipment

NOISE LEVELS IN DB

You need to select a suitable PPE:

- determine the nature of the noise - constant, variable, intermittent, pulsating- measure the intensity (dB) and frequency (Hz) of workplace noise
- determine the duration of exposure
- the permissible sound level is between 70 and 85 dB
- in the range of 80 - 85 dB, severe harassment occurs and reduced psychic performance
- it is recommended to attenuate to acceptable values for human ear - 70 to 80 dB

For more clarity, you can compare some of the examples directly in the sub-graph, where dB values are assigned to certain situations and activities.



HEARING PROTECTION

HEARING PROTECTION

HEARING PROTECTION



CXS CORTIX FEP-03, 4410 093 200 00
NEW

Material
polyurethane foam

Attenuation in dB: SNR 34 dB

Norms: EN 352-2

Box: 2000 pairs	Packing: 200 pairs
------------------------	---------------------------

Unit: 1 pair

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- latex-free


CXS CORTIX FEP-03, 4410 094 200 00
NEW

Material
polyurethane foam

Attenuation in dB: SNR 34 dB

Norms: EN 352-2

Box: 10 packing	Packing: 500 pairs
------------------------	---------------------------

Unit: 1 packing

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- latex-free
- 500 pairs per pack


CXS CORTIX FEP-03C, 4410 095 200 00
NEW

Material
polyurethane foam

Attenuation in dB: SNR 34 dB

Norms: EN 352-2

Box: 2000 pairs	Packing: 200 pairs
------------------------	---------------------------

Unit: 1 pair

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- latex-free
- PVC cord


CXS CORTIX EP-06TC, 4410 096 200 00
NEW

Material
monoprene

Attenuation in dB: SNR 27 dB

Norms: EN 352-2

Box: 2000 pairs	Packing: 200 pairs
------------------------	---------------------------

Unit: 1 pair

Ear plugs

- washable, reusable
- outer flange design helps to keep the ear plug in place
- finger grip improves ease of insertion
- latex-free
- PVC cord
- packed in case with belt clip


NEW
CXS CORTIX DISPENSER, 4410 097 000 00

Material
ABS

Box: 4 piece	Unit: 1 piece
---------------------	----------------------

Ear plug dispenser

- freestanding or wall mounting
- twist motion system releases ear plugs piece by piece
- the upper tray can be easily refilled


3M EAR SOFT NEON, 4410 001 000 00

Material
polyurethane foam

Attenuation in dB: SNR 36 dB

Norms: EN 352-2

Packing: 1000 pairs	Unit: 1 pair
----------------------------	---------------------

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort


3M EAR SOFT NEON, 4410 001 000 01

Material
polyurethane foam

Attenuation in dB: SNR 36 dB

Norms: EN 352-2

Packing: 3 pairs	Unit: 1 packing
-------------------------	------------------------

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort



NEW
3M EAR SOFT NEON, 4410 001 000 02

Material
polyurethane foam

Attenuation in dB: SNR 36 dB

Norms: EN 352-2

Packing: 50 pairs | **Unit:** 1 packing

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- 50 pairs in pack


NEW
3M EAR SOFT NEON, 4410 001 000 03

Material
polyurethane foam

Attenuation in dB: SNR 36 dB

Norms: EN 352-2

Packing: 250 pairs | **Unit:** 1 packing

Ear plugs

- single-use
- evenly distributed pressure allowing optimal comfort
- 250 pairs in pack


NEW
3M EAR CLASSIC, 4410 002 000 02

Material
PVC foam

Attenuation in dB: SNR 28 dB

Norms: EN 352-2

Packing: 50 pairs | **Unit:** 1 packing

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal
- 50 pairs in pack


NEW
3M EAR CLASSIC, 4410 002 000 03

Material
PVC foam

Attenuation in dB: SNR 28 dB

Norms: EN 352-2

Packing: 250 pairs | **Unit:** 1 packing

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal
- 250 pairs in pack


3M EAR CLASSIC, 4410 002 000 00

Material
PVC foam

Attenuation in dB: SNR 28 dB

Norms: EN 352-2

Packing: 1000 pairs | **Unit:** 1 pair

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal


3M EAR CLASSIC, 4410 002 000 01

Material
PVC foam

Attenuation in dB: SNR 28 dB

Norms: EN 352-2

Packing: 3 pairs | **Unit:** 1 packing

Ear plugs

- single-use, washable
- gradually expand and adhere to ear canal


3M E-A-R CAPS, 4410 007 000 00

Material
polyurethane foam and strap from polycarbonate


Attenuation in dB: SNR 23 dB

Norms: EN 352-2

Packing: 50 pairs | **Unit:** 1 pair

Ear plugs

- re-usable
- provide day long protection for users
- replacement pods available
- replacement caps: 4410 056 000 00



3M E-A-R SOFT, 4410 008 000 00

Material
polyurethane foam

Attenuation in dB: SNR 36 dB

Norms: EN 352-2

Packing: 4 packing | **Unit:** 1 packing

Ear plugs

- box of 500 pairs for E-A-R dispenser and refill bottle
- single-use
- evenly distributed pressure allowing optimal comfort


3M E-A-R REFILL BOTTLE, 4410 010 000 00

Material
polyurethane foam

Attenuation in dB: SNR 36 dB

Norms: EN 352-2

Packing: 4 packing | **Unit:** 1 packing

Ear plugs

- box of 500 pairs for E-A-R dispenser and refill bottle
- single-use
- evenly distributed pressure allowing optimal comfort


3M DISPENSER ONE TOUCH PRO, 4410 043 000 00

Packing: 1 piece | **Unit:** 1 piece

Dispenser

- for ear plugs refill bottles
- twist motion system
- freestanding or wall mounting
- using in interior or exterior


CXS EP101, 4420 081 166 00

Attenuation in dB: SNR 27,6 dB

Norms: EN 352-1

Box: 60 pieces | **Unit:** 1 piece

Ear muffs

- simple economic design
- adjustable position of muffs


CXS EP106, 4420 001 150 00

Attenuation in dB: SNR 27,5 dB

Norms: EN 352-1

Box: 60 pieces | **Unit:** 1 piece

Ear muffs

- cushioned headband
- adjustable position of muffs
- available for head gear CXS DP85 as forestry set with ear protection


CXS EP106, 4420 001 166 00

Attenuation in dB: SNR 27,5 dB

Norms: EN 352-1

Box: 60 pieces | **Unit:** 1 piece

Ear muffs

- cushioned headband
- adjustable position of muffs
- available for head gear CXS DP85 as forestry set with ear protection


CXS EP109, 4420 047 166 00

Attenuation in dB: SNR 29,8 dB

Norms: EN 352-1

Box: 60 pieces | **Unit:** 1 piece

Ear muffs

- cushioned and adjustable headband
- foldable



3M PELTOR H510A-401-GU, 4420 002 000 00

Attenuation in dB: SNR 27 dB

Norms: EN 352-1

Box: 20 pieces | Unit: 1 piece

Ear muffs

- cushioned headband
- rings are filled with a liquid and foam
- OPTIME I series


CXS EP167, 4420 006 000 01

Attenuation in dB: SNR 25,9 dB

Norms: EN 352-3

Box: 30 pairs | Unit: 1 pair

Ear muffs

- universal helmet attachments
- using with CXS STAVBAŘ available


3M PELTOR H520A-407-GQ, 4420 003 000 00

Attenuation in dB: SNR 31 dB

Norms: EN 352-1

Box: 20 pieces | Unit: 1 piece

Ear muffs

- cushioned headband
- rings are filled with a liquid and foam
- sound attenuation of extremely low frequencies to a maximum degree
- OPTIME II series


3M PELTOR H510P3E-405-GU, 4420 007 000 01

Attenuation in dB: SNR 26 dB

Norms: EN 352-3

Box: 10 pairs | Unit: 1 pair

Ear muffs

- helmet attachments
- rings are filled with a liquid and foam
- OPTIME I series


3M PELTOR H540A-411-SV, 4420 004 000 00

Attenuation in dB: SNR 35 dB

Norms: EN 352-1

Box: 20 pieces | Unit: 1 piece

Ear muffs

- cushioned headband
- rings are filled with soft plastic foam
- double casing minimizes resonance in the holder casing and allows maximum high-frequency attenuation
- audio connection between the inner volume and the volume between the the casings allows maximum low frequency attenuation


3M PELTOR H520P3E-410-GQ, 4420 008 000 01

Attenuation in dB: SNR 31 dB

Norms: EN 352-3

Box: 10 pairs | Unit: 1 pair

Ear muffs

- helmet attachments
- rings are filled with a liquid and foam
- OPTIME II series



SUITABLE RESPIRATORY PROTECTIVE EQUIPMENT

	Particulate respirators class FFP1*** P1		Particulate respirators class FFP2 P2		Particulate respirators class FFP3 P2	
Protection factor	APF4*		APF 10		APF 20	
PEL**	4		12		50	
NPK-P***	4		12		50	
General protection	Protection against non-toxic, non-fibrogenic dusts and aerosols. Inhalation of these particles does not lead to disease, but respiratory tract irritation may occur.		Protection against solid and liquid harmful fibrogenic dusts, smoke and aerosols. Inhalation of these particles irritates the respiratory organs for a short time, the long-term effect reduces the performance of the lungs.		Protection against toxic and harmful dusts, smoke and aerosols. Filters carcinogenic and radioactive harmful substances and pathogens such as viruses and bacteria. Inhalation leads to the development of various types of diseases, not just lung.	
Typical applications	Typical applications	Harmful	Typical applications	Harmful	Typical applications	Harmful
	Sweeping floors	Dust (non-toxic)	Cutting, drilling, sandblasting, grinding of iron, stone, brick	Metal Dust	Cutting, drilling, sandblasting, grinding of steel	Metal Dust
	Allergies caused by animal hair or spores	Dust	Spraying or painting paints (in some cases it is necessary to use a chemical filter)	Dust and fibers	Working with asbestos	Fiber
	Treatment of hay	Dust	Soldering and welding of mild steel, zinc	Fine particles of paint	Spraying or painting paints (in some cases it is necessary to use a chemical filter)	Fine particles of paint
			Soldering and welding of mild steel, zinc	Smoke	Welding of stainless steel, aluminum	Smoke from metal oxides and aluminum
		Healthcare	Bacteria, aerosol	Healthcare	Bacteria, infections, viruses, aerosols	
		Plastering, cement mixing, demolition	Dust	Groove milling, cutting bricks, blocks	Dust	

Explanation of abbreviations:

- *APF: Protection factor
- **PEL: Permissible exposure limit
- ***NPK-P: Maximum Permissible Concentration in the Environment
- ****FFP: Protection class

NORMS	
EN 136	Respiratory protective devices. Facial masks
EN 140	Respiratory protective devices. Half masks and quarter masks
EN 143	Respiratory protective devices - Particulate filters
EN 149-A1	Respiratory protective devices - Particulate filter masks
EN 166	Personal eye-protection
EN 405-A1	Respiratory protective devices - Filter masks with valves against gases or gases and particles
EN 14387	Respiratory protective devices - Anti-gas and combination filters

PIKTOGRAMS

- | | | |
|-----------------------------|---------------------------------|---|
| D Dolomite dust test | Clamping behind the ears | FFP1 particulate respirator FFP1 |
| LATEX Latex free | Efficacy against coronaviruses | FFP2 particulate respirator FFP2 |
| NR Cannot be reused | Clamping on the top of the head | FFP3 particulate respirator FFP3 |
| R For repeated use | Contains activated carbon | |

CLASSIFICATION OF FILTERS FOR MASKS AGAINST GASES AND VAPORS

- A** organic gases and vapors, eg organic solvents such as turpentine, petrol, toluene, xylene with a boiling point <65 ° C
- B** inorganic gases and vapors, eg chlorine, bromine, hydrogen sulphide
- E** acid gases and pairs, eg sulfur dioxide, hydrogen chloride
- K** ammonia and organic ammonia compounds, such as dimethylamine
- AX** low boiling organic compounds ≤ 65 ° C
- Hg** quicksilver

RISK IDENTIFICATION

Application	Risk	Recommended protection
Painting, spraying, painting, surface finish	Solvent-based paints	A2 P3
	Dirt / grinding resistant spray	A2 P3
	Thinners, resins, synthetic resins	A2 P3
	Latex paints, solvent residues	A2 P3
	Wood preservatives	A1 P2
Maintenance	Disinfection, cleaning	A B E K P2
Dekorace	Decoration	A1 P2
Waste disposal	Bacteria, germ cells, odors	A1 P3
Agriculture	Pesticides, insecticides	A B E K P2
Wood treatment products	Binder, spray glue	A2 P3
	Tarred	A2 P3
Construction, grinding, cutting, drilling	Joining, sealing	A1 P2
	Sprayed insulating foam	A1 P2
	Organic solvents (boiling below 65 ° C)	AX P3
Painting	Paint remover containing ammonia	A B E K
	Polyurethane varnishes	A B E P3
	Thinner varnishes	A2
	Water-based varnishes	A1
Binders	Thinners containing glue	A1
Manipulation	Sulfur dioxide	A B E
	Hydrochloric acid	A B E
	Liquid fertilizers	A B E K
	Ammonia	K
	Formaldehyde	A1 + formaldehyde
	Storage / transport of dangerous products	A B E K P3

Warning

This guide is for guidance only. It should not be the only guide for choosing a mask. Details on performance and load restrictions are given on the mask packaging and in the instructions for use. Before using any of these masks, the user must read and master the instructions to be used for each of the products used. Local legal regulations must be observed.

Limits for the use of reusable face masks and half masks with gas and vapor filters: Half masks can be used up to the level of 10x PEL (NPK-P). Full face masks can be used up to a level of 200x PEL (NPK-P) (depending on the filter used) Class 1 filter up to 10x PEL (NPK-P) or 1000 mg / m3 (0,1 vol.%); Class 2 filter up to 10x PEL (NPK-P) or 5000 mg / m3 (0,5 vol.%). The first limit reached applies. Filter AX against low-boiling substances (organic compounds with a boiling point lower than 65 ° C). The AX filter should only be used with 3M celo full face masks. AX filters can only be used for one shift. Filters A1 and A2 against organic vapors with a boiling point lower than 65°C.

* with the exception of formaldehyde
** in possibly if isocyanates are present, please contact your representative of 3M

WARNING:

These instructions are for guidance only. They should not be used as the sole means of selecting a filter half mask or filters. See the manual for more information for the use of each product. Relevant national legislation must be observed.

CXS SPIRO, 4510 001 000 00
FFP1 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 240 pieces	Packing: 20 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP1

- foldable
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

CXS SPIRO, 4510 002 000 00
FFP1 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP1

- foldable with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

CXS SPIRO, 4510 005 000 00
FFP1 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 240 pieces	Packing: 20 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP1

- moulded
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

CXS SPIRO, 4510 006 000 00
FFP1 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP1

- moulded with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 4 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free

CXS SPIRO, 4510 003 000 00
FFP2 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 240 pieces	Packing: 20 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP2

- foldable
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

CXS SPIRO, 4510 004 000 00
FFP2 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP2

- foldable with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

CXS SPIRO, 4510 007 000 00
FFP2 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 240 pieces	Packing: 20 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP2

- moulded
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

CXS SPIRO, 4510 008 000 00
FFP2 **NR** **LATEX**


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

Particulate respirator FFP2

- moulded with exhalation valve
- protection against solid and liquid aerosols in concentrations up to 12 x TLV
- adjustable nosepiece
- inner foam
- fastening on the top of the head
- non-reusable
- latex free
- efficacy against coronaviruses

CXS SPIRO, 4510 009 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

- Particulate respirator FFP2**
- moulded with exhalation valve
 - active carbon pre-filter
 - protection against solid and liquid aerosols in concentrations up to 12 x TLV
 - adjustable nosepiece
 - inner foam
 - fastening on the top of the head
 - non-reusable
 - latex free
 - efficacy against coronaviruses

CXS SPIRO, 4510 010 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 60 pieces	Packing: 5 piece
-----------------------	-------------------------

Unit: 1 piece

- Particulate respirator FFP3**
- moulded with exhalation valve
 - protection against solid and liquid aerosols in concentrations up to 50 x TLV
 - adjustable nosepiece
 - inner foam
 - adjustable head straps
 - fastening on the top of the head
 - non-reusable
 - latex free
 - efficacy against coronaviruses

3M 9320+ AURA, 4510 013 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 240 pieces	Packing: 20 pieces
------------------------	---------------------------

Unit: 1 piece

- Particulate respirator FFP2**
- foldable
 - protection against solid and liquid aerosols in concentrations up to 12 x TLV
 - design for easier breathe
 - headbands keep a near constant tension
 - fastening on the top of the head
 - non-reusable
 - dolomitic dust test
 - latex free
 - efficacy against coronaviruses

3M 9322+ AURA GEN3, 4510 099 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

- Particulate respirator FFP2**
- foldable with 3M™ Cool Flow™ Comfort exhalation valve
 - 3M Advanced Electret filter medium
 - protection against solid and liquid aerosols in concentrations up to 12 x TLV
 - design for easier breathe
 - headbands keep a near constant tension
 - fastening on the top of the head
 - non-reusable
 - dolomitic dust test
 - latex free
 - efficacy against coronaviruses

3M 9310+ AURA, 4510 011 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 240 pieces	Packing: 20 pieces
------------------------	---------------------------

Unit: 1 piece

- Particulate respirator FFP1**
- foldable
 - protection against solid and liquid aerosols in concentrations up to 4 x TLV
 - design for easier breathe
 - headbands keep a near constant tension
 - fastening on the top of the head
 - non-reusable
 - dolomitic dust test
 - latex free

3M 9312+ AURA, 4510 012 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

- Particulate respirator FFP1**
- foldable with exhalation valve
 - protection against solid and liquid aerosols in concentrations up to 4 x TLV
 - design for easier breathe
 - headbands keep a near constant tension
 - fastening on the top of the head
 - non-reusable
 - dolomitic dust test
 - latex free

3M 9332+ AURA GEN3, 4510 094 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 120 pieces	Packing: 10 pieces
------------------------	---------------------------

Unit: 1 piece

- Particulate respirator FFP3**
- foldable with 3M™ Cool Flow™ Comfort exhalation valve
 - 3M Advanced Electret filter medium
 - protection against solid and liquid aerosols in concentrations up to 50 x TLV
 - design for easier breathe
 - headbands keep a near constant tension
 - fastening on the top of the head
 - non-reusable
 - dolomitic dust test
 - latex free
 - efficacy against coronaviruses

3M 8833, 4510 021 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 80 pieces	Packing: 10 pieces
-----------------------	---------------------------

Unit: 1 piece

- Particulate respirator FFP3R**
- moulded with exhalation valve
 - protection against solid and liquid aerosols in concentrations up to 50 x TLV
 - soft padded inner part
 - stable outer shell
 - re-usable
 - fastening on the top of the head
 - dolomitic dust test
 - latex free
 - efficacy against coronaviruses

3M 9914, 4510 016 000 00


Material
polypropylene

Norms: EN 149:2001 + A1:2009

Box: 100 pieces | **Packing:** 10 pieces

Unit: 1 piece

- Particulate respirator FFP1**
- moulded with exhalation valve
 - active carbon pre-filter
 - protection against solid and liquid aerosols in concentrations up to 4 x TLV and against organic vapours below NPF
 - fastening on the top of the head
 - non-reusable
 - dolomitic dust test
 - latex free

CXS HALITUS, 1160 168 400 00


Material
100 % polypropylene

Norms: EN 14683:2019 + AC:2019 - Typ I

Box: 40 packing | **Unit:** 1 packing

- Disposable face mask**
- medical device class I
 - non woven textile
 - integrated nose strap
 - elastic ear hooks
 - 3-ply
 - 50 pcs in one package

CXS DUST, 4590 005 000 00


Material
100 % polypropylene

Box: 1000 pieces | **Packing:** 50 pieces

Unit: 1 piece

- Veil**
- moulded
 - to prevent contamination of product

CXS DUST, 4590 019 100 00

3 pcs per pack
Unit: 1 packing


3M 6200, 4520 001 000 00

Size
M, L

Norms: EN 140

Packing: 8 piece | **Unit:** 1 piece

- Safety half-mask**
- antiallergic cheek piece of material
 - adaptable head straps
 - bayonet mounting system for 2 filters
 - can be used with all filters 3M 2000 series, 5000 series and most filters of series 6000
 - mask without filter does not perform a protective function
 - filter excluded


HALF MASK WITH 3M FILTERS

3M 7502, 4520 003 000 00

Size
M, L

Norms: EN 140

Packing: 10 pieces | **Unit:** 1 piece

- Safety half-mask**
- antiallergic cheek piece of material and eudercal silicone
 - head straps enable to drop the mask down when not in use without putting down
 - bayonet mounting system for 2 filters
 - can be used with all filters 3M 2000 series, 5000 series and most filters of series 6000
 - mask without filter does not perform a protective function
 - filter excluded


HALF MASK WITH 3M FILTERS

3M 4251+, 4520 124 000 00

Norms: EN 405+A1

Packing: 10 pieces | **Unit:** 1 piece

- Safety half-mask A1P2 RD**
- protection against gases and vapors up to 10 x TLV and particles up to 12 x TLV
 - 2 carbon filters
 - adjustable tapes
 - recommended to be used with overspray guard 3M 400


3M 400, 4590 001 000 10

Norms: EN 405

Packing: 50 packing | **Unit:** 1 packing

- Overspray guard**
- filter protection against paint during spraying for half-mask 4000 series
 - 10 pcs per pack



3M 6800, 4520 006 000 00
3M 6900, 4520 007 000 00

 Size
M, L

Norms: EN 136, EN 166

Packing: 4 piece | Unit: 1 piece

Full-face mask

- adaptable headband
- bayonet fastening system for 2 filters
- polycarbonate anti-scratch visor resistant to chemicals
- can be used with all filters 3M 2000 series, 5000 series and most filters of series 5000
- mask without filter does not perform a protective function


3M 6885, 4590 007 000 00

Packing: 100 pieces | Unit: 1 piece

Masks and filters accessories

- protection for visors of full-face masks 3M 6000 series


3M 603, 4590 003 000 01

Packing: 8 pairs | Unit: 1 pair

Masks and filters accessories

- filter adapter is used in combination with particulate filters of 3M series 5900


3M 501, 4590 002 000 01

Packing: 10 pairs | Unit: 1 pair

Masks and filters accessories


- filter retainer is used in combination with particulate filters of 3M series 5000


3M 502, 4590 004 000 008

Packing: 8 packing | Unit: 1 packing

Masks and filters accessories

- filter adapter is used in combination with particulate filters of 3M series 2100
- 8 pcs per pack


3M 105, 4590 006 000 00

Packing: 400 pieces | Unit: 1 piece

Masks and filters accessories

- pre-moistened towlette
- cleaning and freshening the face piece of mask


3M 5911, 4520 008 000 01

Norms: EN 143

Packing: 60 pairs | Unit: 1 pair

Particulate filter FFP1R

- protection against solid and liquid aerosols in concentrations up to 4 x TLV and against organic vapours below NPF
- can be used individually or as a prefilter
- use the filter in combination with filter holder 3M 501


3M 5925, 4520 009 000 01

Norms: EN 143

Packing: 40 pairs | Unit: 1 pair

Particulate filter FFP2R

- protection against solid and liquid aerosols in concentrations up to 12 x TLV and against organic vapours below NPF
- can be used individually or as a prefilter
- use the filter in combination with filter holder 3M 501


3M 2125, 4520 010 000 01

Norms: EN 143

Packing: 40 pairs | Unit: 1 pair

Particulate filter FFP2R

- protection against solid and liquid aerosols in concentrations up to 12 x TLV and against organic vapours below NPF
- can be used individually or as a prefilter


3M 6051, 4520 011 000 01

Norms: EN 14387

Packing: 32 pairs | Unit: 1 pair

Gas and vapour filter A1

- protection against gases and organic vapours
- possibility to buy version with identifier



3M 6055, 4520 012 000 01

Norms: EN 14387

Packing: 32 pairs | Unit: 1 pair

Gas and vapour filter A2

- protection against gases and organic vapours
- possibility to buy version with identificator




3M 6059, 4520 013 000 01

Norms: EN 14387

Packing: 32 pairs | Unit: 1 pair

Gas and vapour filter ABEK1

- protection against organic, inorganic and acid gases, ammonia and its derivatives



3M 6057, 4520 014 000 01

Norms: EN 14387

Packing: 32 pairs | Unit: 1 pair

Gas and vapour filter ABE1

- protection against organic, inorganic and acid gases



3M 6099, 4520 016 000 001

Norms: EN 14387

Packing: 16 pairs | Unit: 1 pair

Gas and vapour filter A2B2E2K2HgP3 R+formaldehyd

- protection against organic vapors (boiling point > 65°C), inorganic and acid gases, ammonia and its derivatives, mercury, formaldehyde and particles
- only for full-face masks



PROTECTIVE
EQUIPMENT







CHILDREN'S ASSORTMENT

JACKETS	448
SWEATSHIRT, FUNCTIONAL UNDERWEAR	450
BIB PANTS, TROUSERS	451
RAIN COAT, HIGH VISIBLE VEST	453
T-SHIRT	453
CAP, MULTIFUNCTIONAL SCARF	454
GLOVES	455



CHILDREN'S ASSORTMENT

Product code - you can select the desired size available with the product by putting the code after the double-digit **XX**.

CXS PRODUCT, 1234 567 890 **XX**

Size

09 - 10

Material: 100 % nylon

Lining: 100 % polyester

Box: 10 pcs

Unit: 1 pc

• detail description

XX

SIZE CHART

CHILDREN'S ASSORTMENT		
HEIGHT	AGE	CODE
90	1,5 - 2	9
100	2 - 3	10
110	3 - 4	11
120	5 - 6	12
130	7 - 8	13
140	9 - 10	14
150	11 - 12	15
160	13 - 14	16
170	15 - 16	17

HIGH VISIBLE VEST	
SIZE	CODE
XS	91
S	92
M	93

GLOVES	
SIZE	CODE
5	05
6	06
7	07

JACKETS



CXS NEVADA
1230 120 528 XX

page 448



CXS NORFOLK
1230 117 816 XX

page 448



CXS DURHAM
1230 076 XXX XX

page 448



CXS MINTER
1290 135 400 XX

page 449



CXS INDIANAPOLIS
1290 152 729 XX

page 449

SWEATSHIRT, FUNCTIONAL UNDERWEAR



CXS ARYN
1520 182 XXX XX

page 449



CXS TORONTO
1520 006 808 XX

page 450



CXS REWARD
1720 004 808 XX

page 450



CXS REWARD
1740 004 808 XX

page 450

BIB PANTS, TROUSERS



CXS CAMO
1030 150 531 XX

page 451



CXS CAMO
1020 150 531 XX

page 451



CXS PHOENIX CASPER
1030 012 XXX XX

page 451



CXS GARFIELD
1030 012 816 XX

page 452



CXS TRENTON
1420 005 816 XX

page 452



CXS PINOCCHIO
1030 012 524 XX

page 452

RAIN COAT, HIGH VISIBLE VEST



CXS FROG
1170 006 500 XX

page 453



CXS TEDDY
1114 002 150 91

page 453



CXS TEDDY
1114 002 150 XX

page 453

T-SHIRT



CXS DENNY
1610 006 100 XX

page 453

CAP, MULTIFUNCTIONAL SCARF



CXS XAVER
1820 143 800 00

page 454



CXS LORY
1820 118 802 00

page 454



CXS TOBY
1820 134 801 00

page 454

GLOVES



CXS MIKE
3210 014 250 05

page 455



CXS DRAGO
3410 008 400 XX

page 455



CXS DRAGO
3410 008 150 XX

page 455



CXS NEVADA, 1230 120 528 XX

Size
120 - 160

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 20 pcs | **Unit:** 1 pc

Children's softshell jacket

- detachable hood
- inner cuffs
- tightening at the bottom
- reflective supplements
- TPU membrane
- water resistant material up to 5000 mm
- except seams
- breathability 3000 g/m²/24h



CXS NORFOLK, 1230 117 816 XX

Size
120 - 170

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 20 pcs | **Unit:** 1 pc

Children's softshell jacket

- detachable hood
- inner cuffs
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 8000 mm
- except seams
- breathability 3000 g/m²/24h



CXS DURHAM, 1230 076 XXX XX

Size
120 - 170

Material: 96 % polyester 4 % elastane

Lining: 100 % polyester - fleece

Box: 20 pcs | **Unit:** 1 pc

Children's softshell jacket

- detachable hood
- inner cuffs
- chest pocket
- tightening at the bottom
- reflective accessories
- TPU membrane
- water resistant material up to 10 000 mm (except seams and material around pockets)
- breathability 3000 g/m²/24h



CXS MINTER, 1290 135 400 XX

Size
120 - 170

Material: 100 % polyester

Lining: 100 % polyester single jersey

Padding: 100 % polyester

Box: 20 pcs | **Unit:** 1 pc

Children's jacket

- combination of materials
- fixed hood
- contrast accessories
- waist and sleeves to the elastic cuff
- front and back padded
- reflective accessories



CXS INDIANAPOLIS, 1290 152 729 XX

Size
120 - 170

Material: 100 % polyester

Grammage: 280 g/m²

Box: 20 pcs | **Unit:** 1 pc

Children's jacket

- knitted fabric
- combination of materials
- fixed hood
- sleeves to the elastic cuff
- contrast accessories
- tightening at the bottom
- reflective accessories



CXS ARYN, 1520 182 XXX XX

Size
120 - 170

Material: 65 % cotton 35 % polyester

Grammage: 300 g/m²

Box: 20 pcs | **Unit:** 1 pc

Children's sweatshirt

- fixed hood with drawstring
- kangaroo pocket
- final silicon wash
- reflective accessories
- waist and sleeves with ribbed knit cuff
- inner part fine combed




CXS TORONTO, 1520 006 808 XX

Size
120 - 160

Material: 100 % polyester

Grammage: 230 g/m²

Box: 20 pcs | **Unit:** 1 pc



- Children's sweatshirt**
- thumb hole on the sleeve cuff
 - fleece collar
 - zipper fastening
 - 2 front zipper pockets
 - colored sewing
 - reflective accessories


CXS REWARD, 1720 004 808 XX

Size
120 - 160

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Box: 50 pcs | **Unit:** 1 pc



- Children's functional undershirt**
- inner part fine combed
 - warming material
 - colored sewing
 - reflective accessories


CXS REWARD, 1740 004 808 XX

Size
120 - 160

Material: 92 % polyester 8 % elastane

Grammage: 230 g/m²

Box: 50 pcs | **Unit:** 1 pc



- Children's functional underpants**
- waist band
 - inner part fine combed
 - warming material
 - colored sewing
 - reflective accessories


NEW CXS CAMO, 1030 150 531 XX

Size
90 - 150

Material: twill 65% polyester 35% cotton

Grammage: 240 g/m²

Box: 20 pcs | **Unit:** 1 pc



- Children's bib pants**
- reinforced knees and seat
 - waist with buttons and elastic band in the back
 - elastic braces in the back
 - chest zipper pocket with smaller flap pocket
 - front and back pockets
 - side pocket
 - reflective accessories


NEW CXS CAMO, 1020 150 531 XX

Size
140 - 170

Material: twill 65% polyester 35% cotton

Grammage: 240 g/m²

Box: 20 pcs | **Unit:** 1 pc



- Children's trousers**
- reinforced knees and seat
 - waist with belt loop and elastic band in the back
 - front and back pockets
 - side pocket
 - reflective accessories


CXS PHOENIX CASPER, 1030 012 XXX XX

Size
90 - 150

Material: twill 65 % polyester 35 % cotton

Grammage: 190 g/m²

Box: 20 pcs | **Unit:** 1 pc



- Children's bib pants**
- lightweight material
 - chest zipper pocket
 - side button fastening
 - back waist rubber with button for size adjustment
 - 2 front pockets
 - back simple pocket
 - reinforced knees
 - elastic braces in the back
 - reflective accessories


CXS GARFIELD, 1030 012 816 XX

Size
90 - 150

Material: twill 65 % polyester 35 % cotton

Grammage: 235 g/m²

Box: 20 pcs | **Unit:** 1 pc



- Children's bib pants**
- chest zipper pocket with smaller pockets
 - waist with belt loops
 - side button fastening
 - back waist rubber with button for size adjustment
 - 2 front pockets
 - pockets for pencils and small items on the left thigh
 - zipper pocket on the right thigh
 - back simple pocket
 - elastic braces in the back
 - reflective accessories


CXS TRENTON, 1420 005 816 XX

Size
120 - 160

Material: 94 % polyester 6 % elastane

Grammage: 310 g/m²

Lining: 100 % polyester - fleece

Box: 20 pcs | **Unit:** 1 pc

- Children's softshell trousers**
- detachable braces with size adjustment
 - flexible waist with adjustable size
 - 2 front zipper pockets
 - back zipper pocket
 - zipper at the bottom
 - detachable inner snowbelt at the bottom of the legs
 - reflective accessories
 - TPU membrane
 - water resistant material up to 5 000 mm except seams breathability 5000 g/m²/24h


SALE
CXS PINOCCHIO, 1030 012 524 XX

Size
90 - 150

Material: twill 65 % polyester 35 % cotton

Grammage: 230 g/m²

Box: 20 pcs | **Unit:** 1 pc

- Children's bib pants**
- 2 chest pockets on the bib
 - elastic braces in the back
 - button fastening on both sides
 - 2 front pockets
 - 2 back pockets
 - reinforced knees
 - reinforced seat
 - reflective stripes


CXS FROGY, 1170 006 500 XX

Size
90 - 150

Material: 100 % PVC

Box: 50 pcs | **Unit:** 1 pc

- Children's rain coat**
- waterproof
 - fixed hood
 - push-button fastening
 - thermo-sealed seams
 - reflective accessories



Only size: 130 - 150

Only size: 90 - 120


CXS TEDDY, 1114 002 150 91

Size
XS

Material: 100 % polyester

Norm: EN 1150

Box: 100 pcs

Unit: 1 pc

- Children's high visible vest**
- reflective tapes
 - printing
 - velcro closing


CXS TEDDY, 1114 002 150 XX

Size
S, M

Material: 100 % polyester

Norm: EN 1150

Box: 100 pcs

Unit: 1 pc

- Children's high visible vest**
- reflective tapes
 - without printing
 - velcro closing


CXS DENNY, 1610 006 100 XX

Size
4 - 12 let

Material: 100 % cotton, single jersey

Grammage: 155 g/m²

Box: 60 pcs | **Unit:** 1 pc

- Children's T-shirt**
- stabilizing neck tape
 - tubular body
 - final silicon wash



CXS XAVER, 1820 143 800 00

Size
UNI

Material: 100 % polyester

Box: 100 pcs

Pack: 10 pcs | **Unit:** 1 pc

Children's cap

- cap with a peak
- reflective printing
- 6 panels
- plastic closure



CXS LORY, 1820 118 802 00

Size
UNI

Material: 95 % polyester 5 % elastane

Box: 200 pcs

Pack: 10 pcs | **Unit:** 1 pc

Children's multifunctional scarf

- 8 different usage



CXS TOBY, 1820 134 801 00

Size
UNI

Material: 100 % polyester

Box: 100 pcs

Pack: 10 pcs | **Unit:** 1 pc

Children's multifunctional scarf

- winter
- 8 different usage



CXS MIKE, 3210 014 250 05

Size
05

Palm: goat or sheep grain leather

Lining: cotton knit

Norm: EN 388 - 2112X

Pack: 12 pairs

Box: 240 pairs | **Unit:** 1 pair

Children's combined gloves

- gloves with velcro wrist
- elastic cuff



CXS DRAGO, 3410 008 400 XX

Size
05, 07

Material: 100 % polyester

Coating: nitrile foam

Box: 120 pairs | **Unit:** 1 pair

Children's coated gloves

- elastic cuff
- palm and fingers coated
- printing
- blister



CXS DRAGO, 3410 008 150 XX

Size
05, 07

Material: 100 % polyester

Coating: nitrile foam

Box: 120 pairs | **Unit:** 1 pair

Children's coated gloves

- elastic cuff
- palm and fingers coated
- printing
- blister



WORK ACCESSORIES

NOTEBOOKS, BAGS	460
TOOL POUCH, SNAP HOOK	461
KNEE PADS	462
KNIVES, METERS	463
BATTERIES, TESTERS	464
HEADLAMPS	465
FIRST-AID KITS	466
SAFETY TOOLS	467



WORK
ACCESSORIES

NOTEBOOKS, BAGS

page 460

CXS NOTEBOOK
8110 096 409 00

page 460

CXS NOTEBOOK
8110 096 710 00

page 460

CXS BACKPACK
6110 084 808 00

page 460

CXS SPORTBAG
8110 035 808 00

page 465

CXS TYNAN
1115 049 166 00

page 465

CXS TYNAN
1115 049 700 00

page 465

CXS TYNAN
1115 049 800 00

page 465

CXS 3W COB LED FLASHLIGHT
6121 031 000 00

page 465

CXS 3W LED FLASHLIGHT
6121 010 000 00

page 460

CXS SPORTBAG
8110 036 808 00

page 460

CXS SHOPPING BAG
8100 027 700 00

TOOL POUCH, SNAP HOOK

page 461

CXS LONE
6110 109 800 00

page 461

CXS PAT
6110 008 800 00

page 465

CXS COB LED CLIP
6121 032 000 00

page 466

CXS CREE LED XPG HEADLAMP
6121 030 166 00

page 466

CXS 3W LED HEADLAMP
6121 009 518 00

page 466

CXS 3W CREE XPE LED HEADLAMP
6121 024 000 00

page 466

CXS 3W CREE LED HEADLAMP
6121 019 000 00

page 461

CXS MAT
6110 007 800 00

page 461

CXS CLIP
6126 505 034 00

page 461

CXS SNAP HOOK
4690 060 808 00

KNEE PADS

page 462

CXS GEL KNEE PAD
6110 088 800 00

FIRST-AID KITS

page 466

FIRST-AID KIT
6122 001 000 00

page 466

CAR FIRST-AID KIT
6130 007 000 00

SAFETY TOOLS

page 467

CXS REFLECTIVE TAPE
1115 048 150 01

page 462

CXS KNEE PAD
6110 009 800 00

page 462

CXS KNEE PAD
6110 010 150 00

page 462

CXS FLEXI-INSERT
6110 011 800 00

KNIVES, METERS

page 462

CXS PENCIL
6110 088 800 00

page 467

CXS TAPE
6126 010 251 00

page 467

CXS TAPE
6126 011 160 00

page 467

CXS TAPE
6126 012 160 00

page 467

CXS PLASTIC CHAIN
6126 009 251 00

page 467

CXS CONE
6126 013 251 00

page 463

CXS POCKET KNIFE
6126 004 000 00

page 463

CXS HUNTING KNIFE
6126 005 000 00

page 463

CXS FOLDING KNIFE
6126 015 000 00

page 463

CXS BREAK OFF KNIFE
6126 459 000 05

page 463

CXS MEASURE
6121 008 000 00

page 467

CXS CONE
6126 014 251 00

page 467

CAR SCRAPER
6130 005 000 00

page 467

GLUE
6126 007 000 00

BATTERIES, TESTERS

page 463

CXS MEASURE
6121 007 000 00

page 464

BATTERIES
6121 027 000 00

page 464

BATTERIES
6121 028 000 00

page 464

ALCOHOLTEST
6123 049 000 00

page 464

CXS ALCOHOL TESTER
6123 048 800 00

page 464

MOUTHPIECE
6123 051 000 00

page 464

MOUTHPIECE
6123 003 000 00

HEADLAMPS

page 465

CXS 5W LED FLASHLIGHT
6121 037 810 00

CXS NOTEBOOK, 8110 096 409 00


Size
82 x 136 mm

Box: 100 pcs	Unit: 1 pc
---------------------	-------------------

Pack: 50 pcs

Notebook

- soft cover
- 80 sheets
- lined

CXS NOTEBOOK, 8110 096 710 00


Size
121 x 174 mm

Box: 60 pcs	Unit: 1 pc
--------------------	-------------------

Pack: 30 pcs

Notebook

- hard cover
- 96 sheets
- lined

NEW
CXS LONE, 6110 109 800 00


Material
500D nylon Cordura, 600D polyester, PU base

Unit: 1 pc	Box: 80 pcs
-------------------	--------------------

Tool pocket

- belt and metal buckle
- made of durable CORDURA® material
- two main compartments - one with zipper, one smaller pocket for pencils and small parts, 3 loops
- load capacity 3 kg

CXS PAT, 6110 008 800 00


Material
600D polyester

Box: 10 pcs	Unit: 1 pc
--------------------	-------------------

Tool pouch

- textile threepart multifunctional tool pocket pouch
- metal loop
- load capacity 5 kg

CXS MAT, 6110 007 800 00


Material
600D polyester

Box: 20 pcs	Unit: 1 pc
--------------------	-------------------

Tool pouch

- textile onepiece tool pocket pouch
- metal loop
- load capacity 4 kg

CXS CLIP, 6121 505 034 00


Material
polyacetal

Pack: 25 pcs	Unit: 1 pc
---------------------	-------------------

Box: 500 pcs

Clip for hanging gloves

- suitable for hanging gloves, keys and other small items on clothing, backpack, etc.

CXS SNAP HOOK, 4690 060 808 00


Material
aluminium

Size: 66 x 6 mm	Unit: 1 pc
Unit: 1 pc	Box: 100 pcs

Universal snap hook

- opening 18mm
- possibility to attach keys, lightweight tools and other accessories
- this is not a safety snap hook (clutch) or a snap hook for climbers
- 2 pieces/blister

CXS SPORT BAG, 8110 036 808 00
SALE


Material
600D polyester, PVC base, 210D lining

Size: 75 x 37,5 x 37,5 cm	Unit: 1 pc
----------------------------------	-------------------

Box: 10 pcs

Sportbag, large

- volume 105 l
- load capacity 30 kg
- reflective accessories

CXS SPORT BAG, 8110 035 808 00
SALE


Material
600D polyester, PVC base, 210D lining

Size: 60 x 30 x 30 cm	Unit: 1 pc
------------------------------	-------------------

Box: 25 pcs

Sport bag, small

- volume 54 l
- load capacity 15 kg
- reflective accessories

CXS BACKPACK, 6110 084 808 00
SALE


Material
210D polyester, 210D lining

Size: 49 x 30 x 11 cm	Unit: 1 pc
------------------------------	-------------------

Box: 10 pcs

Batoh

- waterproof material and zippers
- volume 20 l
- load capacity: 15 kg
- reflective accessories

CXS SHOPPING BAG, 8100 027 700 00


Material
190T polyester

Size: 44 x 43 cm	Unit: 1 pc
-------------------------	-------------------

Box: 360 pcs **Pack:** 20 pcs

Folding bag with inside pocket

- possibility to fold into the inner pocket

CXS KNEE PAD, 6110 088 800 00


Upperaterial
100 % tubular nylon

Padding: 30 % polyethylene foam 30 % polyester
30 % PVC 10 % silicone

Norm: EN 14404+A1:2010, TYP 1

Unit: 1 pair | **Box:** 12 pairs

- Gel knee pad**
- soft padding for better adjustment
 - wide elastic band with velcro fastening
 - resistant to impact
 - outer cover

CXS KNEE PAD, 6110 009 800 00


Size
18 x 25 cm

Material: 100 % polyester

Norm: EN 14404+A1:2010, TYP 1

Unit: 1 pc | **Box:** 48 pcs

- Textile knee pad**
- elastic bands with velcro fastening
 - resistant to impact
 - plastic cover
 - blister


CXS POCKET KNIFE, 6126 004 000 00


Material
stainless steel 420

Box: 72 pcs | **Unit:** 1 pc

- Pocket knife 7 v 1**
- scissors, can and bottle opener, screwdriver, file, cork-screw, knife
 - blister


CXS HUNTING KNIFE, 6126 005 000 00


Length
22,5 cm

Material: blade - stainless steel 420, handle - wood

Box: 72 pcs | **Unit:** 1 pc

- Hunting knife**
- folding hunting knife with safety lock
 - blister


CXS FOLDING KNIFE, 6126 015 000 00


Length
20,2 cm

Material: blade - stainless steel, handle - anodized aluminum

Box: 60 pcs | **Pack:** 10 pcs | **Unit:** 1 pc

- Folding knife**
- folding knife with safety lock
 - blister


CXS BREAK OFF KNIFE, 6126 459 000 05


5 spare blades

Box: 144 pcs | **Pack:** 12 pcs | **Unit:** 1 pc

- Break off knife**
- aluminium, pop-up with safety brake
 - steel break off blade of 18 mm width
 - engraved logo
 - 5 spare blades
 - blister


CXS KNEE PAD, 6110 010 150 00


Size
12 x 15 x 5,5 cm

Material: 100 % polyuretan

Norm: EN 14404+A1:2010, TYP 1

Unit: 1 pc | **Box:** 60 pcs

- Polyurethane knee pad**
- elastic bands for fastening
 - protects knee against injury and kneeling in kneeling position
 - blister


CXS FLEXI-INSERT, 6110 011 800 00


Size
17 x 22 cm

Material: EVA (ethylene vinyl acetate)

Norm: EN 14404+A1:2010, TYP 2

Unit: 1 pc | **Box:** 100 pcs

- Flexi insert to the knee pockets**
- protects knee against kneeling in kneeling position
 - blister


CXS PENCIL, 6126 006 000 00


Box: 1200 pcs

Pack: 200 pcs | **Unit:** 1 pc

Carpenter's pencil

CXS MEASURE, 6121 008 000 00


Material
metallic meter in a plastic case

Length: 3 m

Box: 120 pcs | **Pack:** 12 pcs | **Unit:** 1 pc

- Tape measure**
- brake
 - hanging strap

CXS MEASURE, 6121 007 000 00


Material
metallic meter in a plastic case

Length: 5 m

Box: 120 pcs | **Pack:** 12 pcs | **Unit:** 1 pc

- Tape measure**
- brake
 - hanging strap

BATTERIES, 6121 027 000 00


Box: 120 packs | **Pack:** 12 packs | **Unit:** 1 packs

Batteries Tesla AA Silver+

- alkaline AA batteries, 4 pcs in blister
- for devices with high power consumption

BATTERIES, 6121 028 000 00


Box: 120 packs | **Pack:** 12 packs | **Unit:** 1 packs

Batteries Tesla AAA Silver+

- alkaline AAA batteries, 4 pcs in blister
- for devices with high power consumption

ALCOHOLTEST, 6123 049 000 00


Box: 100 packs | **Unit:** 1 packs

Alcohol tester

- one-off alcohol breath detecting tubes
- do not contain toxic CHROME
- the pack contains 10x set (detection tube, specific balloon and mouthpiece)

MOUTHPIECE, 6123 051 000 00


Box: 1 pc | **Unit:** 1 pc

Mouthpiece for alcohol tester

- mouthpiece for CXS Alcohol tester A05FL
- plastic
- packed individually

CXS ALCOHOL TESTER, 6123 048 800 00


Box: 40 pcs | **Pack:** 12 pcs | **Unit:** 1 pc

Digital alcohol tester CA05FL

- fuel cell sensor technology
- LCD display
- detects in range 0,00-4,00 ‰
- sound indicator

MOUTHPIECE, 6123 003 000 00


Box: 50 pcs | **Unit:** 1 pc

Mouthpiece for alcohol tester

- mouthpiece for CXS Alcohol tester CA2000/S
- plastic

NEW
CXS 5W LED FLASHLIGHT, 6121 037 810 00

CXS TYNAN, 1115 049 XXX 00


Size
UNI

Material: 100 % acrylic | **Luminosity:** 150 lm

Box: 120 pcs | **Pack:** 12 pcs | **Unit:** 1 pc

Hat with LED light

- knitted
- double-layer
- run time: 1 - 8 hours depending on used mode
- power supply: USB
- 3 light modes
- yellow version with reflective stripe

CXS COB LED CLIP, 6121 032 000 00
SALE


Size
50 x 55 x 28 mm

Luminosity: 60 lm | **Material:** ABS plastic

Box: 200 pcs | **Pack:** 1 pc | **Unit:** 1 pc

LED flashlight in clip

- clip to attach on cap
- adjustable beam angle (up to 90°)
- power supply: 2032 3V (batteries included)

Size
64 x 45 x 35 mm

Luminosity: 190 lm | **Material:** ABS plastic

Box: 100 pcs | **Pack:** 50 pcs | **Unit:** 1 pc

LED flashlight

- 3W LED
- motion sensor
- water resistant IP 44
- switching light modes: 100% - 70% - 30% - flashing - SOS
- run time: up to 15 hours
- power supply: USB (cabel included)

CXS 3W COB LED FLASHLIGHT, 6121 031 000 00
SALE


Size
195 x 60 x 25 mm

Luminosity: 180 lm | **Weight:** 150 g | **Material:** ABS plastic, rubber

Box: 96 pcs | **Pack:** 12 pcs | **Unit:** 1 pc

LED flashlight

- hook and magnet to attach
- run time: up to 10 hours
- power supply: 3 x AA battery (excluded)

CXS 3W LED FLASHLIGHT, 6121 010 000 00


Size
34 x 134 mm

Luminosity: 150 lm | **Weight:** 150 g | **Material:** aluminium

Box: 100 pcs | **Pack:** 10 pcs | **Unit:** 1 pc

LED flashlight

- 3W LED
- adjustable beam focus
- water resistant
- switching light modes: 100% - 70% - 30% - flashing - SOS
- run time: up to 24 hours
- power supply: 3 x AAA battery (excluded)

CXS CREE LED XPG HEADLAMP, 6121 030 166 00


Size
60 x 35 x 30 mm

Luminosity: 140 lm	Material: ABS plastic
Box: 72 pcs	Pack: 12 pcs

Unit: 1 pc

Headlamp

- rechargeable via USB cabel (included)
- switching light modes: 100% - 70% - 30% - SOS (red flashing)
- adjustable beam angle

SALE
CXS 3W CREE XPE LED HEADLAMP, 6121 024 000 00


Size
50 x 58 x 43 mm

Luminosity: 120 lm	Weight: 94 g
Material: ABS plastic	
Box: 100 pcs	Pack: 10 pcs

Unit: 1 pc

Headlamp

- motion sensor
- adjustable beam angle
- 2 light modes
- run time: up to 17 hours
- power supply: 3 x AAA battery (excluded)

FIRST-AID KIT, 6122 001 000 00


Size
17 x 26 x 8 cm

Box: 10 pcs | **Unit:** 1 pc

Plastic first-aid kit

- plastic with filling without medicaments
- for placement on the wall, removable
- for 15 people

CXS 3W LED HEADLAMP, 6121 009 518 00


Size
60 x 45 x 70 mm

Luminosity: 120 lm	Weight: 96 g
Material: ABS plastic	
Box: 100 pcs	Pack: 10 pcs

Unit: 1 pc

Headlamp

- 3W LED
- adjustable beam focus
- switching light modes: 50% - 100% - flashing
- run time: up to 42 hours
- power supply: 3 x AAA battery (excluded)

CXS 3W CREE LED HEADLAMP, 6121 019 000 00



Size
81 x 44 x 40 mm

Luminosity: 150 lm	Weight: 278 g
Material: ABS plastic	
Box: 20 pcs	Pack: 10 pcs

Unit: 1 pc

Headlamp

- 3W LED
- adjustable beam focus
- adjustable inclination angle (90°)
- switching light modes: 100% - 50% - flashing
- run time: up to 8 hours
- 2 kinds of power supply
- 3 x AAA battery (excluded)
- rechargeable battery & charger & car charger (included)


CAR FIRST-AID KIT, 6130 007 000 00


Box: 25 pcs | **Unit:** 1 pc

Car first-aid kit

- cortex
- for cars
- with the content according to the directive no. 206/2018Sb.

CXS REFLECTIVE TAPE, 1115 048 150 01


Size
43 x 4,5 cm

Norm: EN 13356, type 2 - removable accessory

Material: reflective PVC foil, metal safety spring, vinyl

Box: 168 pcs | **Pack:** 42 pcs | **Unit:** 1 pc

Self-winding reflective tape

- high visible accessory for non-professional use

CXS TAPE, 6126 010 251 00


Material
polyethylene

Width: 70 mm	Thickness: 30 microns
Length: 500 m	Box: 12 pcs Unit: 1 pc

Barricade tape

CXS TAPE, 6126 012 160 00


Material
polyethylene

Width: 60 mm	Length: 66 m
Thickness: 150 microns	
Box: 20 pcs	Pack: 4 pcs

Unit: 1 pc

Barricade tape

- self-adhesive tape - right
- for dangerous places marking
- for indoor environment only

CXS CONE, 6126 013 251 00


Base
22,5 x 22,5 cm

Height: 34 cm	Material: PE
----------------------	---------------------

Unit: 1 pc

Cone

- red with white band
- diameter of the upper part 4 cm

CXS TAPE, 6126 011 160 00



Material
polyethylene

Width: 60 mm	Length: 66 m
Thickness: 150 microns	
Box: 20 pcs	Pack: 4 pcs

Unit: 1 pc

Barricade tape

- self-adhesive tape - left
- for dangerous places marking
- for indoor environment only

CXS PLASTIC CHAIN, 6126 009 251 00


Size
29 x 49 mm, 8 mm

Length: 36 m	Material: PVC
Box: 4 packs	Pack: 25 m

Unit: 1 m

Barrier chain

- antimagnetic
- conductive
- temperature resistant: -10°C to + 75°C

CXS CONE, 6126 014 251 00


Base
29 x 29 cm

Height: 54 cm	Material: PE
----------------------	---------------------

Unit: 1 pc

Cone

- red with 2 white band
- diameter of the upper part 3,5 cm

GLUE, 6126 007 000 00


Box: 80 pcs | **Unit:** 1 pc

Instant glue

- cyanoacrylate instant glue

CAR SCRAPER, 6130 005 000 00


Box: 10 pcs | **Unit:** 1 pc

Car scraper with snow brush

- for snow with a long handle

WORK AT HEIGHT

HARNESSES	472
FALL ARRESTERS AND ENERGY ABSORBERS	473
LANYARDS	474
ACCESSORIES	475



WORK AT HEIGHT

NORMS	DESCRIPTION OF THE NORMS
EN 341	Personal fall protection equipment - descender devices for rescue.
EN 353-1+A1	Personal fall protection equipment. Part 1: Guided type fall arresters including a rigid anchor line.
EN 353-2	Personal protective equipment against falls from a height. Part 2: Guided type fall arresters including a flexible anchor line.
EN 354	Personal fall protection equipment - Lanyards
EN 358	Personal protective equipment for work positioning and prevention of falls from a height. Belts for work positioning and restraint and work positioning lanyards.
EN 360	Personal protective equipment against falls from a height - Retractable type fall arresters.
EN 361	Personal protective equipment against falls from a height - Full body harnesses.
EN 362	Personal protective equipment against falls from a height - Connectors.
EN 363	Personal fall protection equipment - Personal fall protection systems.
EN 795	Personal fall protection equipment - Anchor devices.
EN 813	Personal fall protection equipment - Sit harnesses.
EN 364	Personal protective equipment against falls from a height - Test methods.
EN 365	Personal protective equipment against falls from a height. General requirements for instructions for use, maintenance, periodic examination, repair, marking and packaging.
EN 1496	Personal fall protection equipment - Rescue lifting devices.

HARNESSES


page 472

P-30
4610 001 000 XX


page 472

P-50
4610 002 000 XX


page 472

P-51EMX
4610 003 000 95


page 472

P-70
4610 030 000 XX


page 472

P-30 HV
4610 031 200 95


page 472

PB-10
4610 004 000 95

FALL ARRESTERS AND ENERGY ABSORBERS


page 473

ROLEX
4620 001 000 00


page 473

CR 250 V 10
4620 040 800 00


page 473

AC 010
4620 004 000 00


page 473

ABM
4620 005 001 00


page 473

ABM
4620 006 000 00

LANYARDS


page 474

LP 100
4630 XXX 000 00


page 474

AC 100
4630 XXX 000 00


page 474

LB 100
4630 008 000 00


page 474

PROT 3
4630 009 000 00

ACCESSORIES


page 475

AZ 900
4630 010 000 00


page 475

AT 060
4690 058 000 00


page 475

AX 011
4690 059 400 00


page 475

EVO 3
4310 009 150 00


page 475

AZ 011
4640 001 000 00


page 475

AZ 014T
4640 002 000 00

SIZE CHART - ROPES

SIZE	CODE	SIZE	CODE
2,5m	001	30m	005
5m	002	40m	006
10m	003	50m	007
20m	004		

SIZE CHART - HARNESSES

SIZE	CODE
M - XL	95
XXL	96

SAFETY HARNESSES


- fall arrest system
- ascend and descend
- back connecting ring
- full body harness
- fall arrester
- safety rope



- fall arrest system from workplace level
- back connecting ring
- energy absorber or retractable
- fall arrester
- full body harness



- fall arrest system
- ascend and descend
- front connecting ring
- fall arrester
- safety rope
- full body harness



- fall arrest system
- ascend and descend
- back connecting ring
- fall arrester
- safety rope
- work positioning equipment



- fall arrest system above workplace level
- front connecting ring
- back connecting ring
- fall arrest body harness
- self-retracting lifelines



- fall arrest system above workplace level
- front connecting ring
- back connecting ring
- fall arrest body harness
- self-retracting lifelines

P-30, 4610 001 000 XX



Size
95 - 96

Material: polyamide webbings, metal buckles


Height: 164 - 185 cm, 185 - 200 cm

Chest circuit: 85 - 100 cm, 100 - 130 cm

Norm: EN 361 | **Unit:** 1 pc

Safety harness

- back attaching buckle
- combination with fall arrest system
- front attaching loops
- connecting and adjusting buckles
- adjustable thigh straps



P-50, 4610 002 000 XX



Size
95 - 96

Material: polyamide webbings, metal buckles

Height: 164 - 185 cm, 185 - 200 cm

Chest circuit: 85 - 100 cm, 100 - 130 cm

Norm: EN 361, EN 358 | **Unit:** 1 pc

Safety harness

- back attaching buckle
- combination with fall arrest system
- front attaching loops
- connecting and adjusting buckles
- stiffened lumbar support with buckle



P-51EMX, 4610 003 000 95



Size
95

Material: polyamide webbings, metal buckles


Height: 164 - 180 cm

Chest circuit: 85 - 100 cm

Norm: EN 361, EN 358 | **Unit:** 1 pc

Safety harness

- back attaching buckle
- combination with fall arrest system
- front attaching loops
- connecting and adjusting buckles
- work positioning belt with automatic high-carbon steel



P-70, 4610 030 000 XX



Size

95 - 96 (to order)

Material: polyamide webbings, metal buckles


Height: 164 - 185 cm, 185 - 200 cm

Chest circuit: 85 - 100 cm, 100 - 130 cm

Norm: EN 361, EN 358, EN 813 | **Unit:** 1 pc

Safety harness

- connecting snap hook for fall arrest system
- front attaching buckle - can be utilized as a sit harness according EN 813
- front attaching loops
- work positioning belt
- rear tool buckles
- adjustable thigh straps



P-30 HV, 4610 031 200 95



Size
95 (to order)

Material: webbings: polyamide/polyester, vest: polyester/cotton, zinc-plated steel buckles


Height: 164 - 180 cm

Chest circuit: 85 - 100 cm

Norm: EN 361 | **Unit:** 1 pc

Safety harness

- vest with reflective tapes
- combination with fall arrest system
- front attaching loops
- connecting and adjusting buckles
- adjustable thigh straps



PB-10, 4610 004 000 95



Size

95

Material: polyamide, polyester

Norm: EN 358 | **Unit:** 1 pc

Positioning belt

- breathable stiffened lumbar support
- side buckle
- adjustable belt clip
- textile belt strap



ROLEX, 4620 001 000 00



Length
2,25 m

Norm: EN 361 | **Unit:** 1 pc

Retractable fall arrester

- combined with an energy absorber
- upper snap hook AZ 011 with opening 18 mm included
- webbing snap hook AZ 002 AS included
- webbing retractor inside the cover



AC 010, 4620 004 000 00




Length
44 cm

Norm: EN 353-2 | **Unit:** 1 pc

Guided type fall arrester

- combined with an energy absorber
- determined for polyamide rope AC 100 of diameter 14 mm
- steel snap hook AZ 002 with opening 18 mm included



CR 250 V 10, 4620 040 800 00



Length
10 m

Norm: EN 360 | **Unit:** 1 pc

Retractable fall arrester

- cable retractor with brake and energy dissipating mechanism
- plastic casing steel rope with diameter 4 mm inside
- rotating snap hook AZ 002 ASI with opening 24 mm included



ABM, 4620 006 000 00



Length
2,25 m

Norm: EN 355 | **Unit:** 1 pc

Energy absorber with two lanyards

- energy absorber made of 32 mm wide polyamide webbing
- adjustable lanyards length LB 100 of diameter 12 mm
- 1 steel snap hook AZ 002 included
- 2 steel snap hooks AZ 022 included



ABM, 4620 005 001 00



Length
2 m

Norm: EN 355 | **Unit:** 1 pc

Energy absorber with lanyard

- energy absorber made of 32 mm wide polyamide webbing
- adjustable lanyard length LB 100 of diameter 12 mm
- 1x steel snap hook AZ 002 and 1x AZ 022



LP 100, 4630 XXX 000 000


Length	2,5 m, 5 m
Code:	001, 002
Material:	polyamide
Diameter:	10,5 mm
Norm:	EN 795 třída B, EN 354
Unit:	1 pc

Positioning lanyard with snap hook

- lanyard ended with loops
- steel snap hook AZ 002 with opening 18 mm
- can be used as a temporary anchor device and horizontal anchor lanyard
- maximal load capacity 100 kg

AC 100, 4630 XXX 000 00


Length	10 m, 20 m, 30 m, 40 m, 50 m
Code:	003, 004, (005, 006, 007 to order)
Material:	polyamide
Diameter:	14 mm
Norm:	EN 353-2
Unit:	1 pc

Working lanyard with snap hook

- thimbles on both ends of the lanyard
- steel snap hook AZ 002 with opening 18 mm
- lanyard is determined for energy absorber AC 010
- maximal load capacity - vertical use: 140 kg, horizontal use: 100 kg

AZ 900, 4630 010 000 00



Length	120 cm
Material:	polyamide
Norm:	EN 354, EN 795 třída B
Unit:	1 pc
Webbing sling	<ul style="list-style-type: none"> • stitched ends of the strap making a closed loop • load capacity of webbing: 22 KN • it can be used as anchorage device or with energy absorber

AX 011, 4690 059 400 00


Dimensions	300 x 300 x 600 mm
Material:	PVC, fabric
Volume:	33 l
Unit:	1 pc
Transport bag	<ul style="list-style-type: none"> • designed for work in heights • it allows transportation of equipment and protects it against adverse environmental effects • abrasion resistant and easy to wash

AZ 011, 4640 001 000 00


Size	108 x 60 mm
Material:	steel
Norm:	EN 362
Unit:	1 pc
Safety snap hook	<ul style="list-style-type: none"> • snap hook with screw locking • opening 18 mm • service life: 5 years • static strength: 25 KN

AT 060, 4690 058 000 00


Dimensions	1415 x 150 x 100 mm
Material:	galvanized steel
Weight:	6,9 kg
Norm:	EN 795 class B
Unit:	1 pc
Anchor device	<ul style="list-style-type: none"> • 2 fastening and adjusting plates • it can be anchored in door or window frames with • the width of opening from 350 to 1240 mm • use with personal protective equipment

EVO 3, 4310 009 150 00


Size	53 - 64 cm
Material:	HDP
Weight:	375 g
Norm:	EN 397, EN 50365
Unit:	1 pc
Box:	10 pc
Protective helmet	<ul style="list-style-type: none"> • 6-point textile harness • 4-point chin strap • sweatband made of egyptian cotton • micropeak • size setting One TouchTM • temperature resistance -40°C/+50°C • protection against 1000 V and 440 Vac • service life: 5 years

AZ 014T, 4640 002 000 00


Size	117 x 73 mm
Material:	aluminium
Norm:	EN 362
Unit:	1 pc
Safety snap hook	<ul style="list-style-type: none"> • light snap hook with automatic locking • opening 24 mm • service life: 5 years • static strength: 20 KN

LB 100, 4630 008 000 00


Length	1,5 m
Material:	polyamide, polyester
Diameter:	12 mm
Norm:	EN 354, EN 358
Unit:	1 pc

Working lanyard with snap hook

- lanyard with adjustable length
- steel snap hook AZ 002 with opening 18 mm
- use with energy absorber or lanyard for work positioning
- maximal load capacity 100 kg

PROT 3, 4630 009 000 00


Length	2 m
Material:	polyamide
Diameter:	14 mm
Norm:	EN 358
Unit:	1 pc

Positioning device with snap hook

- protective cover of lanyard
- steel snap hook AZ 011 with opening 18 mm
- steel snap hook AZ 002 with screw lock with opening 18 mm included
- adjusting device of lanyard length
- maximal load capacity 140 kg

CUSTOM SEWING

EMBROIDERY AND PRINTING 478

CUSTOM SEWING 481

WORKING UNIFORMS AND SETS 482



CUSTOM SEWING

Part of the services that our company offers in addition to the sale of workwear and tools is also the possibility of individual printing and embroidery of textiles.

SCREEN PRINTING

A technology whose principle is to push the paint through the permeable areas of the stencil. The permeable spots (motif) are created on the screen by means of a photosensitive emulsion, which hardens under light and makes the screen impenetrable. The advantage is a wide choice of colours, durability, high resistance to mechanical stress. In our printing workshop we have an automatic carousel VARI PRINT EASY from SHENK and two manual carousels + three drying tunnels to produce screen printed logos.



EMBROIDERY

A highly representative way of branding company textiles or other promotional items made of textiles, as it is characterized by high durability and longevity. The indisputable advantage of embroidery is its use on products where the use of other technologies is not suitable. These are mainly fleece hoodies and jackets, sweatshirts, terry towels and bath towels, bathrobes, hats, knitted textiles, etc. We have two Japanese TAJIMA machines and three SWF machines.



TRANSFER

The use of flat printing on special portable paper, from which the print is transferred by means of a thermal transfer press to the desired garment. As with screen printing, it is possible to achieve fine contours and an unlimited choice of colours. Logos are produced using a semi-automatic printing machine Roku Print with a modern dusting system Ino Powder.



DIGITAL TRANSFER

This is a new technology that combines the capabilities of digital printing with screen transfer. Direct digital printing on the transfer film with application of adhesive on the given textile is ignited by a thermal transfer press. The great advantage of this technology is the possibility of printing complex motifs, but also, for example, printing photographs or various creative effects.



DIGITAL PRINT

Our printing workshop uses the DTG M2 printer for digital printing on textiles. The great advantage and advantage of direct digital printing, which ranks among the most modern methods of our time, is the unlimited colour, achieving colour transitions, printing over seams, zippers and buttons, the possibility of printing complex motifs, but also, for example, printing photographs or various creative effects. Digital printing is classified as direct printing, i.e. the colour applied directly to the structure of the material becomes part of it. The textile itself is still breathable and comfortable to wear even with such a large logo format.




CUT NYLON/FLOCK

A technology whose principle is to transfer a given graphic element onto a flexible vinyl film. After cutting on a special Summa printing press (we have 3 pieces) and separating the excess material, the graphic motif is transferred to the selected textile with the help of a thermotransfer press. The advantage of the technology is edge sharpness and accuracy. It is suitable for small series production. A popular form in this technology is reflective nylon, which, because of its properties, can reflect light in the dark.



LASER PRINT

A technology in which the logo is digitally transferred onto a special wearable film, which is then applied to the garment using a thermoforming machine. This technology can be used to transfer photographs. The advantage is a large choice of colours, the possibility of keeping even very small details. Cannot be applied to glued and rubberised garments.



ADDITIONAL ADDED TECHNOLOGIES

IMPREGNATION

It is the protection of clothing by chemical means. We offer three types of clothing impregnation - dustproof, flame retardant and hydrophobic. Cannot be used on winter, knitted, fleece and rubberised garments.

STICKER

Graphics printed in high resolution on vinyl film or cut into self-adhesive film. Stickers are mainly used for marking advertising items where it is not technically possible to use other printing technology. Cannot be used for printing clothing.

TAMPON PRINTING

It is a printing process that can transfer a 2-D image to a 3-D object. This is done using an indirect gravure process, where the image is transferred from the printing plate (cliché) through a silicone carrier, called a pad, to the substrate (flatbed). Thanks to the adaptability of the swab, it is possible to transfer the image to a surface of virtually any shape (flat, cylindrical, convex...) Suitable for helmets, reflective tapes, meters.



All working clothes produced by us meet the EN ISO 13688 standard. We tailor on the basis of men's as well as ladies' dressmaking cuts; we produce also non-standard sizes made exactly to measure. In addition to common working clothing, we make also special protective clothing such as alert clothes (according to EN ISO 20471) and clothes for welders (according to EN ISO 11611), fire-resistant and antistatic clothes (according to EN ISO 11612 and EN 1149).

We produce working garments only from high-quality pre-shrunk and colourfast materials, which come with the material certificate that guarantees grammage per square meter, resistance of colour and structure with the guaranteed sett (number of picks per square centimetre) in crepe or linen weave.

A material composition can be of 100 % cotton or a blend (a mix of 65 % polyester and 35 % of cotton, or alternatively another proportion of cotton, polyester, nylon, spandex, viscose and silk). We offer a wide spectrum of colours – according to the sample list. Grammage of fabric from 135 to 270 g/m². Our products are made by technologies which ensure meeting the stress requirements in a given kind of work.

In production and finishing of a garment, elaborating of the details in every item of clothing is guaranteed. Each garment has a tag with maintenance information. Following these maintenance instructions will allow your clothing to be worn for a long time with great reliability.



We can accommodate standard clothing models to a customer's wishes, for example

- sewing up reflective tapes with the width 2,5 or 5 cm/in widths of 2,5 or 5 cm
- finishing the lower edge of the sleeves and legs according to a customer's wishes
- changes in the number and shape of pockets
- saddle colour difference
- reinforcing interlining of the shoulders, elbows, knees, thighs and buttocks
- stitch-bonding of an embroidery logo



While issuing to us your purchase order, please indicate information necessary for the price calculation

- material grammage and composition
- fabric colour (possibly combination of colours)
- dressmaking cut (if it is not identical with some of our normalised models, a customer-made design or sewn sample is required)
- quantities



On the following pages, we will show you samples of the work of work sets and uniforms that have penetrated our sewing workshop. Individual and special kit solutions that have the highest quality and workmanship!



EXPLANATIONS

PICTOGRAMS 486

WASHING SYMBOLS 487

NOTES 488



- NEW** New
- SALE** Sale
- Reflective accessories
- Breathable material
- Waterproof material
- TPU** TPU membrane
- 4-WAY STRETCH** material
- Metal toe cap and insole
- Metal toe cap
- Non-metal toe cap and insole
- SIP** Footwear category
- ESD protection
- CX-SHIELD** membrane CX-SHIELD
- ULTRALIGHT footwear made of light material
- Goods to order
- Ladie`s version
- Winter version
- Made in EU
- Made in CZ
- Breathable and water resistant material
- GORE-TEX** material
- Vibram material
- METAL FREE** Footwear without metal parts
- FFP1** particulate respirator FFP1
- FFP2** particulate respirator FFP2
- FFP3** particulate respirator FFP3
- Clamping on the top of the head

- Clamping behind the ears
- Efficacy against coronaviruses
- D** Dolomite dust test
- Contains activated carbon
- LATEX** Latex free
- NR** Cannot be reused
- R** For repeated use
- Anti-Scratch
- Anti-Fog
- UV Protection
- Adjustable ear-stem
- Adjustable visor angle
- Softflex ear-stem ends
- Elastic band
- Foam insert
- Mechanical hazards
- Specific chemical hazards
- Protection against heat
- Microorganisms
- Heat and fire, welding
- Radioactive contamination
- Cold
- Work under voltage
- Gloves protecting against cuts and stabsby hand knife
- Suitable for short-term contact with food
- Goods hung on blister
- OEKO TEX** STANDARD 100 Made only from materials that are not harmful to health

CARE SYMBOLS

- 95 • maximum temperature 95 °C
• common procedure
- 95 • maximum temperature 95 °C
• gentle procedure
- 70 • maximum temperature 70 °C
• common procedure
- 60 • maximum temperature 60 °C
• common procedure
- 60 • maximum temperature 60 °C
• gentle procedure
- 50 • maximum temperature 50 °C
• common procedure
- 50 • maximum temperature 50 °C
• gentle procedure
- 40 • maximum temperature 40 °C
• common procedure
- 40 • maximum temperature 40 °C
• gentle procedure
- 40 • maximum temperature 40 °C
• very gentle procedure
- 30 • maximum temperature 30 °C
• common procedure
- 30 • maximum temperature 30 °C
• gentle procedure
- 30 • maximum temperature 30 °C
• very gentle procedure
- Hand washing • maximum temperature 40 °C
- no washing

IRONING

- max. ironing temperature 200 °C
- max. ironing temperature 150 °C
- max. ironing temperature 110 °C
- vapours ironing can cause nonreversible damage

CHLORINE BLEACH

- can using of all oxidizing bleaching agent
- use only oxidizing / no chorination bleaching agent
- product can not be bleached

DRY CLEANING

- professional dry-cleaning with tetrachlorethen and all solvents mentioned under F symbol
• common procedure
- professional dry-cleaning with tetrachlorethen and all solvents mentioned under F symbol
• gentle procedure
- professional dry-cleaning with hydrocarbon (boiling range between 150 °C and 210 °C, flash point between 38 °C and 70 °C)
• common procedure
- professional dry-cleaning with hydrocarbon (boiling range between 150 °C and 210 °C, flash point between 38 °C and 70 °C)
• gentle procedure
- product must not be dry cleaned
- professional wet cleaning
• common procedure
- professional wet cleaning
• gentle procedure
- professional wet cleaning
• very gentle procedure

SPIN DRYING

- product can be dried in drum dryers
• normal temperature
- product can be drying in drum dryers
• lower drying temperature
- product can't be dried in drum dryers



Lined writing area for page 488.

Lined writing area for page 489.



Lined writing area for page 490.



Lined writing area for page 491.



Lined writing area for page 492.

Lined writing area for page 493.



Lined writing area for page 494.



Lined writing area for page 495.





8100 029 000 07



8 591940 319281 >